




Neighborhood parks in Al Warqa and al Mizhar Area- Group C

PJ 20178 - Dubai Municipality


Table of Contents

Cover	1
Table of Contents	2
Images	3
Luminaire list	13


Site 1

Calculation objects / Light scene 1	14
01- Food and Beverages Area / Light scene 1 / Perpendicular illuminance (adaptive)	19
02- Plaza / Light scene 1 / Perpendicular illuminance (adaptive)	20
04- Paddle Court / Light scene 1 / Perpendicular illuminance (adaptive)	21
03- Jogging Track / Light scene 1 / Perpendicular illuminance (adaptive)	22
05- Volley Ball Court / Light scene 1 / Perpendicular illuminance (adaptive)	23
06- Tennis Court / Light scene 1 / Perpendicular illuminance (adaptive)	24
07- Football Court / Light scene 1 / Perpendicular illuminance (adaptive)	25
08- Stage Area / Light scene 1 / Perpendicular illuminance (adaptive)	26
09- Kids Zone / Light scene 1 / Perpendicular illuminance (adaptive)	27
10- Shade Play Area 01 / Light scene 1 / Perpendicular illuminance (adaptive)	28
11- Shade Play Area 02 / Light scene 1 / Perpendicular illuminance (adaptive)	29
12- Pathway 01 / Light scene 1 / Perpendicular illuminance (adaptive)	30
13- Pathway 02 / Light scene 1 / Perpendicular illuminance (adaptive)	31
14- Pathway 03 / Light scene 1 / Perpendicular illuminance (adaptive)	32
15- Big Lawn Zone 01 / Light scene 1 / Perpendicular illuminance (adaptive)	33
15- Big Lawn Zone 02 / Light scene 1 / Perpendicular illuminance (adaptive)	34
15- Big Lawn Zone 03 / Light scene 1 / Perpendicular illuminance (adaptive)	35
15- Big Lawn Zone 04A / Light scene 1 / Perpendicular illuminance (adaptive)	36
15- Big Lawn Zone 04B / Light scene 1 / Perpendicular illuminance (adaptive)	37
16- Open Area / Light scene 1 / Perpendicular illuminance (adaptive)	38


Images




Images



Images




Images




Images




Images




Images




Images



Images



Images




Luminaire list

Φ_{total} 2193610 lm	P_{total} 19975.0 W	Luminous efficacy 109.8 lm/W
-------------------------------------	---------------------------------	---------------------------------

pcs.	Manufacturer	Article No.	Article name	P	Φ	Luminous efficacy
56	FRATER	FL38-100	Frater Round Flood Light	100.0 W	12832 lm	128.3 lm/W
7	FRATER	PT06-030	Pole Top Light PT06	30.0 W	2774 lm	92.5 lm/W
183	FRATER	PT12-025	Frater Post Top PT12	25.0 W	3000 lm	120.0 lm/W
145	FRATER	SP01-012-60D	Spike Light SP01	10.0 W	1200 lm	120.0 lm/W
224	FRATER	SP02-025-60D	Spike Light SP02	25.0 W	2250 lm	90.0 lm/W
127	FRATER	BL04-20	Bollard Light BL04	20.0 W	1800 lm	90.0 lm/W

(Light scene 1)

Calculation objects



(Light scene 1)

Calculation objects

Surface result objects

Properties		min	max	$U_o (g_1)$	g_2	Index
01- Food and Beverages Area Perpendicular illuminance (adaptive) Height: 0.100 m	17.8 lx	0.12 lx	127 lx	0.007	0.001	RS1
01- Food and Beverages Area Luminance Height: 0.100 m	2.64 cd/m ²	0.018 cd/m ²	18.9 cd/m ²	0.007	0.001	RS1
02- Plaza Perpendicular illuminance (adaptive) Height: 0.100 m	12.8 lx	0.33 lx	360 lx	0.026	0.001	RS2
02- Plaza Luminance Height: 0.100 m	1.90 cd/m ²	0.048 cd/m ²	53.5 cd/m ²	0.025	0.001	RS2
03- Jogging Track Perpendicular illuminance (adaptive) Height: 0.100 m	22.5 lx	0.65 lx	369 lx	0.029	0.002	RS3
03- Jogging Track Luminance Height: 0.100 m	1.87 cd/m ²	0.053 cd/m ²	30.6 cd/m ²	0.028	0.002	RS3
04- Paddle Court Perpendicular illuminance (adaptive) Height: 0.200 m	325 lx	41.0 lx	539 lx	0.13	0.076	RS4
04- Paddle Court Luminance Height: 0.200 m	14.0 cd/m ²	1.77 cd/m ²	23.2 cd/m ²	0.13	0.076	RS4
05- Volley Ball Court Perpendicular illuminance (adaptive) Height: 0.250 m	272 lx	98.5 lx	405 lx	0.36	0.24	RS5
05- Volley Ball Court Luminance Height: 0.250 m	14.9 cd/m ²	5.40 cd/m ²	22.2 cd/m ²	0.36	0.24	RS5
07- Footbal Court Perpendicular illuminance (adaptive) Height: 0.150 m	201 lx	37.9 lx	355 lx	0.19	0.11	RS6

(Light scene 1)

Calculation objects

07- Football Court Luminance Height: 0.150 m	8.65 cd/m ²	1.64 cd/m ²	15.3 cd/m ²	0.19	0.11	RS6
08- Stage Area Perpendicular illuminance (adaptive) Height: 0.200 m	106 lx	7.78 lx	221 lx	0.073	0.035	RS7
08- Stage Area Luminance Height: 0.200 m	15.8 cd/m ²	1.16 cd/m ²	32.8 cd/m ²	0.073	0.035	RS7
09- Kids Zone Perpendicular illuminance (adaptive) Height: 0.100 m	36.6 lx	1.57 lx	110 lx	0.043	0.014	RS8
09- Kids Zone Luminance Height: 0.100 m	4.82 cd/m ²	0.21 cd/m ²	14.5 cd/m ²	0.044	0.014	RS8
10- Shade Play Area 01 Perpendicular illuminance (adaptive) Height: 0.200 m	37.2 lx	7.06 lx	223 lx	0.19	0.032	RS9
10- Shade Play Area 01 Luminance Height: 0.200 m	2.89 cd/m ²	0.55 cd/m ²	17.3 cd/m ²	0.19	0.032	RS9
11- Shade Play Area 02 Perpendicular illuminance (adaptive) Height: 0.200 m	29.0 lx	2.78 lx	188 lx	0.096	0.015	RS10
11- Shade Play Area 02 Luminance Height: 0.200 m	2.26 cd/m ²	0.22 cd/m ²	14.7 cd/m ²	0.097	0.015	RS10
12- Pathway 01 Perpendicular illuminance (adaptive) Height: 0.200 m	14.8 lx	1.19 lx	477 lx	0.080	0.002	RS11
12- Pathway 01 Luminance Height: 0.200 m	2.21 cd/m ²	0.18 cd/m ²	70.9 cd/m ²	0.081	0.003	RS11
14- Pathway 03 Perpendicular illuminance (adaptive) Height: 0.100 m	9.97 lx	0.51 lx	330 lx	0.051	0.002	RS12

(Light scene 1)

Calculation objects

14- Pathway 03 Luminance Height: 0.100 m	1.48 cd/m ²	0.076 cd/m ²	49.0 cd/m ²	0.051	0.002	RS12
15- Big Lawn Zone 01 Perpendicular illuminance (adaptive) Height: 0.200 m	13.4 lx	1.69 lx	44.0 lx	0.13	0.038	RS13
15- Big Lawn Zone 01 Luminance Height: 0.200 m	0.59 cd/m ²	0.075 cd/m ²	1.94 cd/m ²	0.13	0.039	RS13
15- Big Lawn Zone 02 Perpendicular illuminance (adaptive) Height: 0.300 m	8.17 lx	0.80 lx	45.0 lx	0.098	0.018	RS14
15- Big Lawn Zone 02 Luminance Height: 0.300 m	0.42 cd/m ²	0.042 cd/m ²	2.32 cd/m ²	0.10	0.018	RS14
15- Big Lawn Zone 03 Perpendicular illuminance (adaptive) Height: 0.400 m	3.28 lx	0.68 lx	12.6 lx	0.21	0.054	RS15
15- Big Lawn Zone 03 Luminance Height: 0.400 m	0.21 cd/m ²	0.043 cd/m ²	0.80 cd/m ²	0.20	0.054	RS15
15- Big Lawn Zone 04A Perpendicular illuminance (adaptive) Height: 0.500 m	2.13 lx	0.71 lx	4.98 lx	0.33	0.14	RS16
15- Big Lawn Zone 04A Luminance Height: 0.500 m	0.16 cd/m ²	0.053 cd/m ²	0.37 cd/m ²	0.33	0.14	RS16
15- Big Lawn Zone 04B Perpendicular illuminance (adaptive) Height: 0.500 m	2.06 lx	0.61 lx	6.60 lx	0.30	0.092	RS17
15- Big Lawn Zone 04B Luminance Height: 0.500 m	0.15 cd/m ²	0.044 cd/m ²	0.47 cd/m ²	0.29	0.094	RS17
16- Open Area Perpendicular illuminance (adaptive) Height: 0.200 m	36.8 lx	9.12 lx	90.7 lx	0.25	0.10	RS18

(Light scene 1)


Calculation objects

16- Open Area Luminance Height: 0.200 m	4.17 cd/m ²	1.04 cd/m ²	10.3 cd/m ²	0.25	0.10	RS18
13- Pathway 02 Perpendicular illuminance (adaptive) Height: 0.100 m	16.3 lx	0.65 lx	236 lx	0.040	0.003	RS19
13- Pathway 02 Luminance Height: 0.100 m	2.43 cd/m ²	0.096 cd/m ²	35.1 cd/m ²	0.040	0.003	RS19
06- Tennis Court Perpendicular illuminance (adaptive) Height: 0.250 m	237 lx	79.2 lx	332 lx	0.33	0.24	RS20
06- Tennis Court Luminance Height: 0.250 m	10.2 cd/m ²	3.42 cd/m ²	14.3 cd/m ²	0.34	0.24	RS20

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

01- Food and Beverages Area





Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
01- Food and Beverages Area Perpendicular illuminance (adaptive) Height: 0.100 m	17.8 lx	0.12 lx	127 lx	0.007	0.001	RS1

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

02- Plaza






Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
02- Plaza	12.8 lx	0.33 lx	360 lx	0.026	0.001	RS2
Perpendicular illuminance (adaptive)						
Height: 0.100 m						

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

04- Paddle Court





Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
04- Paddle Court Perpendicular illuminance (adaptive) Height: 0.200 m	325 lx	41.0 lx	539 lx	0.13	0.076	RS4

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

03- Jogging Track




Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
03- Jogging Track Perpendicular illuminance (adaptive) Height: 0.100 m	22.5 lx	0.65 lx	369 lx	0.029	0.002	RS3

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

05- Volley Ball Court




Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
05- Volley Ball Court Perpendicular illuminance (adaptive) Height: 0.250 m	272 lx	98.5 lx	405 lx	0.36	0.24	RS5

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

06- Tennis Court




Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
06- Tennis Court Perpendicular illuminance (adaptive) Height: 0.250 m	237 lx	79.2 lx	332 lx	0.33	0.24	RS20

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

07- Footbal Court




Properties	$\bar{E}$	E_{min}	E_{max}	$U_0 (g_1)$	g_2	Index
07- Footbal Court Perpendicular illuminance (adaptive) Height: 0.150 m	201 lx	37.9 lx	355 lx	0.19	0.11	RS6

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)



08- Stage Area



Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
08- Stage Area	106 lx	7.78 lx	221 lx	0.073	0.035	RS7
Perpendicular illuminance (adaptive)						
Height: 0.200 m						

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)
09- Kids Zone




Properties	$\bar{E}$	$E_{\min}$	$E_{\max}$	$U_o (g_1)$	g_2	Index
09- Kids Zone Perpendicular illuminance (adaptive) Height: 0.100 m	36.6 lx	1.57 lx	110 lx	0.043	0.014	RS8

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)


10- Shade Play Area 01



Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
10- Shade Play Area 01	37.2 lx	7.06 lx	223 lx	0.19	0.032	RS9
Perpendicular illuminance (adaptive)						
Height: 0.200 m						

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

11- Shade Play Area 02




Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
11- Shade Play Area 02 Perpendicular illuminance (adaptive) Height: 0.200 m	29.0 lx	2.78 lx	188 lx	0.096	0.015	RS10

AWRostamani

(Light scene 1)

12- Pathway 01






Properties	$\bar{E}$	$E_{\min}$	$E_{\max}$	$U_o (g_1)$	g_2	Index
12- Pathway 01 Perpendicular illuminance (adaptive) Height: 0.200 m	14.8 lx	1.19 lx	477 lx	0.080	0.002	RS11

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

13- Pathway 02






Properties	$\bar{E}$	E_{min}	E_{max}	$U_0 (g_1)$	g_2	Index
13- Pathway 02	16.3 lx	0.65 lx	236 lx	0.040	0.003	RS19
Perpendicular illuminance (adaptive)						
Height: 0.100 m						

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

14- Pathway 03





Properties	$\bar{E}$	$E_{\min}$	$E_{\max}$	$U_0 (g_1)$	g_2	Index
14- Pathway 03	9.97 lx	0.51 lx	330 lx	0.051	0.002	RS12
Perpendicular illuminance (adaptive)						
Height: 0.100 m						

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

15- Big Lawn Zone 01





Properties	$\bar{E}$	E_{min}	E_{max}	$U_0 (g_1)$	g_2	Index
15- Big Lawn Zone 01	13.4 lx	1.69 lx	44.0 lx	0.13	0.038	RS13
Perpendicular illuminance (adaptive)						
Height: 0.200 m						

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

15- Big Lawn Zone 02





Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
15- Big Lawn Zone 02	8.17 lx	0.80 lx	45.0 lx	0.098	0.018	RS14
Perpendicular illuminance (adaptive)						
Height: 0.300 m						

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

15- Big Lawn Zone 03






Properties	$\bar{E}$	E_{min}	E_{max}	$U_0 (g_1)$	g_2	Index
15- Big Lawn Zone 03	3.28 lx	0.68 lx	12.6 lx	0.21	0.054	RS15
Perpendicular illuminance (adaptive)						
Height: 0.400 m						

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

15- Big Lawn Zone 04A



Properties	$\bar{E}$	$E_{\min}$	$E_{\max}$	$U_0 (g_1)$	g_2	Index
15- Big Lawn Zone 04A Perpendicular illuminance (adaptive) Height: 0.500 m	2.13 lx	0.71 lx	4.98 lx	0.33	0.14	RS16


Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

15- Big Lawn Zone 04B



RS17




Properties	$\bar{E}$	$E_{\min}$	$E_{\max}$	$U_0 (g_1)$	g_2	Index
15- Big Lawn Zone 04B Perpendicular illuminance (adaptive) Height: 0.500 m	2.06 lx	0.61 lx	6.60 lx	0.30	0.092	RS17

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

(Light scene 1)

16- Open Area



Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
16- Open Area	36.8 lx	9.12 lx	90.7 lx	0.25	0.10	RS18
Perpendicular illuminance (adaptive)						
Height: 0.200 m						

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))