

Revised May 7, 2026 – Final LRBAAsubmission Version

Property of Fratres X AI
GitHub: <https://github.com/FratresMedAI/Ancile-Aeris>

Ancile Aeris v2.0 Video Production Package

Runtime: 4:00 **Audience:** DHS LRBAAs reviewers, C-UAS acquisition stakeholders, defense technology evaluators
Tone: professional, confident, technically credible, defense-tech **Property of Fratres X AI GitHub:**
<https://github.com/FratresMedAI/Ancile-Aeris>

Creative Direction

The video should feel like a polished defense technology demonstration: restrained, operational, and evidence-driven. The story is direct: Ancile Aeris v2.0 builds, launches, publishes live ROS 2 proof, selects layered non-kinetic effectors, and reports clean DARKSPACE audit status.

Core message:

Ancile Aeris v2.0 is a working, auditable, human-governed ROS 2 C-UAS platform with a full layered non-kinetic defeat stack and intelligent cognitive selection.

Exact Timed Shot List

Time	Shot	Capture	On-Screen Text	Narration					
0:00-0:08	Title slate	Full-screen graphic	"Ancile Aeris v2.0" / "Layered Non-Kinetic C-UAS Defense"	"This is Ancile Aeris v2.0, a working ROS 2 counter-UAS and anti-terror defensive platform."					
0:08-0:18	System identity	Architecture graphic	"Property of Fratres X AI" / "GitHub: FratresMedAI/Ancile-Aeris"	"It is built for auditable, human-governed protection of mass gatherings and critical infrastructure."					
0:18-0:32	Repository proof	GitHub repo or file tree	"Live on GitHub" / "ROS 2 modular packages"	"The platform is integrated and live on GitHub with sensing, fusion, DARK SPACE audit, scout ISR, cognitive EW, and effectors."					

Time	Shot	Capture	On-Screen Text	Narration					
0:32-0:50	Clean launch	Terminal	ros2 launch ancile_aeris_bringup ancile_aeris_basic_demo.launch.py	"The LRBA demo launches the complete basic stack in ROS 2."					
0:50-1:08	Topic proof	Terminal	ros2 topic list filtered output	"The live interfaces include DAR KSPACE audit, effector planning, cognitive EW, mesh ISR, and fused tracks."					
1:08-1:28	Multi-modal fusion	Terminal + overlay	/fused_tracks	"Simulated visual, thermal, acoustic, RF, lidar, and SIGINT-style evidence is fused into machine-readable tracks."					
1:28-1:48	Mesh scout ISR	Terminal + map graphic	/mesh/mothership_swarm_status	"The scout mothership layer provides mesh-coordinated ISR and sector awareness."					
1:48-2:08	Safety gate	Terminal	/safety_gate_status / "PID >= 0.999"	"Safety gates constrain downstream actions with PID >= 0.999 and human-on-the-loop authority."					
2:08-2:30	DARKSPACE audit	Terminal highlight	/darkspace /status/integrity_ok: true /chain_gap_count: 0	"DARKSPACE audit is clean, with integrity confirmed and zero hash-chain mismatch warnings."					
2:30-2:52	Effector catalog	Graphic + terminal	"HPM	cognitive jamming	GNSS spoofing	takeover	deception	monitor"	"The v2.0 differentiator is the full layered non-kinetic defeat stack."

Time	Shot	Capture	On-Screen Text	Narration					
2:52-3:14	Selected plan	Terminal	/effector/ selected_p lan	"The effector policy selects a track-specific plan and publishes rationale, authorization state, and monitor-only status."					
3:14-3:34	Cognitive EW	Terminal	/cognitive _ew_comman ds	"The cognitive EW chain turns the plan into an explainable, human-vetted recommendation."					
3:34-3:48	Government alignment	Graphic slate	"DHS PEO UAS/C-UAS	JIATF-401	Replicator 2"	"Ancile Aeris v2.0 is aligned to DHS C-UAS needs and modular acquisition pathways."			
3:48-3:56	Industry alignment	Graphic slate	"Lattice-style mesh	DroneHunter-class capture	Leonidas-style HPM"	"It references leading integration concepts while remaining vendor-neutral and simulation-safe."			
3:56-4:00	Closing slate	Branded slate	"Ancile Aeris v2.0 - Submission Ready - Property of Fratres X AI"	"Ancile Aeris v2.0: layered, auditable, non-kinetic, and human-governed."					

Required ROS 2 Commands to Capture

Launch:

```
cd /opt/ancile_aeris_ws
source /opt/ros/kilted/setup.bash
source install/setup.bash
ros2 launch ancile_aeris_bringup ancile_aeris_basic_demo.launch.py
```

Proof commands in a second terminal:

```
ros2 topic list | grep -E 'effector|cognitive_ew|darkspace|audit|mesh|fused_tracks'
ros2 topic echo --once /darkspace/status
ros2 topic echo --once /effector/status
ros2 topic echo --once /effector/selected_plan
ros2 topic echo --once /cognitive_ew_commands
ros2 topic echo --once /mesh/mothership_swarm_status
ros2 topic echo --once /fused_tracks
```

Fields to Highlight

/darkspace/status

```
integrity_ok: true
chain_gap_count: 0
```

/effector/selected_plan

```
selected.mode
selected.family
selected.authorized
selected.monitor_only
xai.rationale
catalog_considered
```

/cognitive_ew_commands

```
selected_effector_mode
effector_family
xai_rationale
requires_human_authorization
monitor_only
```

/mesh/mothership_swarm_status

```
coordinated_coverage
members
mesh_quality
```

Suggested B-Roll and Graphics

- ? Stadium perimeter and critical infrastructure line art with drone silhouettes.
- ? Mesh network showing scout mothership nodes and coverage sectors.
- ? Effector catalog wheel: monitor, deception, cognitive jamming, GNSS/link spoofing, HPM-class denial, control-link takeover.
- ? DARKSPACE audit shield with "integrity_ok=true."
- ? Human authorization gate graphic with "Human-on-the-loop."
- ? GitHub repository and ROS 2 package tree.
- ? Alignment slate: DHS PEO UAS/C-UAS, JIATF-401 Marketplace, Replicator 2, Anduril Lattice-style mesh, Fortem DroneHunter F700-class, Epirus Leonidas-style HPM.

Music and Narration

Use a restrained defense-tech bed: low confident pulse, minimal percussion, no alarm sounds, and no aggressive combat cues. Narration should be calm, senior, technical, and evidence-driven. Emphasize verified runtime proof, non-kinetic defeat, human-governed response, and monitor-only behavior unless authorized.

Closing Slate

Use this exact closing text:

```
Ancile Aeris v2.0  
Layered Non-Kinetic C-UAS Defense  
DARKSPACE Clean | Cognitive EW | Mesh Scout ISR | Human-on-the-Loop  
  
Property of Fratres X AI  
GitHub: https://github.com/FratresMedAI/Ancile-Aeris  
  
Alignment Context:  
DHS PEO UAS/C-UAS | JIATF-401 Marketplace | Replicator 2  
Anduril Lattice-style mesh | Fortem DroneHunter F700-class | Epirus Leonidas-style HPM
```

Standard Disclaimer

Simulation-only C-UAS defensive demonstration. No autonomous weapon release. Government and industry references are alignment examples only and do not imply endorsement.

Production Notes

- ? Record terminal at 1920x1080 or higher with 125-150 percent font scaling.
- ? Use two terminal panes: one for launch, one for topic proof.
- ? Pre-copy proof commands into a notes file to avoid typing delays.
- ? Keep all terminal evidence readable for PDF/video reviewers.
- ? Do not show secrets, credentials, or unrelated local paths.
- ? Keep the standard disclaimer visible in the final slate or closing sequence.

Ancile Aeris v2.0 - Property of Fratres X AI