

READY TO RUMBLE?

WEEK 4 QUIZ

HOW DO WE CREATE A NEW TABLE?

a. CREATE TABLE Users (id integer(255) primary key, fname varchar(255));

b. CREATE TABLE Users (id number(255), fname varchar(255));

c. CREATE TABLE Users (id integer primary key, fname varchar(255));

d. CREATE TABLE Users (id integer primary key null, fname varchar(255));

HOW DO WE GET UNIQUE VALUES FROM A SPECIFIC COLUMN IN A DATASET?

a. SELECT DISTINCT

column_name FROM dataset;

b. SELECT UNIQUE

column_name FROM dataset;

c. SELECT column_name
FROM dataset ORDER BY
column_name DISTINCT;

d. SELECT column_name
FROM dataset LIMIT 1;

IF I HAVE 8 USERS, WITH ON AVERAGE 6 BOOKS PER USER, AND ON AVERAGE 4 REVIEWS PER BOOK, HOW MANY RECORDS WILL THIS QUERY RETURN? "SELET DISTINCT * FROM USERS U LEFT JOIN BOOKS B ON U.ID = B.OWNERID LEFT JOIN REVIEWS R ON B.ID = R.BOOKID;"

a.8

b.32

c.48

d.192

IF I HAVE 8 USERS, WITH ON AVERAGE 6 BOOKS PER USER, AND ON AVERAGE 4 REVIEWS PER BOOK, HOW MANY RECORDS WILL THIS QUERY RETURN? "SELET DISTINCT U.ID, B.ID FROM USERS U LEFT JOIN BOOKS B ON U.ID = B.OWNERID LEFT JOIN REVIEWS R ON B.ID = R.BOOKID;"

a.8

b.32

c.48

d.192

IF I HAVE 8 USERS, WITH ON AVERAGE 6 BOOKS PER USER, AND ON AVERAGE 4 REVIEWS PER BOOK, HOW MANY RECORDS WILL THIS QUERY RETURN? "SELET DISTINCT U.ID FROM USERS U LEFT JOIN BOOKS B ON U.ID = B.OWNERID LEFT JOIN REVIEWS R ON B.ID = R.BOOKID;"

a.8

b.32

c.48

d.192