READY TO RUMBLE?

WEEK 6 QUIZ

HOW DO WE COUNT THE NUMBER OF RECORDS IN A DATASET?

a.SELECT NUMBER FROM dataset;

b.SELECT COLUMN COUNT FROM dataset;

c.SELECT COUNT(*) FROM dataset;

d.SELECT * FROM dataset COUNT BY column_name;

IF I HAVE 9 USERS, WITH ON AVERAGE 2 BOOKS PER USER, AND ON AVERAGE 5 REVIEWS PER BOOK, HOW MANY RECORDS WILL THIS QUERY RETURN? "SELET DISTINCT U.ID, B.ID FROM USERS U LEFT JOIN BOOKS B ON U.ID = B.OWNERID LEFT JOIN REVIEWS R ON B.ID = R.BOOKID;"

a.9

b.18

c.45

d.90

IF I HAVE 9 USERS, WITH ON AVERAGE 2 BOOKS PER USER, AND ON AVERAGE 5 REVIEWS PER BOOK, HOW MANY RECORDS WILL THIS QUERY RETURN? "SELET DISTINCT * FROM USERS U LEFT JOIN BOOKS B ON U.ID = B.OWNERID LEFT JOIN REVIEWS R ON B.ID = R.BOOKID;"

a.9

b.18

c.45

d.90

IF I HAVE 9 USERS, WITH ON AVERAGE 2 BOOKS PER USER, AND ON AVERAGE 5 REVIEWS PER BOOK, HOW MANY RECORDS WILL THIS QUERY RETURN? "SELET DISTINCT U.ID FROM USERS U LEFT JOIN BOOKS B ON U.ID = B.OWNERID LEFT JOIN REVIEWS R ON B.ID = R.BOOKID;"

a.9

b.18

c.45

d.90