

# Cucumber Report

15 sept de 2024, 7:54:26 p. m.

Start : sept 15, 7:54:17.144 p. m.

End : sept 15, 7:54:24.754 p. m.

Duration : 7.610 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 4  
FAILED - 1  
SKIPPED - 0

PASSED - 11  
FAILED - 1  
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Booking endpoint</u>	7.610 s	5	4	1	0	13	11	1	1

#	Feature Name	Scenario Name
1	<u>Booking endpoint</u>	<u>post request with /booking endpoint and faulty data must not create an entry</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Booking endpoint</u>	5	4	1	0	7.610 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Booking endpoint</u>	<u>/booking/{id} must return a booking with a valid id</u>	3	3	0	0	4.981 s
2		<u>/booking/{id} must return error 404 with non existent id</u>	2	2	0	0	0.705 s
3		<u>post request with /booking endpoint creates an entry</u>	4	4	0	0	1.115 s
4		<u>post request with /booking endpoint and faulty data must not create an entry</u>	2	2	0	0	0.663 s
5		<u>post request with /booking endpoint and faulty data must not create an entry</u>	2	0	1	1	0.056 s

## Booking endpoint



<b>FAILED</b>	DURATION - 7.610 s	Scenarios		Steps	
/ 7:54:17.144 p. m. // 7:54:24.754 p. m. /		Total - 5		Total - 13	
		Pass - 4		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

### /booking/{id} must return a booking with a valid id

<div>PASSED</div>	<div>DURATION - 4.981 s</div>	<div></div>	Steps	<div></div>
<div>/ 7:54:17.149 p. m. // 7:54:22.130 p. m. /</div>			Total - 3	
<div>Booking endpoint</div>			Pass - 3	
			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with id "1"	PASSED	3.975 s
2	Then I verify that the status code is 200	PASSED	0.031 s
3	And I verify that the body does not have size 0	PASSED	0.957 s

### /booking/{id} must return error 404 with non existent id

<div>PASSED</div>	<div>DURATION - 0.705 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 7:54:22.156 p. m. // 7:54:22.861 p. m. /</div>			<div>Total - 2</div>	
<div>Booking endpoint</div>			<div>Pass - 2</div>	
			<div>Fail - 0</div>	
			<div>Skip - 0</div>	



#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with id "23498530"	PASSED	0.700 s
2	Then I verify that the status code is 404	PASSED	0.003 s

### post request with /booking endpoint creates an entry

PASSED	DURATION - 1.115 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:54:22.895 p. m. // 7:54:24.010 p. m. /				
Booking endpoint				

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the booking endpoint with the following data "Jim" "Brown" 111 true "2018-01-01" "2019-01-01" "Breakfast"	PASSED	1.005 s
2	Then I verify that the status code is 200	PASSED	0.004 s
3	And I verify that the body does not have size 0	PASSED	0.028 s
4	And I verify the following data in the body response "Jim" "Brown" 111 true "2018-01-01" "2019-01-01" "Breakfast"	PASSED	0.074 s



### post request with /booking endpoint and faulty data must not create an entry

PASSED	DURATION - 0.663 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 7:54:24.024 p. m. // 7:54:24.687 p. m. /				
Booking endpoint				

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the booking endpoint with the following data	PASSED	0.660 s

#	Step / Hook Details	Status	Duration
	"Jim" 2839 111 true "2018-01-01" "2019-01-01" "Breakfast"		
2	Then I verify that the status code is 500	PASSED	0.002 s

### post request with /booking endpoint and faulty data must not create an entry

FAILED		DURATION - 0.056 s			Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 7:54:24.698 p. m. // 7:54:24.754 p. m. /						
Booking endpoint						

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the booking endpoint with the following data "Jim" "Brown" "hundred and eleven" true "2018-01-01" "2019-01-01" "Breakfast"  java.lang.NumberFormatException: For input string: ""hundred and eleven"" at java.base/java.lang.NumberFormatException.forInputString(NumberFormatException.java:67) at java.base/java.lang.Integer.parseInt(Integer.java:588) at java.base/java.lang.Integer.parseInt(Integer.java:685) at StepDefinitions.BookingSteps.getBookingWithData(BookingSteps.java:58) at StepDefinitions.BookingSteps.postBooking(BookingSteps.java:91) at ?.I perform a POST call to the booking endpoint with the following data(file:///C:/Users/Giga%20Servy/IdeaProjects/FrameworkRestfulAPI/src/test/resources/booking.feature:22) * Not displayable characters are replaced by '?'.  	FAILED	0.041 s
2	Then I verify that the status code is 500	SKIPPED	0.001 s