





AUP513: Correlation plots for manuscript

January 5, 2017

To: Georgia Tomaras

From: Raphael Gottardo, Bhavesh Borate, Bryan Mayer

cc: Alicia Sato, Eva Chung

Overview

This report presents the correlations between CD4/CD8 T-cell responses measured through ICS assay and the B-cell response measured through BAMA, GTL ADCC and NAb assays for the groups receiving NYVAC-C-KC vaccines (Groups 5 and 6).

List of Figures

1	Group 5, ICS v/s BAMA by cytokine and pooled antigen colored by T-cell population.	
	The fitted simple linear regression line and Spearman correlation are indicated	2
2	Group 5, ICS v/s ADCC GTL assay by cytokine and pooled antigen colored by T-cell	
	population. The fitted simple linear regression line and Spearman correlation are indicated.	3
3	Group 5, ICS v/s NAB assay by cytokine and pooled antigen colored by T-cell population.	
	The fitted simple linear regression line and Spearman correlation are indicated	4
4	Group 6, ICS v/s BAMA by cytokine and pooled antigen colored by T-cell population.	
	The fitted simple linear regression line and Spearman correlation are indicated	5
5	Group 6, ICS v/s ADCC GTL assay by cytokine and pooled antigen colored by T-cell	
	population. The fitted simple linear regression line and Spearman correlation are indicated.	6
6	Group 6, ICS v/s NAB assay by cytokine and pooled antigen colored by T-cell population.	
	The fitted simple linear regression line and Spearman correlation are indicated	7
7	Plot showing correlation between T-cell ICS assay and B-cell assays in Group 5 faceted by	
	CD4/CD8 T-cell populations and ordered by median correlation for each cytokine antigen	
	combination.	8
8	Plot showing correlation between T-cell ICS assay and B-cell assays in Group 6 faceted by	
	CD4/CD8 T-cell populations and ordered by median correlation for each cytokine antigen	
	combination.	9

R version 3.2.1 Page 1 of 9




Figure 1: Group 5, ICS v/s BAMA by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 2: Group 5, ICS v/s ADCC GTL assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 3: Group 5, ICS v/s NAB assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 4: Group 6, ICS v/s BAMA by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 5: Group 6, ICS v/s ADCC GTL assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 6: Group 6, ICS v/s NAB assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 7: Plot showing correlation between T-cell ICS assay and B-cell assays in Group 5 faceted by CD4/CD8 T-cell populations and ordered by median correlation for each cytokine antigen combination.




Figure 8: Plot showing correlation between T-cell ICS assay and B-cell assays in Group 6 faceted by CD4/CD8 T-cell populations and ordered by median correlation for each cytokine antigen combination.