

AUP513: Correlation plots for manuscript

January 5, 2017

To: Georgia Tomaras

From: Raphael Gottardo, Bhavesh Borate

cc: Alicia Sato, Eva Chung

Overview

This report presents the correlations between CD4/CD8 T-cell responses measured through ICS assay and the B-cell response measured through BAMA, GTL ADCC and NAb assays for the groups receiving NYVAC-C-KC vaccines (Groups 5 and 6).

List of Figures

- | | | |
|---|---|---|
| 1 | Group 5, ICS v/s BAMA by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated. | 2 |
| 2 | Group 5, ICS v/s ADCC GTL assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated. | 3 |
| 3 | Group 5, ICS v/s NAB assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated. | 4 |
| 4 | Group 6, ICS v/s BAMA by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated. | 5 |
| 5 | Group 6, ICS v/s ADCC GTL assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated. | 6 |
| 6 | Group 6, ICS v/s NAB assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated. | 7 |
| 7 | Plot showing correlation between T-cell ICS assay and B-cell assays in Group 5 faceted by CD4/CD8 T-cell populations and ordered by median correlation for each cytokine antigen combination. | 8 |
| 8 | Plot showing correlation between T-cell ICS assay and B-cell assays in Group 6 faceted by CD4/CD8 T-cell populations and ordered by median correlation for each cytokine antigen combination. | 9 |




Figure 1: Group 5, ICS v/s BAMA by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 2: Group 5, ICS v/s ADCC GTL assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 3: Group 5, ICS v/s NAB assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 4: Group 6, ICS v/s BAMA by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 5: Group 6, ICS v/s ADCC GTL assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 6: Group 6, ICS v/s NAB assay by cytokine and pooled antigen colored by T-cell population. The fitted simple linear regression line and Spearman correlation are indicated.




Figure 7: Plot showing correlation between T-cell ICS assay and B-cell assays in Group 5 faceted by CD4/CD8 T-cell populations and ordered by median correlation for each cytokine antigen combination.




Figure 8: Plot showing correlation between T-cell ICS assay and B-cell assays in Group 6 faceted by CD4/CD8 T-cell populations and ordered by median correlation for each cytokine antigen combination.