TEMPERATURE MONITORING REPORT

Gas check pdf

Report ID: 3

Report Type: CUSTOM

Generated: 10/9/2026, 11:27:41 AM

Period: 10/1/2026 - 10/9/2026

Executive Summary

Temperature Monitoring System Report

Overview

Total Sensors
5

Total Readings
965

Active Alerts
0

System Status

Active Sensors:

In Maintenance:

Overdue Tasks:

Completed Tasks:

Sensors Overview

Temperature Monitoring System Report

Sensor ID	Name	Type	Status	Location	Last Reading
BTY-001	Chichiri Sensor	Temp	Active	Chichiri, Blantyre	28.12C
BTY-002	Limbe Sensor	Temp+Gas	Active	Limbe Market, Blantyre	29C
BTY-003	Soche Sensor	Temp	Active	Soche Hill, Blantyre	27.9C
BTY-004	CBD Sensor	Temp+Gas	Active	Victoria Ave, Blantyre CBD	28.46C
BTY-005	Chileka Sensor	Temp	Active	Chileka Airport, Blantyre	26.76C

Temperature Analysis

Temperature Monitoring System Report

Average	Minimum	Maximum	Total	Gas Events
24.82C	17.32C	39.33C	965	4

Detailed Readings

Date/Time	Sensor	Temperature	Gas	Location
10/1/2026, 2:00:00 AM	Chichiri Sensor	20.1C	N/A	Chichiri, Blantyre
10/1/2026, 2:00:00 AM	Limbe Sensor	20.2C	0	Limbe Market, Blantyre
10/1/2026, 2:00:00 AM	Soche Sensor	20.7C	N/A	Soche Hill, Blantyre
10/1/2026, 2:00:00 AM	CBD Sensor	19.1C	0	Victoria Ave, Blantyre CBD
10/1/2026, 2:00:00 AM	Chileka Sensor	19.4C	N/A	Chileka Airport, Blantyre
10/1/2026, 3:00:00 AM	Chichiri Sensor	17.6C	N/A	Chichiri, Blantyre
10/1/2026, 3:00:00 AM	Limbe Sensor	19.1C	0	Limbe Market, Blantyre
10/1/2026, 3:00:00 AM	Soche Sensor	19.2C	N/A	Soche Hill, Blantyre
10/1/2026, 3:00:00 AM	CBD Sensor	20.8C	0	Victoria Ave, Blantyre CBD
10/1/2026, 3:00:00 AM	Chileka Sensor	19.5C	N/A	Chileka Airport, Blantyre
10/1/2026, 4:00:00 AM	Chichiri Sensor	18.9C	N/A	Chichiri, Blantyre
10/1/2026, 4:00:00 AM	Limbe Sensor	18.4C	0	Limbe Market, Blantyre
10/1/2026, 4:00:00 AM	Soche Sensor	18.0C	N/A	Soche Hill, Blantyre
10/1/2026, 4:00:00 AM	CBD Sensor	20.4C	0	Victoria Ave, Blantyre CBD
10/1/2026, 4:00:00 AM	Chileka Sensor	20.1C	N/A	Chileka Airport, Blantyre
10/1/2026, 5:00:00 AM	Chichiri Sensor	20.1C	N/A	Chichiri, Blantyre
10/1/2026, 5:00:00 AM	Limbe Sensor	19.5C	0	Limbe Market, Blantyre
10/1/2026, 5:00:00 AM	Soche Sensor	20.5C	N/A	Soche Hill, Blantyre

Temperature Analysis (Continued)

Temperature Monitoring System Report

Date/Time	Sensor	Temperature	Gas	Location
10/1/2026, 5:00:00 AM	CBD Sensor	21.3C	0	Victoria Ave, Blantyre CBD
10/1/2026, 5:00:00 AM	Chileka Sensor	20.7C	N/A	Chileka Airport, Blantyre
10/1/2026, 6:00:00 AM	Chichiri Sensor	20.9C	N/A	Chichiri, Blantyre
10/1/2026, 6:00:00 AM	Limbe Sensor	20.9C	0	Limbe Market, Blantyre
10/1/2026, 6:00:00 AM	Soche Sensor	21.2C	N/A	Soche Hill, Blantyre
10/1/2026, 6:00:00 AM	CBD Sensor	22.1C	0	Victoria Ave, Blantyre CBD
10/1/2026, 6:00:00 AM	Chileka Sensor	19.9C	N/A	Chileka Airport, Blantyre
10/1/2026, 7:00:00 AM	Chichiri Sensor	20.5C	N/A	Chichiri, Blantyre
10/1/2026, 7:00:00 AM	Limbe Sensor	38.3C	0	Limbe Market, Blantyre
10/1/2026, 7:00:00 AM	Soche Sensor	20.8C	N/A	Soche Hill, Blantyre
10/1/2026, 7:00:00 AM	CBD Sensor	21.5C	0	Victoria Ave, Blantyre CBD
10/1/2026, 7:00:00 AM	Chileka Sensor	21.2C	N/A	Chileka Airport, Blantyre
10/1/2026, 8:00:00 AM	Chichiri Sensor	37.0C	N/A	Chichiri, Blantyre
10/1/2026, 8:00:00 AM	Limbe Sensor	21.9C	0	Limbe Market, Blantyre
10/1/2026, 8:00:00 AM	Soche Sensor	23.2C	N/A	Soche Hill, Blantyre
10/1/2026, 8:00:00 AM	CBD Sensor	22.2C	0	Victoria Ave, Blantyre CBD
10/1/2026, 8:00:00 AM	Chileka Sensor	23.1C	N/A	Chileka Airport, Blantyre
10/1/2026, 9:00:00 AM	Chichiri Sensor	24.1C	N/A	Chichiri, Blantyre
10/1/2026, 9:00:00 AM	Limbe Sensor	25.2C	0	Limbe Market, Blantyre
10/1/2026, 9:00:00 AM	Soche Sensor	24.6C	N/A	Soche Hill, Blantyre
10/1/2026, 9:00:00 AM	CBD Sensor	25.1C	0	Victoria Ave, Blantyre CBD
10/1/2026, 9:00:00 AM	Chileka Sensor	23.2C	N/A	Chileka Airport, Blantyre
10/1/2026, 10:00:00 AM	Chichiri Sensor	24.1C	N/A	Chichiri, Blantyre
10/1/2026, 10:00:00 AM	Limbe Sensor	26.9C	0	Limbe Market, Blantyre
10/1/2026, 10:00:00 AM	Soche Sensor	27.1C	N/A	Soche Hill, Blantyre
10/1/2026, 10:00:00 AM	CBD Sensor	26.5C	0	Victoria Ave, Blantyre CBD
10/1/2026, 10:00:00 AM	Chileka Sensor	25.4C	N/A	Chileka Airport, Blantyre
10/1/2026, 11:00:00 AM	Chichiri Sensor	26.8C	N/A	Chichiri, Blantyre
10/1/2026, 11:00:00 AM	Limbe Sensor	28.3C	0	Limbe Market, Blantyre
10/1/2026, 11:00:00 AM	Soche Sensor	26.8C	N/A	Soche Hill, Blantyre

Temperature Analysis (Continued)

Temperature Monitoring System Report

Date/Time	Sensor	Temperature	Gas	Location
10/1/2026, 11:00:00 AM	CBD Sensor	28.3C	0	Victoria Ave, Blantyre CBD
10/1/2026, 11:00:00 AM	Chileka Sensor	27.1C	N/A	Chileka Airport, Blantyre
10/1/2026, 12:00:00 PM	Chichiri Sensor	28.4C	N/A	Chichiri, Blantyre
10/1/2026, 12:00:00 PM	Limbe Sensor	28.5C	0	Limbe Market, Blantyre
10/1/2026, 12:00:00 PM	Soche Sensor	27.5C	N/A	Soche Hill, Blantyre
10/1/2026, 12:00:00 PM	CBD Sensor	28.5C	0	Victoria Ave, Blantyre CBD
10/1/2026, 12:00:00 PM	Chileka Sensor	29.2C	N/A	Chileka Airport, Blantyre
10/1/2026, 1:00:00 PM	Chichiri Sensor	29.5C	N/A	Chichiri, Blantyre
10/1/2026, 1:00:00 PM	Limbe Sensor	28.2C	0	Limbe Market, Blantyre
10/1/2026, 1:00:00 PM	Soche Sensor	29.1C	N/A	Soche Hill, Blantyre
10/1/2026, 1:00:00 PM	CBD Sensor	30.2C	0	Victoria Ave, Blantyre CBD
10/1/2026, 1:00:00 PM	Chileka Sensor	27.8C	N/A	Chileka Airport, Blantyre
10/1/2026, 2:00:00 PM	Chichiri Sensor	30.2C	N/A	Chichiri, Blantyre
10/1/2026, 2:00:00 PM	Limbe Sensor	29.9C	0	Limbe Market, Blantyre
10/1/2026, 2:00:00 PM	Soche Sensor	29.3C	N/A	Soche Hill, Blantyre
10/1/2026, 2:00:00 PM	CBD Sensor	28.9C	0	Victoria Ave, Blantyre CBD
10/1/2026, 2:00:00 PM	Chileka Sensor	28.3C	N/A	Chileka Airport, Blantyre
10/1/2026, 3:00:00 PM	Chichiri Sensor	29.9C	N/A	Chichiri, Blantyre
10/1/2026, 3:00:00 PM	Limbe Sensor	31.4C	0	Limbe Market, Blantyre
10/1/2026, 3:00:00 PM	Soche Sensor	29.0C	N/A	Soche Hill, Blantyre
10/1/2026, 3:00:00 PM	CBD Sensor	29.9C	0	Victoria Ave, Blantyre CBD
10/1/2026, 3:00:00 PM	Chileka Sensor	28.5C	N/A	Chileka Airport, Blantyre
10/1/2026, 4:00:00 PM	Chichiri Sensor	30.0C	N/A	Chichiri, Blantyre
10/1/2026, 4:00:00 PM	Limbe Sensor	31.1C	0	Limbe Market, Blantyre
10/1/2026, 4:00:00 PM	Soche Sensor	30.9C	N/A	Soche Hill, Blantyre
10/1/2026, 4:00:00 PM	CBD Sensor	31.4C	0	Victoria Ave, Blantyre CBD
10/1/2026, 4:00:00 PM	Chileka Sensor	28.9C	N/A	Chileka Airport, Blantyre
10/1/2026, 5:00:00 PM	Chichiri Sensor	30.0C	N/A	Chichiri, Blantyre
10/1/2026, 5:00:00 PM	Limbe Sensor	29.4C	0	Limbe Market, Blantyre
10/1/2026, 5:00:00 PM	Soche Sensor	29.8C	N/A	Soche Hill, Blantyre

Temperature Analysis (Continued)

Temperature Monitoring System Report

Date/Time	Sensor	Temperature	Gas	Location
10/1/2026, 5:00:00 PM	CBD Sensor	30.7C	0	Victoria Ave, Blantyre CBD
10/1/2026, 5:00:00 PM	Chileka Sensor	28.9C	N/A	Chileka Airport, Blantyre
10/1/2026, 6:00:00 PM	Chichiri Sensor	26.8C	N/A	Chichiri, Blantyre
10/1/2026, 6:00:00 PM	Limbe Sensor	28.6C	0	Limbe Market, Blantyre
10/1/2026, 6:00:00 PM	Soche Sensor	28.4C	N/A	Soche Hill, Blantyre
10/1/2026, 6:00:00 PM	CBD Sensor	29.9C	0	Victoria Ave, Blantyre CBD
10/1/2026, 6:00:00 PM	Chileka Sensor	28.0C	N/A	Chileka Airport, Blantyre
10/1/2026, 7:00:00 PM	Chichiri Sensor	26.1C	N/A	Chichiri, Blantyre
10/1/2026, 7:00:00 PM	Limbe Sensor	28.2C	0	Limbe Market, Blantyre
10/1/2026, 7:00:00 PM	Soche Sensor	27.8C	N/A	Soche Hill, Blantyre
10/1/2026, 7:00:00 PM	CBD Sensor	27.2C	0	Victoria Ave, Blantyre CBD
10/1/2026, 7:00:00 PM	Chileka Sensor	27.0C	N/A	Chileka Airport, Blantyre
10/1/2026, 8:00:00 PM	Chichiri Sensor	26.5C	N/A	Chichiri, Blantyre
10/1/2026, 8:00:00 PM	Limbe Sensor	27.2C	0	Limbe Market, Blantyre
10/1/2026, 8:00:00 PM	Soche Sensor	25.4C	N/A	Soche Hill, Blantyre
10/1/2026, 8:00:00 PM	CBD Sensor	26.7C	0	Victoria Ave, Blantyre CBD
10/1/2026, 8:00:00 PM	Chileka Sensor	24.6C	N/A	Chileka Airport, Blantyre
10/1/2026, 9:00:00 PM	Chichiri Sensor	25.0C	N/A	Chichiri, Blantyre
10/1/2026, 9:00:00 PM	Limbe Sensor	23.6C	0	Limbe Market, Blantyre
10/1/2026, 9:00:00 PM	Soche Sensor	23.4C	N/A	Soche Hill, Blantyre
10/1/2026, 9:00:00 PM	CBD Sensor	23.9C	GAS	Victoria Ave, Blantyre CBD
10/1/2026, 9:00:00 PM	Chileka Sensor	24.3C	N/A	Chileka Airport, Blantyre

* Showing first 100 of 965 readings

Report Summary

Temperature Monitoring System Report

Based on the data collected during the report period, the following observations and recommendations are made:

- Regular monitoring of sensor calibration is recommended

- Schedule preventive maintenance for sensors showing irregular patterns

- Review temperature thresholds for sensors with frequent alerts

- Consider adding additional sensors in critical monitoring areas

- Investigate 4 gas detection event(s) immediately and verify ventilation in affected areas

This report was automatically generated by the Temperature Monitoring System.
For questions or support, please contact your system administrator.