API

SDMX 3.0 API

Operations

Search

GET **Data Availability Query**

GET Data Query

GET Metadata Query [by Metadataflow]

GET Metadata Query [by Metadatasets]

GET Metadata Query [by Structure]

GET Structure Query [Structure Type, Agency, Resource, Version, Item]

GET Structure Query [Structure Type, Agency, Resource, Version]

GET Structure Query [Structure Type, Agency, Resource]

GET Structure Query [Structure Type, Agency]

GET Structure Query [Structure Type]

SDMX 3.0 API

View changelog

Download definition Select definition type

SDMX version 3.0 introduces new features, improvements and changes to the information model, structural metadata artifacts, and data queries. Learn more about SDMX 3.0 changes here.

The IMF API allows developers to build applications and integrate IMF data. You can use the IMF APIs to import economic and financial data from databases available on http://data.imf.org/ into your data systems or applications. For additional information on working with the API, refer to the Help here. For questions, contact datahelp@imf.org.

Data Availability Query

See which data would match a query, without actually retrieving these data.

This can be used, for example, to build a data query form that enables users of the UI to create a data query by selecting dimension values. For example the user is able to click 'Reporting Country' and then select the codes 'United Kingdom', 'Greece', and 'Switzerland'.

The query returns a `Constraint`, i.e. structural metadata, and is therefore similar to the other structural metadata queries but the query itself is more akin to a data query.

Endpoint:

Tags: Data availability queries

GET https://api.imf.org/external/sdmx/3.0/availability/{context}/{agencyID}/{res
[?c][&updatedAfter][&references][&mode]

Try this operation

Request

Request parameters

Name	In	Required	Type	Descr
context	template	true	string	The co for da retriev possib contex

				be sel using
agencyID	template	true	array	The maint of the artefa Multip values be sel by usi as a separa can be as sho to sele availal maint
resourceID	template	true	array	The ar ID(s). Multip values be sel by usi as a separa can be as sho to sele availal artefa
version	template	true	array	The versio the ar Multip values be sel by usi as a separa

				can be as sho to sele availal artefa + can used t retriev latest versio ~ can used t retriev latest versio regard of its s (stable draft,
key	template	true	array	The combi of dimer values identif series slices cube (examp `D.USD` Multip values possib Wildca are suppo using (`D.*.E`
componen...	template	true	array	The ID the dimer for wh

				obtair availal inform Multip values be sel by usi as a separa can be as sho to sele availal dimer
c	query	false	object	Filter by compo value c[FRE Multip values suppo In add opera may b used: **Op** eq ne lt le

				Op gt ge co nc sw ew Opera appea prefix compo value(are separa from i `:` (e.g. `c[TIM` `01+le` `12`).
updatedAf...	query	false	string	Forma date-t (as da time i RFC33 The la time t query perfor by the If this param used,

				return messa should includ dimer values the da that h chang since t point i (updat and revisic
references	query	false	string	Instru web s to retu not) th artefa refere by the Conte to be return Multip values suppo
mode	query	false	string	Instru web s to retu Conte which define Cube I contai values will be return execu the qu (exact Cube I showi what \

remai
selecti
that c
be ad
the da
query
(avai

Response: 200 OK

OK

Table Schema Content type application/json

Availability-context-agencyID-resourceID-version-key-componentID-Get200ApplicationJsonResponse

default

default (json)


```
{
    "data": {
        "dataConstraints": [{
            "agencyID": "QUANTHUB",
            "annotations": [{
                "id": "series_count",
                "text": null,
                "title": "397820",
                "type": "sdmx_metrics",
                "value": null
            }, {
                "id": "time_period_start",
                "text": null,
                "title": "2018-01-01",
                "type": "sdmx_metrics",
                "value": null
```

```
            }, {
                "id": "time_period_end",
                "text": null,
                "title": "2021-01-01",
                "type": "sdmx_metrics",
                "value": null
            }],
            "constraintAttachment": {
                "dataStructures": ["urn:sdmx:org.sdmx.infomodel.
            },
            "cubeRegions": [{
                "components": [{
                    "id": "FREQ",
                    "include": false,
                    "removePrefix": false,
                    "values": [{
                        "value": "A"
                    }, {
                        "value": "Q"
                    }]
                }],
                "include": true,
                "keyValues": []
            }],
            "description": "Data Availability Constraint",
            "descriptions": {
                "en": "Data Availability Constraint"
            },
            "id": "BOP6",
            "links": [{
                "rel": "self",
                "type": "dataconstraint",
                "urn": "urn:sdmx:org.sdmx.infomodel.registry.Dat
            }],
            "name": "Data Constraint",
            "names": {
                "en": "Data Constraint"
            },
            "role": "Allowed",
            "version": "2023-01-02"
        }]
    },
    "meta": {
        "contentLanguages": ["en"],
        "id": "IDREF9519",
        "prepared": "2023-08-17T03:03:28Z",
```

```
        "schema": "https://raw.githubusercontent.com/sdmx-twg/sc
        "sender": {
            "id": "unknown"
        },
        "test": false
    }
}
```


Definitions

Name	Description
Availability-context-agencyID-resourceID-version-key-componentID-Get200ApplicationJsonResponse	

Availability-context-agencyID-resourceID-version-key-componentID-Get200ApplicationJsonResponse

Table Schema

Availability-context-agencyID-resourceID-version-key-componentID-Get200ApplicationJsonResponse

Powered by Azure API Management.