fred/category/related

Terms of Use

- Description
- Examples
  - XML
  - JSON
- Parameters
  - api_key
  - file_type
  - category_id
  - realtime_start
  - realtime_end

Description

Get the related categories for a category. A related category is a one-way relation between 2 categories that is not part of a parent-child category hierarchy. Most categories do not have related categories.

Examples

This request can return either XML or JSON by setting the file_type parameter to xml or json. Note that the default value of file_type is xml. The API key 'abcdefghijklmnopqrstuvwxyz123456' is for demonstration purposes only. Use a registered API key instead.

XML

Request (HTTPS GET)

```
https://api.stlouisfed.org/fred/category/related?category_id=32073&api_key=abcdefghijklmnopqrst
```

Response

```xml
<?xml version="1.0" encoding="utf-8" ?>
<categories>
  <category id="149" name="Arkansas" parent_id="27281"/>
  <category id="150" name="Illinois" parent_id="27281"/>
  <category id="151" name="Indiana" parent_id="27281"/>
  <category id="152" name="Kentucky" parent_id="27281"/>
  <category id="153" name="Mississippi" parent_id="27281"/>
  <category id="154" name="Missouri" parent_id="27281"/>
  <category id="193" name="Tennessee" parent_id="27281"/>
</categories>
```


The category tag's notes attribute is optional.

Category I.D. 32073 has the parent-child category hierarchy:

Categories > Regional Data > Federal Reserve Districts > St. Louis > States in District

This category uses a related category to link to category I.D. 154 'Missouri' with hierarchy:

Categories > Regional Data > States > Missouri

JSON

Request (HTTPS GET)

```
https://api.stlouisfed.org/fred/category/related?category_id=32073&api_key=abcdefghijklmnopqrst
```

Response

```
{
    "categories": [
        {
            "id": 149,
            "name": "Arkansas",
            "parent_id": 27281
        },
        {
            "id": 150,
            "name": "Illinois",
            "parent_id": 27281
        },
        {
            "id": 151,
            "name": "Indiana",
            "parent_id": 27281
        },
        {
            "id": 152,
            "name": "Kentucky",
            "parent_id": 27281
        },
        {
            "id": 153,
            "name": "Mississippi",
            "parent_id": 27281
        },
        {
            "id": 154,
            "name": "Missouri",
            "parent_id": 27281
        },
        {
            "id": 193,
            "name": "Tennessee",
            "parent_id": 27281
        }
    ]
}
```


Parameters

api_key

Read API Keys for more information.

- 32 character alpha-numeric lowercase string, required

file_type

A key or file extension that indicates the type of file to send.

- string, optional, default: xml
- One of the following values: 'xml', 'json'
  xml = Extensible Markup Language. The HTTP Content-Type is text/xml.
  json = JavaScript Object Notation. The HTTP Content-Type is application/json.

category_id

The id for a category.

- integer, required

realtime_start

The start of the real-time period. For more information, see Real-Time Periods.

- YYYY-MM-DD formatted string, optional, default: today's date

realtime_end

The end of the real-time period. For more information, see Real-Time Periods.

- YYYY-MM-DD formatted string, optional, default: today's date

Subscribe to the FRED newsletter

Email Subscribe

Follow us

Need Help?

Questions or Comments

FRED Help

Legal

Privacy Notice & Policy