fred/release/tables

Terms of Use

- Description
- Examples
  - XML
  - JSON
- Parameters
  - api_key
  - file_type
  - release_id
  - element_id
  - include_observation_values
  - observation_date

Description

Get release table trees for a given release. You can go directly to the tree structure by passing the appropriate element_id. You may also use a drill-down approach to start at the root (top most) element by leaving the element_id off.

Note that release dates are published by data sources and do not necessarily represent when data will be available on the FRED or ALFRED websites.

Examples

This request can return either XML or JSON by setting the file_type parameter to xml or json. Note that the default value of file_type is xml. The API key 'abcdefghijklmnopqrstuvwxyz123456' is for demonstration purposes only. Use a registered API key instead.

XML

Request (HTTPS GET)

```
https://api.stlouisfed.org/fred/release/tables?release_id=53&api_key=abcdefghijklmnopqrstuvwxyz
```

Response

```
<elements>
    <name>Personal consumption expenditures</name>
    <element_id>12886</element_id>
    <release_id>53</release_id>
    <element>
        <element_id>12887</element_id>
        <release_id>53</release_id>
        <series_id>DGDSRL1A225NBEA</series_id>
        <parent_id>12886</parent_id>
        <line>3</line>
        <type>series</type>
        <name>Goods</name>
        <level>1</level>
        <children>
            <element>
                <element_id>12888</element_id>
                <release_id>53</release_id>
                <series_id>DDURRL1A225NBEA</series_id>
                <parent_id>12887</parent_id>
                <line>4</line>
                <type>series</type>
                <name>Durable goods</name>
                <level>2</level>
                <children/>
            </element>
            <element>
                <element_id>12889</element_id>
                <release_id>53</release_id>
                <series_id>DNDGRL1A225NBEA</series_id>
                <parent_id>12887</parent_id>
                <line>5</line>
                <type>series</type>
                <name>Nondurable goods</name>
                <level>2</level>
                <children/>
            </element>
        </children>
    </element>
    <element>
        <element_id>12888</element_id>
        <release_id>53</release_id>
        <series_id>DDURRL1A225NBEA</series_id>
        <parent_id>12887</parent_id>
        <line>4</line>
        <type>series</type>
        <name>Durable goods</name>
        <level>2</level>
        <children/>
```

```
        </element>
        <element>
            <element_id>12889</element_id>
            <release_id>53</release_id>
            <series_id>DNDGRL1A225NBEA</series_id>
            <parent_id>12887</parent_id>
            <line>5</line>
            <type>series</type>
            <name>Nondurable goods</name>
            <level>2</level>
            <children/>
        </element>
        <element>
            <element_id>12890</element_id>
            <release_id>53</release_id>
            <series_id>DSERRL1A225NBEA</series_id>
            <parent_id>12886</parent_id>
            <line>6</line>
            <type>series</type>
            <name>Services</name>
            <level>1</level>
            <children/>
        </element>
    </elements>
```


JSON

Request (HTTPS GET)

```
https://api.stlouisfed.org/fred/release/tables?release_id=53&api_key=abcdefghijklmnopqrstuvwxyz
```

Response

```
{
  {
  "name": "Personal consumption expenditures",
  "element_id": 12886,
  "release_id": "53",
  "elements": {
    "12887": {
      "element_id": 12887,
      "release_id": 53,
      "series_id": "DGDSRL1A225NBEA",
      "parent_id": 12886,
      "line": "3",
      "type": "series",
      "name": "Goods",
      "level": "1",
      "children": [
        {
          "element_id": 12888,
          "release_id": 53,
          "series_id": "DDURRL1A225NBEA",
          "parent_id": 12887,
          "line": "4",
          "type": "series",
          "name": "Durable goods",
          "level": "2",
          "children": [

          ]
        },
        {
          "element_id": 12889,
          "release_id": 53,
          "series_id": "DNDGRL1A225NBEA",
          "parent_id": 12887,
          "line": "5",
          "type": "series",
          "name": "Nondurable goods",
          "level": "2",
          "children": [

          ]
        }
      ]
    },
    "12888": {
      "element_id": 12888,
      "release_id": 53,
      "series_id": "DDURRL1A225NBEA",
```

```
            "parent_id": 12887,
            "line": "4",
            "type": "series",
            "name": "Durable goods",
            "level": "2",
            "children": [

            ]
        },
        "12889": {
            "element_id": 12889,
            "release_id": 53,
            "series_id": "DNDGRL1A225NBEA",
            "parent_id": 12887,
            "line": "5",
            "type": "series",
            "name": "Nondurable goods",
            "level": "2",
            "children": [

            ]
        },
        "12890": {
            "element_id": 12890,
            "release_id": 53,
            "series_id": "DSERRL1A225NBEA",
            "parent_id": 12886,
            "line": "6",
            "type": "series",
            "name": "Services",
            "level": "1",
            "children": [

            ]
        }
    }
}
```


Parameters

api_key

Read API Keys for more information.

- 32 character alpha-numeric lowercase string, required

release_id

The id for a release.

- integer, required

file_type

A key or file extension that indicates the type of file to send.

- string, optional, default: xml
- One of the following values: 'xml', 'json'
  xml = Extensible Markup Language. The HTTP Content-Type is text/xml.
  json = JavaScript Object Notation. The HTTP Content-Type is application/json.

element_id

The release table element id you would like to retrieve.

- integer, optional
- When the parameter is not passed, the root(top most) element for the release is given.

include_observation_values

A flag to indicate that observations need to be returned. Observation value and date will only be returned for a series type element.

- One of the following strings: 'true', 'false'.
- optional, default: false

observation_date

The observation date to be included with the returned release table.

- YYYY-MM-DD formatted string, optional, default: 9999-12-31 (latest available)

Subscribe to the FRED newsletter

Email Subscribe

Follow us

Need Help?

Questions or Comments

FRED Help

Legal

Privacy Notice & Policy