fred/series/search/tags

Terms of Use

- Description
- Examples
  - XML
  - JSON
- Parameters
  - api_key
  - file_type
  - series_search_text
  - realtime_start
  - realtime_end
  - tag_names
  - tag_group_id
  - tag_search_text
  - limit
  - offset
  - order_by
  - sort_order

Description

Get the FRED tags for a series search. Optionally, filter results by tag name, tag group, or tag search. See the related request fred/series/search/related_tags.

Examples

This request can return either XML or JSON by setting the file_type parameter to xml or json. Note that the default value of file_type is xml. The API key 'abcdefghijklmnopqrstuvwxyz123456' is for demonstration purposes only. Use a registered API key instead.

XML

Request (HTTPS GET)

```
https://api.stlouisfed.org/fred/series/search/tags?series_search_text=monetary+service+index&ap
```

Response

```
<tags realtime_start="2013-08-14" realtime_end="2013-08-14" order_by="series_count" sort_
    <tag name="academic data" group_id="gen" notes="Time series data created mainly by a
    <tag name="anderson & jones" group_id="src" notes="Richard Anderson and Barry Jones
    <tag name="divisia" group_id="gen" notes="Monetary Services Indexes" created="2012-0
    <tag name="frb stl" group_id="src" notes="Federal Reserve Bank of St. Louis (source)" cr
    <tag name="monetary aggregates" group_id="gen" notes="" created="2012-02-27 10:18:
    <tag name="monthly" group_id="freq" notes="" created="2012-02-27 10:18:19-06" popula
    <tag name="nation" group_id="geot" notes="Country Level" created="2012-02-27 10:18:1
    <tag name="usa" group_id="geo" notes="United States of America" created="2012-02-27
    <tag name="sa" group_id="seas" notes="Seasonally adjusted" created="2012-02-27 10:1
    <tag name="indexes" group_id="gen" notes="" created="2012-02-27 10:18:19-06" popula
    <tag name="nsa" group_id="seas" notes="Not seasonally adjusted" created="2012-02-27
    <tag name="real" group_id="gen" notes="Inflation Adjusted Data" created="2012-02-27 1
    <tag name="assets" group_id="gen" notes="" created="2012-02-27 10:18:19-06" populari
    <tag name="m2" group_id="gen" notes="M2 Money Stock" created="2012-02-27 10:18:1
    <tag name="m1" group_id="gen" notes="M1 Money Stock" created="2012-02-27 10:18:1
    <tag name="m3" group_id="gen" notes="M3 Money Stock" created="2012-02-27 10:18:1
    <tag name="mzm" group_id="gen" notes="MZM Money Stock" created="2012-02-27 10:1
    <tag name="discontinued" group_id="gen" notes="" created="2012-02-27 10:18:19-06" p
</tags>
```


JSON

Request (HTTPS GET)

```
https://api.stlouisfed.org/fred/series/search/tags?series_search_text=monetary+service+index&ap
```

Response

```
{
    "realtime_start": "2013-08-14",
    "realtime_end": "2013-08-14",
    "order_by": "series_count",
    "sort_order": "desc",
    "count": 18,
    "offset": 0,
    "limit": 1000,
    "tags": [
        {
            "name": "academic data",
            "group_id": "gen",
            "notes": "Time series data created mainly by academia to address growing den
            "created": "2012-08-29 10:22:19-05",
            "popularity": 62,
            "series_count": 25
        },
        {
            "name": "anderson & jones",
            "group_id": "src",
            "notes": "Richard Anderson and Barry Jones",
            "created": "2013-06-21 10:22:49-05",
            "popularity": 46,
            "series_count": 25
        },
        {
            "name": "divisia",
            "group_id": "gen",
            "notes": "Monetary Services Indexes",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 46,
            "series_count": 25
        },
        {
            "name": "frb stl",
            "group_id": "src",
            "notes": "Federal Reserve Bank of St. Louis (source)",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 81,
            "series_count": 25
        },
        {
            "name": "monetary aggregates",
            "group_id": "gen",
            "notes": "",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 79,
            "series_count": 25
```

```
        },
        {
            "name": "monthly",
            "group_id": "freq",
            "notes": "",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 95,
            "series_count": 25
        },
        {
            "name": "nation",
            "group_id": "geot",
            "notes": "Country Level",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 100,
            "series_count": 25
        },
        {
            "name": "usa",
            "group_id": "geo",
            "notes": "United States of America",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 100,
            "series_count": 25
        },
        {
            "name": "sa",
            "group_id": "seas",
            "notes": "Seasonally adjusted",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 94,
            "series_count": 13
        },
        {
            "name": "indexes",
            "group_id": "gen",
            "notes": "",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 79,
            "series_count": 12
        },
        {
            "name": "nsa",
            "group_id": "seas",
            "notes": "Not seasonally adjusted",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 96,
            "series_count": 12
        },
        {
            "name": "real",
```

```
            "group_id": "gen",
            "notes": "Inflation Adjusted Data",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 81,
            "series_count": 12
        },
        {
            "name": "assets",
            "group_id": "gen",
            "notes": "",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 69,
            "series_count": 4
        },
        {
            "name": "m2",
            "group_id": "gen",
            "notes": "M2 Money Stock",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 75,
            "series_count": 3
        },
        {
            "name": "m1",
            "group_id": "gen",
            "notes": "M1 Money Stock",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 71,
            "series_count": 2
        },
        {
            "name": "m3",
            "group_id": "gen",
            "notes": "M3 Money Stock",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 50,
            "series_count": 2
        },
        {
            "name": "mzm",
            "group_id": "gen",
            "notes": "MZM Money Stock",
            "created": "2012-02-27 10:18:19-06",
            "popularity": 61,
            "series_count": 2
        },
        {
            "name": "discontinued",
            "group_id": "gen",
            "notes": "",
            "created": "2012-02-27 10:18:19-06",
```

```
                "popularity": 68,
                "series_count": 1
            }
        ]
    }
```


Parameters

api_key

Read API Keys for more information.

- 32 character alpha-numeric lowercase string, required

file_type

A key or file extension that indicates the type of file to send.

- string, optional, default: xml
- One of the following values: 'xml', 'json'
  xml = Extensible Markup Language. The HTTP Content-Type is text/xml.
  json = JavaScript Object Notation. The HTTP Content-Type is application/json.

series_search_text

The words to match against economic data series.

- string, required

realtime_start

The start of the real-time period. For more information, see Real-Time Periods.

- YYYY-MM-DD formatted string, optional, default: today's date

realtime_end

The end of the real-time period. For more information, see Real-Time Periods.

- YYYY-MM-DD formatted string, optional, default: today's date

tag_names

A semicolon delimited list of tag names to only include in the response. See the related request fred/series/search/related_tags.

- String, optional, no filtering by tag names by default
- Example value: 'm1;m2'. This value filters results to only include tags 'm1' and 'm2'.

tag_group_id

A tag group id to filter tags by type.

- String, optional, no filtering by tag group by default.
- One of the following: 'freq', 'gen', 'geo', 'geot', 'rls', 'seas', 'src'.
  freq = Frequency
  gen = General or Concept
  geo = Geography
  geot = Geography Type
  rls = Release
  seas = Seasonal Adjustment
  src = Source

tag_search_text

The words to find matching tags with.

- String, optional, no filtering by search words by default.

limit

The maximum number of results to return.

- integer between 1 and 1000, optional, default: 1000

offset

- non-negative integer, optional, default: 0

order_by

Order results by values of the specified attribute.

- One of the following strings: 'series_count', 'popularity', 'created', 'name', 'group_id'.
- optional, default: series_count

sort_order

Sort results is ascending or descending order for attribute values specified by order_by.

- One of the following strings: 'asc', 'desc'.
- optional, default: asc

Subscribe to the FRED newsletter

Email Subscribe

Follow us

Need Help?

Questions or Comments

FRED Help

Legal

Privacy Notice & Policy