

HUMAN CONNECTOME · SESSION ANALYSIS REPORT

Session ID: session_1781227624519_kpt65
Period: 2026-06-12T01:21:23.405Z → 2026-06-12T01:27:04.452Z
Wall-clock duration: 341.0s | Ticks: 4,807 | Estimated tick interval: ~70.9ms
High-confidence thoughts (≥75%): 17


Scientific Validity Notice: Claim language used throughout: "emergent behavior in a brain-inspired embodied simulation." Shannon entropy is normalized as $H/\log(N_{\text{regions}})$; max=1.0. Session duration uses wall-clock time. Pearson r is correlation only – NOT transfer entropy. $r=\pm 1.000$ flagged as possible computation artifact. STDP = STDP-inspired population plasticity (Wilson-Cowan rate model). Platform biologically constrained by HCP-MMP1.0, Allen Brain Atlas, and Brainnetome Atlas data.

⚠ Saturation Warning: 5 region(s) averaged >90% activation: OlfactoryBulb, VentralMPFC_R, SecondarySomatosensory_R, SubthalamicNucleus_R, LateralGeniculateBody_R. Verify homeostatic scaling before publishing emergence claims.

SESSION METRICS

DURATION 341.0 seconds (wall-clock)	TICKS 4,807 simulation steps	SHANNON ENTROPY 0.841 $H/\log(N)$ · max=1.0	PLASTICITY INDEX 0.137 STDP-inspired · pop. rate
--	---	--	---

NEURAL ACTIVITY · TOP 15 REGIONS BY AVG ACTIVATION



#	REGION	AVG ACTIVATION	SATURATION FLAG
1	OlfactoryBulb	100%	⚠ SATURATED – verify
2	VentralMPFC_R	100%	⚠ SATURATED – verify
3	SecondarySomatosensory_R	100%	⚠ SATURATED – verify
4	SubthalamicNucleus_R	100%	⚠ SATURATED – verify
5	LateralGeniculateBody_R	100%	⚠ SATURATED – verify

STDP-INSPIRED POPULATION PLASTICITY · WEIGHT CHANGES

Wilson-Cowan rate model. Eligibility-trace approximation. NOT literal spike-timing plasticity.



CONNECTION	DELTA	TYPE
PrefrontalCortex->Thalamus	-0.7000	LTD
PrefrontalCortex->BasalGanglia	-0.7000	LTD
PrefrontalCortex->AnteriorCingulateCortex	-0.7000	LTD
SupplementaryMotorArea->MotorCortex	-0.7000	LTD
Thalamus->PrefrontalCortex	-0.7000	LTD

CONNECTION	DELTA	TYPE
Thalamus->Hippocampus	-0.7000	LTD
CA1->Hippocampus	-0.7000	LTD
CA1->PrefrontalCortex	-0.7000	LTD
PerirhinalCortex->Hippocampus	-0.7000	LTD
Amygdala->PrefrontalCortex	-0.7000	LTD

EMERGENT THOUGHT LOG (≥75% CONFIDENCE MULTI-REGION CO-ACTIVATION)

Thoughts require ≥3 regions simultaneously co-active above threshold. Silence periods are valid scientific data.

T3690 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 80% threshold. Brainstem foraging sequence initiated. Metabolic need (15Hz hypothalamic signal) overrides goal-directed behavior."

T3660 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 79% threshold. Brainstem foraging sequence initiated. Metabolic need (17Hz hypothalamic signal) overrides goal-directed behavior."

T3630 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 78% threshold. Brainstem foraging sequence initiated. Metabolic need (15Hz hypothalamic signal) overrides goal-directed behavior."

T3600 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 77% threshold. Brainstem foraging sequence initiated. Metabolic need (14Hz hypothalamic signal) overrides goal-directed behavior."

T3570 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 76% threshold. Brainstem foraging sequence initiated. Metabolic need (14Hz hypothalamic signal) overrides goal-directed behavior."

T3540 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 75% threshold. Brainstem foraging sequence initiated. Metabolic need (14Hz hypothalamic signal) overrides goal-directed behavior."

T3510 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 74% threshold. Brainstem foraging sequence initiated. Metabolic need (16Hz hypothalamic signal) overrides goal-directed behavior."

T3480 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 74% threshold. Brainstem foraging sequence initiated. Metabolic need (15Hz hypothalamic signal) overrides goal-directed behavior."

T3450 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 73% threshold. Brainstem foraging sequence initiated. Metabolic need (15Hz hypothalamic signal) overrides goal-directed behavior."

T3420 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 72% threshold. Brainstem foraging sequence initiated. Metabolic need (15Hz hypothalamic signal) overrides goal-directed behavior."

T3390 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 71% threshold. Brainstem foraging sequence initiated. Metabolic need (16Hz hypothalamic signal) overrides goal-directed behavior."

T3360 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 70% threshold. Brainstem foraging sequence initiated. Metabolic need (15Hz hypothalamic signal) overrides goal-directed behavior."

T3330 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 69% threshold. Brainstem foraging sequence initiated. Metabolic need (14Hz hypothalamic signal) overrides goal-directed behavior."

T3300 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 68% threshold. Brainstem foraging sequence initiated. Metabolic need (14Hz hypothalamic signal) overrides goal-directed behavior."

T3270 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 67% threshold. Brainstem foraging sequence initiated. Metabolic need (15Hz hypothalamic signal) overrides goal-directed behavior."

T3240 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 66% threshold. Brainstem foraging sequence initiated. Metabolic need (16Hz hypothalamic signal) overrides goal-directed behavior."

T3210 · Homeostatic · 80% confidence · Hypothalamus, Brainstem

"Hypothalamic hunger drive at 65% threshold. Brainstem foraging sequence initiated. Metabolic need (15Hz hypothalamic signal) overrides goal-directed behavior."

CORRELATION ANALYSIS (PEARSON R · NOT TRANSFER ENTROPY)

Pearson r (lag-1) = symmetric linear association. Transfer entropy = directional information-theoretic measure. These are NOT interchangeable.

REGION PAIR	PEARSON R	VALIDITY
Thalamus->Insula	0.0707	OK
PrefrontalCortex->Thalamus	0.0000	OK
PrefrontalCortex->BasalGanglia	0.0000	OK
PrefrontalCortex->Hippocampus	0.0000	OK
PrefrontalCortex->AnteriorCingulateCortex	0.0000	OK

EXECUTIVE SUMMARY

- [1] Arousal Pattern: The avatar maintained a low average arousal of 30% across 4800 ticks (peak: 37%). Low arousal suggests dominance of inhibitory tone, likely reflecting resting-state default mode network activity.
- [2] Emotional Trajectory: The avatar's affective state was relatively stable over the session. Valence stability suggests balanced excitatory/inhibitory regulation, a hallmark of healthy homeostatic control.
- [3] Synaptic Plasticity (STDP): The strongest synaptic potentiation occurred at Hippocampus->PrefrontalCortex, PrefrontalCortex->Hippocampus, SensoryCortex->Hippocampus. These connections strengthened because both pre- and post-synaptic regions fired in correlated temporal proximity – the core mechanism of Hebbian learning. This implies the avatar's neural architecture is self-organizing around the most frequently co-activated circuits.
- [4] Behavioral Patterns: The dominant behavioral state was "RESTING" (resting: 5622). Resting state predominance suggests the simulation spent significant time in low-drive default mode, common during low-complexity or low-arousal conditions.
- [5] Cardiac/ANS Summary: Average heart rate was 59 BPM. Low resting heart rate reflects strong parasympathetic tone with dominant hypothalamic and serotonergic modulation – the autonomic baseline of a calm, regulated state.

BEHAVIORAL EVENTS

TICK	TYPE	DESCRIPTION
T4806	SURGE	Dorsal ACC surge -> cognitive control, conflict signaling
T4806	SURGE	Hippocampal theta burst -> memory encoding/retrieval
T4806	SURGE	PFC activation -> executive override of limbic response
T4805	DROP	VTA suppression -> reward signal attenuated
T4805	DROP	Sensory cortex drop -> attenuated perception
T4805	DROP	PFC deactivation -> reduced cognitive control
T4804	DROP	PostCentralGyrus_L drop
T4804	SURGE	VTA activation -> mesolimbic dopamine release
T4804	DROP	NAc silencing -> reward expectancy drop
T4804	DROP	Visual cortex suppression -> perceptual gating
T4804	SURGE	Hippocampal theta burst -> memory encoding/retrieval
T4804	SURGE	Sensory cortex activation -> multimodal input processing

TICK	TYPE	DESCRIPTION
T4804	SURGE	PFC activation -> executive override of limbic response
T4803	SURGE	PostCentralGyrus_L surge
T4803	SURGE	NAc dopamine surge -> reward prediction signal
T4803	SURGE	V1/V2 activation -> visual feature extraction
T4803	DROP	PFC deactivation -> reduced cognitive control
T4802	SURGE	Hippocampal theta burst -> memory encoding/retrieval
T4802	SURGE	PFC activation -> executive override of limbic response
T4802	CASCADE	STRATEGY_SHIFT: repeated failure on 'investigate' (3x) -> depressed fronto-striatal pathway -> promoting 'approach'