Name: Dongue Zoujom Freddy Bryant

Course: Software Engineering

Task: Research Questions on CSS Methods, Selectors, and the Box Model

## CSS Styling and the Box model

1.What is the difference between inline, internal, and external CSS? Give examples.

- Inline CSS: This method involves writing the style rules directly inside an HTML element's tag using the style attribute. It is useful for quick, one-time changes but makes the code messy if used too much.

  Example: <h1 style= "color: blue;
  Text-align: center;">Hello</h1>
- Internal CSS: This method places the CSS rules inside a <style> tag within the <head> section of a single HTML document. It is better for styling a single page but cannot be shared across multiple pages easily.

  Example: <style> h1 { color: red;} </style>
- External CSS: This is the professional standard where all styles are kept in a separate .css file and linked to the HTML using a <link> tag. It allows you to style an entire website from one single file.

  Example: <link rel= "stylesheet" href= "style.css">

2.Explain the Box Model and how padding, border, and margin affect layout.

- The Box Model is a core CSS concept where all HTML element is treated as a rectangular box consisting of four parts: the content, padding, border, and margin.
- Padding: This is the transparent space inside the box, between the actual and the border. It creates "breathing room" inside the element.

- Border: This is a line that goes around the padding and content. You can change its thickness, color, and style to define the edge of an element.
- Margin: This is the space outside the border. It is used to create distance between the boxes/elements on the page, preventing them from touching each other.

4. How do class and ID selectors differ, and when should each be used?

- ID Selectors (#): An ID is used to target one unique element on a page. You use when a style should only apply to a single item, like a main navigation bar or a specific “Contact Us” section.

  Example: #main-title { color: gold; }

- Class Selector (.): A class is used to target multiple elements that should look the same. You use it when you want several items, like different “About Me” cards or “Project” boxes, to share the same design.

  Example:. content-card

  { background: white; padding: 20px;}