

Open File



/Northwind/



Search



Name

Date Modified

Size

 Northwind.sql

Mon Jun 8 18:20:22 2026

341.6 kB

1 item

File Format

All Files ▼

✕ Cancel

✓ Open

pgAdmin

FileObjectToolsHelp

@outlook.it (internal)

Object Explorer

Servers

Raspberry_DB

Databases (3)

Northwind

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (14)

categories

customer_customer_demo

customer_demographics

customers

employee_territories

employees

order_details

orders

DashboardPropertiesSQLStatisticsProcessesNorthwind.sqlpublic.categories/Untitled*

Northwind/alfredo-guidotti@Raspberry_DB

No limit

QueryQuery History

1--

2-- PostgreSQL database dump

3--

4

5SET statement_timeout = 0;

6SET lock_timeout = 0;

7SET client_encoding = 'UTF8';

8SET standard_conforming_strings = on;

9SET check_function_bodies = false;

10SET client_min_messages = warning;

11

12

13

14SET default_tablespace = '';

15

16SET default_with_oids = false;

17

18

Scratch Pad

Data OutputMessagesNotifications

ALTER TABLE

Query returned successfully in 191 msec.

Total rows:Query complete 00:00:00.191

LF

Ln 1, Col 1

pgAdmin

FileObjectToolsHelp

3@outlook.it (internal)

Object Explorer

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (14)

categories

customer_customer_demo

customer_demographics

customers

employee_territories

employees

order_details

orders

products

region

shippers

suppliers

territories

us_states

Trigger Functions

Types

Views

Subscriptions

Progetto_1

postgres

Login/Group Roles

DashboardPropertiesSQLStatisticsProcessesNorthwind.sqlpublic.categories/Northwind/alfredo-guidotti@Raspberry_DBpublic.products/N...Untitled*

public.categories/Northwind/alfredo-guidotti@Raspberry_DB

No limit

QueryQuery HistoryScratch Pad

1SELECT * FROM public.categories

2ORDER BY category_id ASC

Data OutputMessagesNotifications

Showing rows: 1 to 8Page No: 1 of 1

	category_id [PK] smallint	category_name character varying (15)	description text	picture bytea
1	1	Beverages	Soft drinks, coffees, teas, beers, and ales	[binary d...
2	2	Condiments	Sweet and savory sauces, relishes, spreads, and seasoni...	[binary d...
3	3	Confections	Desserts, candies, and sweet breads	[binary d...
4	4	Dairy Products	Cheeses	[binary d...
5	5	Grains/Cereals	Breads, crackers, pasta, and cereal	[binary d...
6	6	Meat/Poultry	Prepared meats	[binary d...
7	7	Produce	Dried fruit and bean curd	[binary d...
8	8	Seafood	Seaweed and fish	[binary d...

Total rows: 8Query complete 00:00:00.101CRLF Ln 1, Col 1

pgAdmin

FileObjectToolsHelp

Object Explorer

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (14)

categories

customer_customer_demo

customer_demographics

customers

employee_territories

employees

order_details

orders

products

region

shippers

suppliers

territories

us_states

Trigger Functions

Types

Views

Subscriptions

Progetto_1

postgres

Login/Group Roles

DashboardPropertiesSQLStatisticsProcessesNorthwind.sqlpublic.categories/public.products/Northwind/alfredo-guidotti@Raspberry_DBUntitled*

public.products/Northwind/alfredo-guidotti@Raspberry_DB

No limit

QueryQuery HistoryScratch Pad

1SELECT * FROM public.products

2ORDER BY product_id ASC


Data OutputMessagesNotifications

Showing rows: 1 to 77Page No: 1 of 1

	product_id [PK] smallint	product_name character varying (40)	supplier_id smallint	category_id smallint	quantity_per_unit character varying (20)	unit_price real	units_in_stock smallint	units_on_order smallint	reorder_level smallint	discontinued integer
1	1	Chai	8	1	10 boxes x 30 bags	18	39	0	10	1
2	2	Chang	1	1	24 - 12 oz bottles	19	17	40	25	1
3	3	Aniseed Syrup	1	2	12 - 550 ml bottles	10	13	70	25	0
4	4	Chef Anton's Cajun Seasoning	2	2	48 - 6 oz jars	22	53	0	0	0
5	5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35	0	0	0	1
6	6	Grandma's Boysenberry Spread	3	2	12 - 8 oz jars	25	120	0	25	0
7	7	Uncle Bob's Organic Dried Pears	3	7	12 - 1 lb pkgs.	30	15	0	10	0
8	8	Northwoods Cranberry Sauce	3	2	12 - 12 oz jars	40	6	0	0	0
9	9	Mishi Kobe Niku	4	6	18 - 500 g pkgs.	97	29	0	0	1
10	10	Ikura	4	8	12 - 200 ml jars	31	31	0	0	0
11	11	Queso Cabrales	5	4	1 kg pkg.	21	22	30	30	0

Total rows: 77Query complete 00:00:00.074CRLF Ln 1, Col 1

Northwind/alfredo-guidotti@Raspberry_DB



DBEaver 26.1.0 - <Raspberry_DB> Script

FileModificaNavigaCercaEditor SQLDatabaseFinestraAiuto

ConessioniProgetti

Filtra le connessioni per nome

Foreign Keys

Indexes

Dependencies

References

Partitions

Triggers

Rules

Policies

employee_territories24K

employees32K

order_details192K

orders176K

Columns

123 order_id (int2)

AZ customer_id (varchar(5))

123 employee_id (int2)

order_date (date)

required_date (date)

shipped_date (date)

123 ship_via (int2)

123 freight (float4)

AZ ship_name (varchar(40))

AZ ship_address (varchar(60))

AZ ship_city (varchar(15))

AZ ship_region (varchar(15))

AZ ship_postal_code (varchar(10))

AZ ship_country (varchar(15))

Constraints

Foreign Keys

Indexes

Dependencies

References

Partitions

public

*<Raspberry_DB> Script

customers

orders

AS (SELECT"order_id", "product_id", "quantity", "discount"FROM"order_details");SELECT * FROM vw_order_details;CREATE /* OR REPLACE */ VIEW vw_ordersAS (SELECT"order_id", "customer_id", "employee_id", "order_date", "required_date", "shipped_date", "ship_via"FROM"orders");SELECT * FROM vw_orders;

Proprietà

ProprietàValore

Informazioni

collegato true

derivato true

dimension 0 byte

editabile vero

nome Script.sql

percorso /General/Scripts/Scrip...

percorso C:\Users\...AppDa...

ultima mo 13 giugno 2026, 10:01:58

vw_orders 1

Enter a SQL expression to filter results (use Ctrl+Space)

Griglia

Testo

Record

123 order_id

AZ customer_id

123 employee_id

order_date

required_date

shipped_date

1

10.248

VINET

5

1996-07-04

1996-08-01

1996-07-16

2

10.249

TOMSP

6

1996-07-05

1996-08-16

1996-07-10

3

10.250

HANAR

4

1996-07-08

1996-08-05

1996-07-12

4

10.251

VICTE

3

1996-07-08

1996-08-05

1996-07-15

5

10.252

SUPRD

4

1996-07-09

1996-08-06

1996-07-11

6

10.253

HANAR

3

1996-07-10

1996-07-24

1996-07-16

7

10.254

CHOPS

5

1996-07-11

1996-08-08

1996-07-23

8

10.255

RICSU

9

1996-07-12

1996-08-09

1996-07-15

9

10.256

WELLI

3

1996-07-15

1996-08-12

1996-07-17

10

10.257

HILAA

4

1996-07-16

1996-08-13

1996-07-22

11

10.258

ERNSH

1

1996-07-17

1996-08-14

1996-07-23

12

10.259

CENTC

4

1996-07-18

1996-08-15

1996-07-25

13

10.260

OTTIK

4

1996-07-19

1996-08-16

1996-07-29

14

10.261

QUEDE

4

1996-07-19

1996-08-16

1996-07-30

15

10.262

RATTC

8

1996-07-22

1996-08-19

1996-07-25

16

10.263

ERNSH

9

1996-07-23

1996-08-20

1996-07-31

17

10.264

FOIKO

6

1996-07-24

1996-08-21

1996-08-23

Valore

Reference

<No references>

Apri

Nessun dato

Aggiorna

Save

Cancel

Esporta dati

200

200+

200 row(s) fetched - 0,001s, on 2026-06-16 at 02:36:45

General

CEST

it

Scrivibile

Inseriment...telligente

73 : 1 [24]

Sel: 24 | 1

DBBeaver 26.1.0 - <Raspberry_DB> Script

FileModificaNavigaCercaEditor SQLDatabaseFinestraAiuto

ConessioniProgetti

Filtra le connessioni per nome

Northwind

Schemas

public

Tables

categories32K

customer_customer_demo8K

customer_demographics16K

customers56K

employee_territories24K

employees32K

order_details192K

orders176K

products24K

region24K

shippers24K

suppliers32K

territories24K

us_states24K

Foreign Tables

Views

vw_categories

vw_customers

vw_employees

vw_order_details

vw_orders

vw_products

vw_suppliers

Materialized Views

Indexes

Functions

Sequences

Data types

Aggregate functions

public

<Raspberry_DB> Script

```
        , "shipped_date" data_spedizione
        , "ship_via" id_corriere
    FROM
        "orders"
    );

    SELECT * FROM vw_orders;

    CREATE /* OR REPLACE */ VIEW vw_customers
    AS (
        SELECT
            "customer_id" id_cliente
            , "company_name" nome_azienza
            , "contact_title" ruolo_da_contattare
            , "city" città
            , "country" nazione
        FROM
            "customers"
        );

    SELECT * FROM vw_customers;

    CREATE /* OR REPLACE */ VIEW vw_employees
    AS (
        SELECT
```

Proprietà

Valore

Informazioni

collegatotrue

derivatotrue

dimension0 byte

editabilevero

nomeScript.sql

percorso/General/Scripts/Scrip...

percorsoC:\Users\...\AppDa...

ultima mo13 giugno 2026, 10:01:58

vw_customers 1

SELECT * FROM vw_customers

Enter a SQL expression to filter results (use Ctrl+Space)

Griglia

Testo

Record

	AZ id_cliente	AZ nome_azienza	AZ ruolo_da_contattare	AZ città	AZ nazione
1	ALFKI	Alfreds Futterkiste	Sales Representative	Berlin	Germany
2	ANATR	Ana Trujillo Emparedados y helados	Owner	México D.F.	Mexico
3	ANTON	Antonio Moreno Taquería	Owner	México D.F.	Mexico
4	AROUT	Around the Horn	Sales Representative	London	UK
5	BERGS	Berglunds snabbköp	Order Administrator	Luleå	Sweden
6	BLAUS	Blauer See Delikatessen	Sales Representative	Mannheim	Germany
7	BLONP	Blondesddsl père et fils	Marketing Manager	Strasbourg	France
8	BOLID	Bólido Comidas preparadas	Owner	Madrid	Spain
9	BONAP	Bon app'	Owner	Marseille	France
10	BOTTM	Bottom-Dollar Markets	Accounting Manager	Tsawassen	Canada
11	BSBEV	B's Beverages	Sales Representative	London	UK
12	CACTU	Cactus Comidas para llevar	Sales Agent	Buenos Aires	Argentina
13	CENTC	Centro comercial Moctezuma	Marketing Manager	México D.F.	Mexico
14	CHOPS	Chop-suey Chinese	Owner	Bern	Switzerland
15	COMMI	Comércio Mineiro	Sales Associate	Sao Paulo	Brazil
16	CONSH	Consolidated Holdings	Sales Representative	London	UK
17	DRACD	Drachenblut Delikatessen	Order Administrator	Aachen	Germany
18	DUMOM	Dumonde entier	Owner	Montpelier	France

Valore

Referenze

<No references>

Apri

Nessun dato

Aggiorna

Save

Cancel

Esporta dati

200

91

91 row(s) fetched - 0,002s, on 2026-06-16 at 03:01:53

General

CEST

it

Scrivibile

Inseriment...telligente

97: 1 [27]

Sel: 27 | 1

DBEaver 26.1.0 - <Raspberry_DB> Script

FileModificaNavigaCercaEditor SQLDatabaseFinestraAiuto

AutoRaspberry_DBpublic@Northwind

ConnessioniProgetti

Raspberry_DB 192.168.1.100

Databases

AdventureWorks

Northwind

Schemas

public

Tables

categories32K

customer_customer_demo8K

customer_demographics16K

customers56K

employee_territories24K

employees32K

Columns

123 employee_id (int2)

AZ last_name (varchar(20))

AZ first_name (varchar(10))

AZ title (varchar(30))

AZ title_of_courtesy (varchar(25))

birth_date (date)

hire_date (date)

AZ address (varchar(60))

AZ city (varchar(15))

AZ region (varchar(15))

AZ postal_code (varchar(10))

AZ country (varchar(15))

AZ home_phone (varchar(24))

AZ extension (varchar(4))

01 photo (bytea)

10 notes (text)

123 reports_to (int2)

AZ photo_path (varchar(255))

Constraints

public<Raspberry_DB> Script

```
        , "company_name" nome_azienza
        , "contact_title" ruolo_da_contattare
        , "city" città
        , "country" nazione
    FROM
        "customers"
    );

    SELECT * FROM vw_customers;

    CREATE /* OR REPLACE */ VIEW vw_employees
    AS (
        SELECT
            "employee_id" id_dipendente
            , CONCAT_WS(' ', "last_name", "first_name") dipendente
            , "title" ruolo
            , "hire_date" data_assunzione
        FROM
            "employees"
        );

    SELECT * FROM vw_employees;
```

Proprietà

Valore

Informazioni

collegato true

derivato true

dimension 0 byte

editabile vero

nome Script.sql

percorso /General/Scripts/Scrip...

percorso C:\Users\...AppDa...

ultima mo 13 giugno 2026, 10:01:58

vw_employees 1Statistics 1

map vw_employees (CREATE OR REPLACE VIEW)

Enter a SQL expression to filter results (use Ctrl+Space)

Griglia

123 id_dipendenteAZ dipendenteAZ ruolo1 data_assunzione

11 Davolio NancySales Representative1992-05-01

22 Fuller AndrewVice President, Sales1992-08-14

33 Leverling JanetSales Representative1992-04-01

44 Peacock MargaretSales Representative1993-05-03

55 Buchanan StevenSales Manager1993-10-17

66 Suyama MichaelSales Representative1993-10-17

77 King RobertSales Representative1994-01-02

88 Callahan LauraInside Sales Coordinator1994-03-05

99 Dodsworth AnneSales Representative1994-11-15

Valore

Referenze

Apri

Nessun dato

AggiornaSaveCancelEsporta dati20099 row(s) fetched - 0,006s, on 2026-06-16 at 04:11:45

GeneralCESTitScrivibileInseriment...telligente78 : 17 : 1989Sel: 0 | 0

DBaver 26.1.0 - <Raspberry_DB> Script

FileModificaNavegaCercaEditor SQLDatabaseFinestraAiuto

Auto

Raspberry_DB

public@Northwind

ConessioniProgetti

Foreign Keys

Indexes

Dependencies

References

Partitions

Triggers

Rules

Policies

order_details192K

orders176K

products24K

region24K

shippers24K

suppliers32K

territories24K

us_states24K

Foreign Tables

Views

vw_categories

vw_customers

vw_employees

vw_order_details

vw_orders

Columns

123 id_ordine (int2)

AZ id_cliente (varchar(5))

123 id_dipendente (int2)

data_ordine (date)

data_scadenza (date)

data_spedizione (date)

123 id_corriere (int2)

Dependencies

Triggers

File

Bookmarks

Dashboards

Diagrams

Scripts

NomeDataSource

General

public

<Raspberry_DB> Script

vw_orders

CREATE /* OR REPLACE */ VIEW vw_orders

AS (

SELECT

"order_id" id_ordine

, "customer_id" id_cliente

, "employee_id" id_dipendente

, "order_date" data_ordine

, "required_date" data_scadenza

, "shipped_date" data_spedizione

, "ship_via" id_corriere

, CASE

WHEN shipped_date ISNULL THEN 'non spedito'

WHEN order_date ISNULL THEN 'data ordine assente'

ELSE (shipped_date - order_date)::text

END giorni_per_evasione

, CASE

WHEN shipped_date ISNULL THEN 'non spedito'

WHEN required_date ISNULL THEN 'nessuna scadenza'

WHEN shipped_date > required_date THEN 'SCADENZA SUPERATA'

ELSE (required_date - shipped_date)::text

END giorni_alla_scadenza

FROM

"orders"

);

SELECT * FROM vw_orders;

vw_orders 1

data_scadenza

data_spedizione

123 id_corriere

AZ giorni_per_evasione

AZ giorni_alla_scadenza

Griglia

Testo

Record

Aggiorna

Save

Cancel

Esporta dati

200

830

830 row(s) fetched - 0,001s (0,001s fetch), on 2026-06-16 at 05:28:36

CEST

it

Scrivibile

Inseriment...telligente

84 : 46 : 2278

Sel: 0 | 0

Proprietà

Valore

Informazioni

collegato true

derivato true

dimension 0 byte

editabile vero

nome Script.sql

percorso /General/Scripts/Scrip...

percorso C:\Users\...AppDa...

ultima mo 13 giugno 2026, 10:01:58

- >  Bookmarks
- >  Dashboards
- >  Diagrams
- >  Scripts

```
SELECT * FROM VW VISTA COMPLETA;
```



On-premises data gateway



Stato

Impostazioni servi:

Diagnostica

Rete

Connettori

Chiavi di ripristino

✓ Il gateway on-premises data gateway è online e pronto per l'uso.

Numero di versione del gateway: 3000.322.3 (June 2026)

☐ Per contribuire a migliorare on-premises data gateway, inviare le informazioni di utilizzo a Microsoft.

[Leggere l'informativa sulla privacy online](#)

App per la logica, Azure Analysis Services
Italy North

[Creare un gateway in Azure](#)

Power Apps, Power Automate
Italy North

✓ Pronto

Microsoft Fabric
Ambiente predefinito

✓ Pronto

Chiudi

Connetti a origine dati



Database PostgreSQL

Database

[Altre informazioni](#)

Impostazioni di connessione

Server *

192[REDACTED]

Database *

Northwind

Modalità di connettività ⓘ

☐ Importa

☒ DirectQuery

> Opzioni avanzate

Credenziali di connessione

Tipo di autenticazione

Di base

Nome utente

[REDACTED]

Password

.....

☐ Usa connessione crittografata

Scegli dati

Cerca

Opzioni di visualizzazione

Database PostgreSQL [23]

- ☒

public.vw_categories
- ☒

public.vw_customers
- ☒

public.vw_employees
- ☒

public.vw_order_details
- ☒

public.vw_orders
- ☒

public.vw_products
- ☒

public.vw_shippers
- ☒

public.vw_suppliers
- ☐

public.vw_vista_completa
- ☐

public.categories
- ☐

public.customer_customer_d...
- ☐

public.customer_demographi...
- ☐

public.customers
- ☐

public.employee_territories
- ☐

public.employees
- ☐

public.order_details
- ☐

public.orders
- ☐

public.products
- ☐

public.region
- ☐

public.shippers
- ☐

public.suppliers
- ☐

public.territories
- ☐

public.us_states

Seleziona tabelle correlate

Indietro

Annulla

Load



Categorie	...
descrizione	
id_categoria	
nome_categoria	

Rifornitori	...
chi_contattare	
città	
id_rifornitore	
nazione	
nome_rifornitore	
ruolo_da_contattare	
telefono	

Prodotti	...
id_categoria	
id_prodotto	
id_rifornitore	
nome_prodotto	
Σ prezzo_unitario	
Σ soglia_riordine	
Σ unità_in_magazzino	
Σ unità_ordinate	

Corrieri	...
id_corriere	
nome_corriere	

Dettagli Ordini	...
id_ordine	
id_prodotto	
Σ quantità	
Σ sconto	

Dipendenti	...
data_assunzione	
dipendente	
id_dipendente	
ruolo	

Clienti	...
città	
id_cliente	
nazione	
nome_azienza	
ruolo_da_contattare	

Ordini	...
data_ordine	
data_scadenza	
data_spedizione	
Σ giorni_alla_scadenza	
Σ giorni_per_evasione	
id_cliente	
id_corriere	

```
;
-- MODIFICO LA VISTA CREATA PRIMA DEGLI ORDINI IN MODO CHE LE COLONNE CREATE DELLE SCADENZE E DELLE EVASIONI SIANO UNICAMENTE TESTUALI
-- E AGGIUNGO SEMPRE ALTRA VISTA DEGLI ORDINI ALTRE 2 COLONNE, BASATE SU QUELLE APPENA MODIFICATE, PER AVERE I GIORNI PRECISI
```

```
CREATE OR REPLACE VIEW vw_orders
AS (
    SELECT
        "order_id" id_ordine
        , "customer_id" id_cliente
        , "employee_id" id_dipendente
        , "order_date" data_ordine
        , "required_date" data_scadenza
        , "shipped_date" data_spedizione
        , "ship_via" id_corriere
        , CASE
            WHEN shipped_date ISNULL THEN 'NON SPEDITO'
            WHEN order_date ISNULL THEN 'DATA ORDINE ASSENTE'
            ELSE 'ORDINE EVASO'
        END stato_ordine
        , CASE
            WHEN shipped_date ISNULL OR order_date ISNULL THEN 0
            ELSE (shipped_date - order_date)
        END giorni_per_evasione
        , CASE
            WHEN shipped_date ISNULL THEN 'NON SPEDITO'
            WHEN required_date ISNULL THEN 'NESSUNA SCADENZA'
            WHEN shipped_date > required_date THEN 'SCADENZA SUPERATA'
            ELSE 'SCADENZA RISPETTATA'
        END stato_scadenza
        , CASE
            WHEN shipped_date ISNULL OR required_date ISNULL THEN NULL
            WHEN shipped_date > required_date THEN (shipped_date - required_date)
            ELSE (shipped_date - required_date)
        END giorni_alla_scadenza

    FROM
        "orders"
);

SELECT * FROM vw_orders;
```

FileHomeGuida

Incolla

Taglia

Copia

Recupera dati

Cartella di lavoro di Excel

Catalogo OneLake

SQL Server

Immettere i dati

Dataverse

Origini recenti

Trasforma dati

Aggiorna dati

Gestisci relazioni

Nuova misura

Nuova colonna

Nuova tabella

Gruppo di calcolo

Nuovo parametro


Gestione di ruoli

Visualizza come

Configurazione di Domini

risposte

Blocco a molla per appunti



> Filtri

Visualizzazioni

Compila oggetto visivo

Valori

Aggiungere qui i campi dati

Drill-through

Tra report ☐

Mantieni tutti i filtri ☒

Aggiungere i campi di drill-th...

Dati

Cerca

- ☒ Calendario
 - ☐ Date
 - ☐ Gerarchia data
 - Anno
 - Trimestre
 - Mese
 - Giorno
- > ☐ Categorie
- > ☐ Clienti
- > ☐ Corrieri
- ☒ Dettagli Ordini
 - ☐ id_ordine
 - ☐ id_prodotto
 - ☐ Σ quantità
 - ☐ Σ sconto%
- > ☐ Dipendenti
- ☒ Ordini
 - ☐ _FATTURATO_NON_SCONTATO
 - ☒ _FATTURATO_SCONTATO
 - ☐ _ORDINI_DISTINTI
 - ☐ _QUANTITÀ_ORDINI
 - ☐ data_ordine
 - ☐ data_scadenza
 - ☐ data_spedizione
 - ☐ Σ giorni_alla_scadenza
 - ☐ Σ giorni_per_evasione
 - ☐ id_cliente
 - ☐ id_corriere
 - ☐ id_dipendente
 - ☐ id_ordine
 - ☐ stato_ordine
 - ☐ stato_scadenza

Analizzatore prestazioni



▶ Avvia registrazione ↺ Aggiorna gli oggetti visivi @ Arresta

✖ Cancella 📄 Esporta

Nome	Durata (ms)	↓
🕒 <i>Registrazione avviata (29/06/2026 00:44:41)</i>		-
↺ <i>Oggetto visivo aggiornato</i>		-
⊕ Sfondo		118
⊕ Sfondo alto		117
⊕ Scorrimento anni		117
⊕ Casella di testo		48
⊕ Casella di testo		48
⊕ Barra Sinistra		115
⊕ Sfondo blu grande		115
⊕ Sfondo blu piccolo		115
⊕ Separatore		114
⊕ Sfondo bianco grande		114
⊕ Sfondo bianco piccolo		114
⊕ Icona Spiegazione		114
⊕ Sfondo icona spiegazione		113
⊕ Sfondo icona narrazione		113
⊕ Prodotti terminati testo		50
⊕ Sfondo Tot. fatturato		112
⊕ Icona Narrazione IA		112
⊕ Strumento di navigazione della pagina		112
⊕ Sfondo Fatturato perso		112
⊕ Linee Fatturato		896
⊕ Fatturato scontato		50
⊕ Top 5 clienti testo		50
⊕ Anni		397
⊕ Tot. Fatturato		451
⊕ Grafico Donut Stato prodotti		465
⊕ Grafico Radar Fatturato		464
⊕ Fatturato scontato, Obiettivo e Max		464
⊕ TOP 5 Fatturato		1898

DBBeaver 26.1.1 - orders

FileModificaNavigaCercaEditor SQLDatabaseFinestraAiuto

SQLCommitRollbackAuto

Raspberry_DBpublic@Northwind

ConnessioniProgetti

Filtra le connessioni per nome

customer_demographics16K

customers56K

employee_territories24K

employees32K

order_details192K

orders176K

Columns

123 order_id (int2)

AZ customer_id (varchar(5))

123 employee_id (int2)

order_date (date)

required_date (date)

shipped_date (date)

123 ship_via (int2)

123 freight (float4)

AZ ship_name (varchar(40))

AZ ship_address (varchar(60))

AZ ship_city (varchar(15))

AZ ship_region (varchar(15))

AZ ship_postal_code (varchar(10))

AZ ship_country (varchar(15))

Constraints

Foreign Keys

Indexes

pk_orders

orders_customer_id_idx

orders_employee_id_idx

orders_order_date_idx

Dependencies

References

Partitions

Triggers

Rules

public*<Raspberry_DB> Script.sql*orders

ProprietàDatiDiagramma

Nome tabella:orders

Tablespace:pg_default

Owner:alfredo-guidotti

Comment:

Has Row-Level Security

Partitions

Partition by:

Object ID:16434

Columns

Constraints

Foreign Keys

Indexes

Dependencies

References

Partitions

Triggers

Rules

Policies

Statistics

Permissions

DDL

Virtuale

	Nome indice	Column	Tabella	Ascending	Nullable	Unique	Operator Class	Predicate	Rel Size	Access Method	Tablespace	Comr
Columns												
Constraints												
Foreign Keys												
Indexes												
Dependencies												
References												
Partitions												
Triggers												
Rules												
Policies												
Statistics												
Permissions												
DDL												
Virtuale												
	pk_orders	order_id	orders	—	—	[v]	—	—	40K	btree	pg_default	
	123 order_id	123 order_id	—	[v]	[]	—	int2_ops	—	—	—	—	
	orders_cust	customer_id	orders	—	—	[]	—	—	0	—	pg_default	
	AZ custome	AZ customer_id	—	[v]	[]	—	—	—	—	—	—	
	orders_emp	employee_id	orders	—	—	[]	—	—	0	—	pg_default	
	123 employe	123 employee_id	—	[v]	[]	—	—	—	—	—	—	
	orders_orde	order_date	orders	—	—	[]	—	—	0	—	pg_default	
	order_da	order_date	—	[v]	[]	—	—	—	—	—	—	

File

NameDataSource

Bookmarks

Dashboards

Diagrams

Scripts

