






Progetto Home Server:

La mia infrastruttura
Docker per l'Analisi Dati

Docker • PostgreSQL •
Tailscale • Immich



Obiettivo: Creare un server multiuso locale per il self-hosting dei media (sostituendo Google Foto) e configurare un ambiente database isolato e sicuro per esercitazioni di Data Analytics.

Microsoft Windows [Versione 10.0.26200.8457]
(c) Microsoft Corporation. Tutti i diritti riservati.

C:\Users\alfim>ssh nomeutente@raspberrypi.local
ssh: Could not resolve hostname raspberrypi.local: Host sconosciuto.

C:\Users\alfim>ssh alfredo-guidotti@raspberrypi.local
ssh: Could not resolve hostname raspberrypi.local: Host sconosciuto.

C:\Users\alfim>ssh alfredo-guidotti@192.168.1.13
The authenticity of host '192.168.1.13 (192.168.1.13)' can't be established.
ED25519 key fingerprint is SHA256:UlpveydzndIOiLsj9IJRMzTbCCialAo1TZzVOEuWYgM.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.1.13' (ED25519) to the list of known hosts.
alfredo-guidotti@192.168.1.13's password:
Linux Raspberry-Cloud-DB 6.12.75+rpt-rpi-2712 #1 SMP PREEMPT Debian 1:6.12.75-1+rpt1 (2026-03-11) aarch64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

alfredo-guidotti@Raspberry-Cloud-DB:~ \$ |

```
alfredo-guidotti@Raspberry-1 X + -
```

Filesystem	Size	Used	Available	Usage	Mount Point
/dev/mmcblk0p2	53G	4.8G	46G	10%	/
tmpfs	4.0G	0	4.0G	0%	/dev/shm
tmpfs	5.0M	48K	5.0M	1%	/run/lock
tmpfs	1.0M	0	1.0M	0%	/run/credentials/systemd-journald.service
tmpfs	4.0G	0	4.0G	0%	/tmp
/dev/mmcblk0p1	505M	66M	439M	14%	/boot/firmware
/dev/nvme0n1	458G	2.1M	435G	1%	/mnt/nvme
tmpfs	1.0M	0	1.0M	0%	/run/credentials/getty@tty1.service
tmpfs	1.0M	0	1.0M	0%	/run/credentials/serial-getty@ttyAMA10.service
tmpfs	807M	32K	807M	1%	/run/user/1000

```
alfredo-guidotti@Raspberry-Cloud-DB:~ $ sudo mkdir -p /mnt/nvme/portainer_data
[sudo] password for alfredo-guidotti:
alfredo-guidotti@Raspberry-Cloud-DB:~ $ docker run -d -p 8000:8000 -p 9443:9443 --name portainer --restart always -v /var/run/docker.sock:/var/run/docker.sock -v /mnt/nvme/portainer_data:/data portainer/portainer-ce:latest
Unable to find image 'portainer/portainer-ce:latest' locally
latest: Pulling from portainer/portainer-ce
06ddfb117a9c: Pull complete
9cdee5a83150: Pull complete
fa9b062bea51: Pull complete
4f4fb700ef54: Pull complete
debcf4945a8b: Pull complete
df5fb0f0f970: Pull complete
e8bd462dcdd1: Pull complete
50be0d07d7b0: Pull complete
83159ff24459: Download complete
7551824bfff9e: Download complete
Digest: sha256:8d2f5c9fbc5b8490fb3a12efadbad74978e22991911e1db611d8a45871775112
Status: Downloaded newer image for portainer/portainer-ce:latest
ecd28cb7cc878713a526ebb34b360390fdf57bd7a3230f8f5a1b05c71cab927a
alfredo-guidotti@Raspberry-Cloud-DB:~ $
```


Latest News From Portainer

dismiss

New in 2.42 STS: Kubernetes volume overhaul, scheduled local backups and Azure Blob Storage backup support, multi-severity alerting, GitOps source management, and theme switching. [Read more in our docs.](#)

Environments

Search by name, group, tag, status, URL...

Refresh

Kubeconfig

Click on an environment to manage

Platform

Connection Type

Status

Tags

Groups

Agent Version

Clear all

Sort By

local

Up

2026-05-27 00:50:49

Standalone 29.5.2

/var/run/docker.sock

Group: Unassigned

No tags

Local

0 stacks

1 container

1

0

0

0

0 volumes

1 image

4 CPU

8.5 GB RAM

Live connect

Disconnected

Items per page 10

Environment variables

You may use [environment variables in your compose file](#). The environment variable values set below will be used as substitutions in the compose file. Note that you may also reference a stack.env file in your compose file. A stack.env file contains the environment variables and their values (e.g. TAG=v1.5).

stack.env file operation

When deploying via **Repository**, the stack.env file must already reside in the Git repo.

When deploying via **Web editor**, **Upload** or **Custom template deployment**, the stack.env file is auto created from what you set below.

Advanced mode

Switch to advanced mode to copy & paste multiple variables

name	UPLOAD_LOCATION	value	./library	
name	DB_DATA_LOCATION	value	./postgres	
name	IMMICH_VERSION	value	v2	
name	DB_PASSWORD	value	postgres	
name	DB_USERNAME	value	postgres	
name	DB_DATABASE_NAME	value	immich	

+ Add an environment variable

Load variables from .env file

Access control

Enable access control



Administrators

I want to restrict the management of this resource to administrators only



Restricted

I want to restrict the management of this resource to a set of users and/or teams

Actions

Deploy the stack

Create stack

Name immich

This stack will be deployed using docker compose.

Build method

- Web editor
- Upload
- Repository
- Custom template

Web editor

You can get more information about Compose file format in the [official documentation](#).

Define or paste the content of your docker compose file here

Copy

```
11
12 services:
13   immich-server:
14     container_name: immich_server
15     image: ghcr.io/immich-app/immich-server:${IMMICH_VERSION:-release}
16     # extends:
17     #   file: hwaccel.transcoding.yml
18     #   service: cpu # set to one of [nvenc, quicksync, rkmp, vaapi, vaapi-wsl] for accelerated transcoding
19   volumes:
20     # Do not edit the next line. If you want to change the media storage location on your system, edit the value of UPLOAD_LOCATION in the .env file
21     - ${UPLOAD_LOCATION}:/data
22     - /etc/localtime:/etc/localtime:ro
23   env_file:
24     - stack.env
25   ports:
26     - '2283:2283'
27   depends_on:
28     - redis
29     - database
30   restart: always
31   healthcheck:
32     disable: false
33
34   immich-machine-learning:
35     container_name: immich_machine_learning
36     # For hardware acceleration, add one of [armnn, cuda, rocm, openvino, rknn] to the image tag
```

Webhooks

Create a Stack webhook

Business Feature

Environment variables

[Foto](#)[Esplora](#)[Mappa](#)[Condivisione](#)[Libreria](#)[Preferiti](#)[Album](#)[Utilità](#)[Archivio](#)[Cartella Privata](#)[Cestino](#)

Clicca per caricare la tua prima foto

Spazio di archiviazione

308,3 MiB di 457,4 GiB

utilizzati





Discovery

Images	16437	16.0 GB
Videos	1811	23.5 GB
Duplicates (local)	1	114.4 KB
Already on server	0	0 B
Filtered (rules)	3	180.1 MB
Banned	0	0 B
Missing sidecar	2	0 B

Processing

Sidecars associated	18246
Added to albums	1
Stacked	280
Tagged	723
Metadata updated	778

Progress

Pending	17456	38.8 GB
Processed	725	565.8 MB
Discarded	67	194.8 MB
Errors	0	0 B
Total	18248	39.5 GB

active...



Log

2026-05-28 02:13:14 INF tagged file=takeout-20260527T230334Z-3-001:Takeout/Google Foto/Foto da 2016/20160816_154036.jpg tag=takeout-20260527T230334Z-3

2026-05-28 02:13:14 INF uploaded successfully file=takeout-20260527T230334Z-3-001:Takeout/Google Foto/Foto da 2016/20160816_154342.mp4

2026-05-28 02:13:14 INF uploaded successfully file=takeout-20260527T230334Z-3-001:Takeout/Google Foto/Foto da 2016/20160816_154539.mp4

2026-05-28 02:13:14 INF uploaded successfully file=takeout-20260527T230334Z-3-001:Takeout/Google Foto/Foto da 2016/20160816_154944.mp4

2026-05-28 02:13:14 INF metadata updated file=takeout-20260527T230334Z-3-001:Takeout/Google Foto/Foto da 2016/20160816_154342.mp4

2026-05-28 02:13:14 INF tagged file=takeout-20260527T230334Z-3-001:Takeout/Google Foto/Foto da 2016/20160816_154342.mp4 tag=takeout-20260527T230334Z-3

```
2026-05-28 02:24:03 INF
2026-05-28 02:24:03 INF Asset Tracking Report:
2026-05-28 02:24:03 INF =====
2026-05-28 02:24:03 INF Total Assets:          18248  (39.5 GB)
2026-05-28 02:24:03 INF   Processed:          18171  (39.3 GB)
2026-05-28 02:24:03 INF   Discarded:           75  (235.3 MB)
2026-05-28 02:24:03 INF   Errors:              0  (0 B)
2026-05-28 02:24:03 INF   Pending:             2  (7.2 MB)
2026-05-28 02:24:03 INF
2026-05-28 02:24:03 INF ⚠ WARNING: 2 assets did not reach a final state!
2026-05-28 02:24:03 INF
2026-05-28 02:24:03 INF
2026-05-28 02:24:03 INF Event Report:
2026-05-28 02:24:03 INF =====
2026-05-28 02:24:03 INF
2026-05-28 02:24:03 INF Discovery (Assets):
2026-05-28 02:24:03 INF   discovered image           :   16437  (16.0 GB)
2026-05-28 02:24:03 INF   discovered video          :    1811  (23.5 GB)
2026-05-28 02:24:03 INF
2026-05-28 02:24:03 INF Discovery (Non-Assets):
2026-05-28 02:24:03 INF   discovered sidecar        :   17751  (11.8 MB)
2026-05-28 02:24:03 INF   discovered unsupported file :         1  (3 B)
2026-05-28 02:24:03 INF
2026-05-28 02:24:03 INF Asset Lifecycle (PROCESSED):
2026-05-28 02:24:03 INF   uploaded successfully     :   18159  (39.3 GB)
2026-05-28 02:24:03 INF   server asset upgraded      :         12  (3.8 MB)
2026-05-28 02:24:03 INF   metadata updated           :   18228  (22.8 MB)
2026-05-28 02:24:03 INF
2026-05-28 02:24:03 INF Asset Lifecycle (DISCARDED):
2026-05-28 02:24:03 INF   discarded filtered         :          3  (180.1 MB)
2026-05-28 02:24:03 INF   discarded local duplicate   :          3  (32.5 MB)
2026-05-28 02:24:03 INF
2026-05-28 02:24:03 INF Processing Events:
2026-05-28 02:24:03 INF   associated metadata        :   18246
2026-05-28 02:24:03 INF   missing metadata           :          2
2026-05-28 02:24:03 INF   stacked                     :         340
2026-05-28 02:24:03 INF   added to album              :          2
2026-05-28 02:24:03 INF   tagged                      :   18171
2026-05-28 02:24:03 INF
```


Welcome! See what's possible

What do you want to do?

Set up my personal homelab 

Try these solution guides for popular at-home use cases:

Access NAS, media servers, or file shares remotely Remote access to devices that can't run Tailscale (printers, cameras) Share a private game server (e.g. Minecraft) with friends Not seeing what you want? Get started with this [10-minute video](#)

Dismiss

Machines

Manage the devices connected to your tailnet. [Learn more](#)Add device  Search by name, owner, tag, version... Filters [Learn more](#)

2 machines

MACHINE	ADDRESSES 	VERSION	LAST SEEN	
raspberry-cloud-db f.guidotti1966@gmail.com Subnets 	100.120.106.105 	1.98.4 Linux 6.18.29+rpt-rpi-2712	 Connected	
s25-ultra-di-alfredo f.guidotti1966@gmail.com	100.123.71.56 	1.96.4 Android 16	 Jun 3, 18:06 CEST	

Add devices to your network

Tailscale works best when it's installed on multiple devices. Explore what you can do with Tailscale in these environments.

Operating systems

Cloud providers

Containers

Stack details

Stack

Editor

This stack will be deployed using `docker compose`.

You can get more information about Compose file format in the [official documentation](#).

Define or paste the content of your docker compose file here

Copy

```
1 version: '3.8'
2
3 services:
4   # Il Motore del Database
5   db:
6     image: postgres:latest
7     container_name: postgres_db
8     restart: always
9     shm_size: 256mb
10    environment:
11      POSTGRES_USER: alfredo-guidotti
12      POSTGRES_PASSWORD: Alfredo19981987!
13      POSTGRES_DB: Progetto_1
14    ports:
15      - "5432:5432"
16    volumes:
17      - /mnt/nvme/postgres_data:/var/lib/postgresql
18
19   # L'Interfaccia Web (pgAdmin)
20   pgadmin:
21     image: dpage/pgadmin4
22     container_name: pgadmin_web
23     restart: always
24     environment:
25       PGADMIN_DEFAULT_EMAIL: a.guidotti1998@outlook.it
```

Environment variables

Webhooks

Create a Stack webhook ⓘ



Business Feature

Esplora oggetti

🔍

📄

📊

📈

🔍

- Servers (1)
- Raspberry_DB
- Database (2)
- Progetto_1
- Cataloghi
- Contenitore dei dati esterni
- Conversioni
- Estensioni
- Linguaggi
- Pubblicazioni
- Schemi
- Sottoscrizione
- Trigger di eventi
- postgres
- Ruoli di Login/Gruppo
- Tablespaces

Cruscotto ▾

Proprietà ▾

SQL ▾

Statistiche ▾

Dipendenze ▾

Dipendenti da ▾

Processi ▾

Progetto_1/alfredo... ▾

Attività

Stato

Configuration

Registri

Sistema

