

GET / Accueil

Parameters

Cancel

No parameters

ExecuteClear

Responses

Curl

curl -X 'GET' \
'http://localhost:8080/' \
-H 'accept: */*'

Request URL

http://localhost:8080/

Server response

CodeDetails

200

Response body

{
 "message": "Bienvenue"
}

Download

Response headers

GET /books Get Books

Parameters

Cancel

No parameters

ExecuteClear

Responses

Curl

curl -X 'GET' \
'http://localhost:8080/books' \
-H 'accept: */*'

Request URL

http://localhost:8080/books

Server response

CodeDetails

200

Response body

{
 "id": 1,
 "titre": "Le Petit Prince",
 "auteur": "Saint-Exupéry"
}

Download

POST /books Add Book

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value | Schema

{
 "id": 2,
 "titre": "1984",
 "auteur": "George Orwell"
}

ExecuteClear

Responses

Curl

curl -X 'POST' \
'http://localhost:8080/books' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
 "id": 2,
 "titre": "1984",
 "auteur": "George Orwell"
}'

Request URL

http://localhost:8080/books

Server response

CodeDetails

200

Response body

{
 "message": "Livre ajouté",
 "book": {
 "id": 2,
 "titre": "1984",
 "auteur": "George Orwell"
 }
}

Download

GET

/books/{id} Get Book

Cancel

Parameters

Name	Description
id * required	
Integer	
(path)	

2

ExecuteClear

Responses

Curl

curl -X 'GET' \n'http://localhost:8080/books/2' \n-H 'accept: */*'

Request URL

http://localhost:8080/books/2

Server response

Code

Details

200

Response body

{\n "id": 2,\n "titre": "1984",\n "auteur": "George Orwell"\n}

Download

PUT

/books/{id} Update Book

Cancel

Reset

Parameters

Name	Description
id * required	
Integer	
(path)	

1

Request body required

application/json

Edit Value | Schema

{\n "titre": "La Petite Princesse",\n "auteur": "Saint-Exup\u00e9ry"\n}

ExecuteClear

Responses

Curl

curl -X 'PUT' \n'http://localhost:8080/books/1' \n-H 'accept: */*' \n-H 'Content-Type: application/json' \n-d '{\n "titre": "La Petite Princesse",\n "auteur": "Saint-Exup\u00e9ry"\n}'

Request URL

http://localhost:8080/books/1

Server response

Code

Details

200

Response body

{\n "message": "Livre modifi\u00e9",\n "book": {\n "titre": "La Petite Princesse",\n "auteur": "Saint-Exup\u00e9ry"\n }\n}

Download

DELETE

/books/{id} Delete Book

Cancel

Parameters

Name	Description
id * required	
Integer	
(path)	

1

ExecuteClear

Responses

Curl

curl -X 'DELETE' \n'http://localhost:8080/books/1' \n-H 'accept: */*'

Request URL

http://localhost:8080/books/1

Server response

Code

Details

200

Response body

{\n "message": "Livre supprim\u00e9"\n}

Download

POST /users Add User

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value | Schema

```
{
  "id": 1,
  "nom": "Alice",
  "email": "alice@test.fr"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8000/users' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 1,
    "nom": "Alice",
    "email": "alice@test.fr"
  }'
```

Request URL

http://localhost:8000/users

Server response

Code	Details
200	Response body <pre>{ "message": "Utilisateur créé", "user": { "id": 1, "nom": "Alice", "email": "alice@test.fr" } }</pre> Download

POST /login Login

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value | Schema

```
{
  "login": "admin",
  "password": "admin"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8000/login' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "login": "admin",
    "password": "admin"
  }'
```

Request URL

http://localhost:8000/login

Server response

Code	Details
200	Response body <pre>{ "token": "123456", "message": "Connexion réussie" }</pre> Download