EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

VIDEO ANALYSIS

OPEN CV FOR VIDEO PROCESSING

Date	08 November 2022
Team ID	PNT2022TMID40070
Project Name	Emerging Methods for Early Detection of Forest Fires

Importing The ImageDataGenerator Library import keras from keras.preprocessing.image import ImageDataGenerator Define the parameters/arguments for ImageDataGenerator class train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,rot ati on_range=180,zoom_range=0.2, horizontal_flip=True) test_datagen=ImageDataGenerator(rescale=1./255) Applying ImageDataGenerator functionality to trainset x_train=train_datagen.flow_from_directory(r'/content/drive/MyDriv e/Dataset/train_set',target_size=(128,128),batch_size=32, class mode='binary')

Found 436 images belonging to 2 classes.

Applying ImageDataGenerator functionality to testset

x_test=test_datagen.flow_from_directory(r'/content/drive/MyDrive / Dataset/test_set',target_size=(128,128),batch_size=32, class_mode='binary')

Found 121 images belonging to 2 classes.

Import model building libraries

#To define Linear initialisation import Sequential from keras.models import Sequential #To add layers import Dense from keras.layers import Dense

#To create Convolution kernel import Convolution2D from keras.layers import Convolution2D #import Maxpooling layer from keras.layers import MaxPooling2D #import flatten layer from keras.layers import Flatten import warnings warnings.filterwarnings('ignore')

Initializing the model

model=Sequential()

Add CNN Layer

model.add(Convolution2D(32, (3,3),input_shape=(128,128,3),activation='relu')) #add maxpooling layer

```
model.add(MaxPooling2D(pool_size=(2,2)))
#add flatten layer model.add(Flatten())
Add Hidden Layer
#add hidden layer model.add(Dense(150,activation='relu'))
#add output layer
model.add(Dense(1,activation='sigmoid')
Configure the learning process
model.compile(loss='binary_crossentropy',optimizer="adam",metrics=[
"ac curacy"])
Train the model
model.fit_generator(x_train,steps_per_epoch=14,epochs=10,validation_
da ta=x test, validation steps=4)
Epoch 1/10
1.3060 - accuracy: 0.7775 - val loss: 0.5513 -
val accuracy: 0.8512
Epoch 2/10
14/14 [=======] - 26s 2s/step - loss:
0.3178 - accuracy: 0.8807 - val_loss: 0.1299 -
val accuracy: 0.9421
Epoch 3/10
14/14 [=======] - 26s 2s/step - loss:
0.2226 - accuracy: 0.9106 - val loss: 0.1311 -
val_accuracy: 0.9421
Epoch 4/10
14/14 [=======] - 31s 2s/step - loss:
0.1836 - accuracy: 0.9174 - val_loss: 0.1129 -
val accuracy: 0.9339
Epoch 5/10
14/14 [=======] - 30s 2s/step - loss:
```

```
0.1675 -
 accuracy: 0.9243 - val_loss: 0.0925 - val_accuracy: 0.9669
 Epoch 6/10
 14/14 [=======] - 26s 2s/step - loss:
 0.1884 - accuracy: 0.9289 - val_loss: 0.1287 -
 val_accuracy: 0.9339
 Epoch 7/10
 14/14 [=======] - 28s 2s/step - loss:
 0.1724 - accuracy: 0.9335 - val loss: 0.0926 -
 val_accuracy: 0.9752
 Epoch 8/10
 14/14 [=======] - 26s 2s/step - loss:
 0.1510 - accuracy: 0.9404 - val loss: 0.0757 -
 val accuracy: 0.9752 Epoch 9/10
14/14 [=======] - 26s
                                                     0.173 -
2s/step - loss:
accuracy: 0.9174 - val_loss: 0.0537 - val_accuracy: 0.9835
                  14/14 [========]
Epoch 10/10
 - 26s
         0.154 -
2s/step - loss:
                                                     6
accuracy: 0.9312 - val_loss: 0.0573 - val_accuracy: 0.9835
 <keras.callbacks.History at 0x7f05d66a9c90>
```

Save The Model

model.save("forest1.h5")

Predictions

#import load_model from keras.model from keras.models import load_model #import image class from keras

```
from tensorflow.keras.preprocessing import image #import
 numpy import numpy as np #import cv2 import cv2
 #load the saved model model = load model("forest1.h5")
 img=image.load img(r'/content/drive/MyDrive/Dataset/te
 st set/forest/ 0.48007200 1530881924 final forest.jpg')
x=image.img_to_array(img)
res = cv2.resize(x, dsize=(128, 128),
 interpolation=cv2.INTER_CUBIC)
#expand the image shape
 x=np.expand_di ms(res,axis=0)
 pred= model.predict(x)
 1/1 [=======] - 0s
 126ms/step pred
 array([[0.]],
 dtype=float32) OpenCV
 For Video Processing
pip install twilio
Looking in indexes: https://pypi.org/simple, https://us-
python.pkg.dev/colab-wheels/public/simple/
Requirement already satisfied: twilio in
/usr/local/lib/python3.7/dist-packages (7.15.1)
Requirement already satisfied: pytz in /usr/local/lib/python3.7/dist-
packages (from twilio) (2022.5)
Requirement already satisfied: requests>=2.0.0 in
/usr/local/lib/python3.7/dist-packages (from twilio) (2.23.0)
Requirement already satisfied: PyJWT<3.0.0,>=2.0.0 in
/usr/local/lib/python3.7/dist-packages (from twilio) (2.6.0) Requirement
already satisfied: urllib3!=1.25.0,!=1.25.1,<1.26,>=1.21.1 in
/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0-
>twilio) (1.24.3)
Requirement already satisfied: certifi>=2017.4.17 in
```

/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (2022.9.24)

Requirement already satisfied: idna<3,>=2.5 in /usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (2.10)

Requirement already satisfied: chardet<4,>=3.0.2 in /usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (3.0.4)

pip install playsound

Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/ Requirement already satisfied: playsound in /usr/local/lib/python3.7/dist-packages (1.3.0)

#import opency library
import cv2 #import
numpy import numpy
as np

#import image function from keras from keras.preprocessing import image #import load_model from keras

from keras.models import load_model #import client from twilio API from twilio.rest import Client #import playsound package from playsound import playsound

WARNING:playsound:playsound is relying on another python subprocess. Please use `pip install pygobject` if you want playsound to run more efficiently.

#load the saved model
model=load_model("forest1.h
5") #define video
video=cv2.VideoCapture(0) #define
the features

name=['forest','with fire']