

Name.....Centre/Index No.....

School.....Signature.....

545/3
CHEMISTRY
(PRACTICAL)
Paper 3
July/August
2hours



WAKISSHA JOINT MOCK EXAMINATIONS

Uganda Certificate of Education

CHEMISTRY PRACTICAL

Paper 3

2hours

INSTRUCTIONS TO CANDIDATES.

- Answer both questions. All answers must be written in the spaces provided.
- You are not allowed to use any reference books (i.e text books or handouts on qualitative analysis etc).
- All working must be clearly shown.
- Mathematical tables and silent non-programmable scientific calculators may be used.

For Examiner's use only		
Q.1	Q.2	Total

1. You are provided with solutions **BA1** and **BA2**.
BA1 was prepared by dissolving 1.0g of sodium hydroxide to make 250cm³ of solution while **BA2** is a solution containing 3.15g of acid H₂R.n H₂O per 250cm³ of solution.
 You are required to determine the percentage of water of crystallisation, n, in the acid H₂R.nH₂O.

Procedure

Transfer 20/25 cm³ of **BA1** into a clean conical flask using a clean pipette. Add 3 drops of phenolphthalein indicator to the contents of the flask then titrate with **BA2** from the burette.

Repeat the titration to obtain at least 3 consistent results.

Record your results in the table 1 below.

Volume of pipette used = cm³ (1 mark)

	1	2	3
Final Burette reading (cm ³)			
Initial Burette reading (cm ³)			
Volume of BA2 used (cm ³)			

(4½ marks)

Values for calculating average volume of **BA2** used; ; and (3 marks)

Average volume of **BA2** used = (02 marks)

(a) Calculate the number of moles of:

(i) **BA1** used: (03 marks)

.....

.....

.....

.....

.....

.....

(ii) **BA2** that reacted with **BA1** (02½ marks)

.....

.....

.....

.....

.....

.....

(b) Determine the:

(i) mass of one mole of the acid, $H_2R.nH_2O$.

(05 marks)

.....

.....

.....

.....

.....

.....

(ii) Value of n, hence percentage of water of crystallization in the $H_2R.nH_2O$. (R = 88)

(04 marks)

.....

.....

.....

.....

.....

.....

.....

2. You are provided with substance M which contains two cations and a common anion. Carry out the following tests on M to identify the cations and anion.

Test for any gas evolved.

(25 marks)

Record your results in the table 2 below.

TEST	OBSERVATION	DEDUCTION
a) To one spatula endful of M in a clean test tube, add dilute nitric acid drop by drop until all the solid has dissolved.		
b) To 3cm ³ of the solution from (a) above add aqueous sodium hydroxide solution drop wise until in excess. Filter the mixture and keep both filtrate and residue.		

Turn Over
3

c) To the filtrate from (b) add dilute nitric acid drop wise until the solution is just acidic. Divide the resultant solution into two equal portions.		
(i) To the first portion from (c) above add aqueous sodium hydroxide solution drop wise until in excess.		
(ii) To the second portion add aqueous ammonia solution drop wise until in excess		
(d) To the residue from (b), put in a clean test tube, add dilute nitric acid drop by drop as you shake until the solid just dissolves.		
(i) To 1 cm ³ of the resultant solution from (d) above, add aqueous sodium hydroxide solution until in excess.		
(ii) Use 1cm ³ of the resultant solution from (d) above to carry out a test of your own choice to confirm one of the cations in M. _____ _____ _____ _____		

(e) Identify the

(i) Cations : and (1 mark)

(ii) Anion (1/2 mark)

END