

Names:.....Index No:

School Exam Number:.....Signature:.....

*Candidates should **NOT** write their Centre Name
or Centre Number anywhere on this booklet*

P525/1
CHEMISTRY
Paper 1
25 July 2022
2 ¾ hours

ENTEBBE JOINT EXAMINATION BUREAU

Uganda Advanced Certificate of Education

CHEMISTRY

(PRINCIPAL SUBJECT)

Paper 1

2 hours 45 minutes

INSTRUCTIONS TO CANDIDATES

*Answer **all** questions in SectionA and **six** questions from SectionB*

***All** questions are to be answered in the spaces provided.*

The Periodic Table, with relative atomic masses is attached at the end of the paper.

Illustrate your answers with equations where applicable.

Mathematical tables (3-figure tables) are adequate or non-programmable scientific electronic calculators may be used.

Illustrate your answers with equations where applicable.

*Molar gas constant, **R** = $8.31 \text{ JK}^{-1} \text{ mol}^{-1}$.*

Molar volume of gas at s.t.p = 22.4 litres

Standard temperature = 273 K

Standard pressure = 101325 Nm^{-2}

FOR EXAMINER'S USE ONLY																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	TOTAL

SECTION A: (46 Marks)

Answer all the questions in the Section.

1. The enthalpies of some chemical reactions are given below.

Process	$\Delta H^\theta (\text{KJmol}^{-1})$
(i) $\text{Cu}(s) \longrightarrow \text{Cu}(g)$	+339
(ii) $\text{Cu}(g) \longrightarrow \text{Cu}^{2+}(g) + 2e$	+2711
(iii) $\text{Cu}^{2+}(g) + (aq) \longrightarrow \text{Cu}^{2+}(aq)$	-2100
(iv) $\frac{1}{2} \text{H}_2(g) + (aq) \longrightarrow \text{H}^+(aq) + e$	+446

- (a) Calculate the standard enthalpy change for the reaction. (03 marks)
- $$\text{H}_2(g) + \text{Cu}^{2+}(aq) \longrightarrow \text{Cu}(s) + 2\text{H}^+(aq)$$

.....

.....

.....

.....

.....

.....

- (b) (i) State whether reduction of copper(II) ions by hydrogen is feasible or not. (½mark)

.....

.....

- (ii) Give a reason for your answer. (01mark)

.....

.....

.....

2. Write equations stating the conditions for the reaction to show how methylbenzene can be converted to;


- (a) CONH_2 (3½ marks)



.....

.....

.....



(02 marks)

.....

3. State what would be observed and write equation for the reaction that would take place when acidified hydrogen peroxide solution is added to a solution containing;

(a) Manganate(VII) ions

Observation;

(1½marks)

.....

Equation;

.....

(b) Dichromate (VI) ions

Observation;

(01 mark)

.....

Equation;

.....

4. (a) Define the term **freezing point constant of a substance**. (01mark)

.....

(b) (i) The freezing point of a 3.0% aqueous solution of solute **Q** was found to be -0.423°C . Calculate the relative molecular mass of **Q**. (molar freezing point constant for water is 18.6°C per 100g per mole)

(2½ marks)

.....

- (ii) State how the relative molecular mass of **Q** would change if it ionises in water. Give a reason for your answer. (1½marks)

.....

.....

.....

5. Some of the complexes formed by copper and iron are $[\text{Cu}(\text{H}_2\text{O})_4]\text{SO}_4$ and $\text{Fe}(\text{CO})_5$ respectively.

- (a) Name the complexes; (01 mark)

.....

.....

- (b) State the;

- (i) co-ordination number of copper in the complex. (½mark)

.....

- (ii) oxidation state of iron in the complex. (½ mark)

.....

- (c) Write equation for the reaction that takes place when;

- (i) excess concentrated hydrochloric acid is treated with copper(II) nitrate solution. (1½ marks)

.....

.....

.....

.....

- (ii) Iron(II) sulphate solution is warmed with acidified potassium chlorate (V) solution. (1½marks)

.....

.....

.....

6. (a) Hydrogen gas diffuses through a porous membrane 5.477 times faster than a vapour of an alcohol **T**, $\text{C}_n\text{H}_{2n+1}\text{OH}$. Determine the;

- (i) relative molecular mass of **T**. (1½ marks)

.....

.....

.....

.....

.....

(ii) molecular formula of **T**. (01 mark)

.....
.....
.....
.....


(b) (i) Write the structural formula and *IUPAC* names of all possible isomers of **T**. (02 marks)

.....
.....
.....
.....

(iii) **T** reacts with aqueous iodine solution and sodium hydroxide solution to give a pale yellow precipitate. Identify **T**. (½ mark)

.....
.....

7. Ammonium nitrate undergoes hydrolysis in water according to the following equation.




(a) 0.2 mol dm⁻³ of ammonium nitrate solution has a pH of 5.3. Calculate the hydrolysis constant, *K_h*. (1½ marks)

.....
.....
.....
.....

(b) 30 cm³ of 0.2 M ammonia solution were mixed with an equal volume of 0.2 M nitric acid. Calculate the pH of the resultant solution formed. (3½ marks)

.....
.....
.....
.....
.....
.....

8. The structural formula of a polymer **R** is



- (a) Write the structural formula(s) and name(s) of the monomer(s) of **R**.

(02 marks)

.....

- (b) A 1.8% solution of **R** in benzene has an osmotic pressure of 1948 Nm^{-2} at 27°C . Determine the;

- (i) formula mass of **R**.

(02 marks)

.....

- (ii) value of **n**.

(01 mark)

.....

9. (a) (i) Write the electronic configuration of tin atom.

(01 mark)

.....

- (ii) State the common oxidation states exhibited by tin in its compounds.

(01 mark)

.....

- (b) Write equation for the reaction that takes place between;

- (i) tin(II) chloride and iron(III) chloride solution.

(1½marks)

.....


- (ii) tin(IV) chloride and water. (1½marks)

.....

SECTION B: (54Marks)

*Attempt only **six** questions from this Section.
 Additional questions answered will not be marked*

- 10.** During the manufacture of sulphuric acid by contact process, sulphur dioxide is catalytically oxidized to sulphur dioxide according to the following equation.



- (a) (i) Name **one** source of sulphur dioxide and **one** source of oxygen used in the contact process. (02 marks)

.....

- (iii) State the industrial conditions used to obtain maximum yield of sulphur dioxide. (1½marks)

.....

- (b) 3.0 moles of sulphur dioxide were mixed with 1.4 moles of oxygen in a 4.8-litre container. In equilibrium at 450°C, 0.8 moles of oxygen remained. Calculate the value of the equilibrium constant, K_c for the reaction at this temperature. (3½marks)

.....

- (c) Concentrated sulphuric acid is 98% w/w and has a density of 1.84gcm^{-3} . Calculate the morality of the concentrated sulphuric acid. (02 marks)

.....

.....

.....

.....

.....

11. (a) (i) State the conditions for the reaction between benzene and ethanoyl chloride. (01 mark)

.....

.....

- (ii) Outline the mechanism for the reaction that took place in (a) (i) above. (04 marks)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Write equations to show how the products of the reaction in (a) above can be converted to poly(phenylethane). (04 marks)

.....

.....

.....

.....

.....

.....

.....

12. (a) Write the formula and name of one ore of aluminium. (01 mark)
-
-
- (b) In the extraction of aluminum, the ore is first digested with sodium hydroxide solution. Write equation(s) for the reaction(s) that take(s) place. (02 marks)
-
-
-
-
- (c) Outline the steps that are carried out after digesting the ore with sodium hydroxide to form the purified ore. (03 marks)
-
-
-
-
- (d) Describe how pure aluminium is obtained from the purified ore. Write equation for the reaction. (02 marks)
-
-
-
-
- (e) State why the anodes are replaced from time to time during extraction of aluminium. (01 mark)
-
-
13. (a) Define the term **solubility product**. (01 mark)
-
-
-

- (b) The pH of a saturated solution of magnesium hydroxide is 10.46 at 25°C. Calculate the concentration of the following ions in the saturated solution.

($K_w = 1.0 \times 10^{-14}$)

- (i) hydroxide ions. (1½marks)

.....

.....

.....

.....

.....

- (ii) magnesium ions. (1½marks)

.....

.....

.....

.....

- (c) Calculate the solubility product K_{sp} of magnesium hydroxide at 25°C.

(1½marks)

.....

.....

.....

.....

.....

- (d) Determine the solubility of magnesium hydroxide in a 0.1M sodium hydroxide solution. (3½marks)

.....

.....

.....

.....

.....


.....

.....

.....


.....

14. Complete the following equations and outline the mechanism for the reaction in each case.




Mechanism;

.....



Mechanism;

.....



Mechanism;

.....

15. (a) Write equation for the reaction between chlorine and;
 (i) iron(II) sulphate solution. (1½marks)

.....


- (ii) hot concentrated potassium hydroxide solution. (1½marks)

.....

- (iii) sodium thiosulphate solution. (1½marks)

.....

- (b) Some thermo-chemical data; rubidium, chlorine and rubidium chloride is given below.



- (i) Construct an energy cycle for the formation of rubidium chloride from its elements. (03 marks)

.....

- (ii) Calculate the electron affinity of chlorine. (1½marks)

.....

16. (a) Compound **Q** contains 27.12% of carbon, 3.39% of hydrogen, 36.16% of oxygen and the rest being nickel. Calculate the empirical formula of **Q**.

(02 marks)

.....

.....

.....

.....

.....

- (b) Determine the molecular formula of **Q** (vapour density of **Q** is 88.5)

(01 mark)

.....

.....

.....

.....

.....

- (c) When **Q** was heated with concentrated sulphuric acid, ethanoic acid vapour were produced. Identify **Q**.

(01 mark)

.....

.....

- (d) Write equation(s) for the reaction(s) that take place when a solution of **Q** is treated with;

- (i) iron(III) chloride on heating. (1½ marks)

.....

.....

- (ii) excess ammonia solution. (02 marks)

.....

.....

.....

- (e) State what would be observed in (d)(ii) above. (1½ marks)


.....

.....

.....

.....

17. The phase diagram for the mixture of water and hydrochloric acid is shown below.



- (a) (i) State how the mixture of hydrochloric acid and water deviates from Raoult's law. (½mark)
-
-
- (ii) Give a reason for your answer. (01 mark)
-
-
- (b) Explain the causes of the deviation you have identified in (a) above. (03 marks)

.....

.....

.....

.....

.....

.....

.....

.....

- (c) Describe what happens when a liquid mixture containing 50% hydrochloric acid is fractionally distilled. (03 marks)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (d) State **three** reasons why azeotropic mixtures are not considered as pure substances. (1½marks)

.....

.....

.....

.....

.....

.....

.....