

WAKISSHA JOINT MOCK EXAMINATIONS
SCORE GUIDE
Uganda Certificate of Education
UCE August 2024
MATHEMATICS 456/1



27th Aug/2024

Item 1	Expected Responses	Score	Comments
(a)(i)	Total number of tomatoes; $9 \times 8 = 72$ tomatoes <i>I, M</i> Cost of buying tomatoes; $9 \times 2000 = \text{Shs } 18000$ <i>I, M</i> Actual expenditure on tomatoes; $\frac{95}{100} \times 18000 = 17100/$ <i>I, M</i>	S1 2 S1 2 S1 2 S1 2	Conversion in SSbase ten For 9X8 For 72 For the cost For $\frac{95}{100}$ accept alternative For 17100/=
	Heaps of 4 tomatoes; $72/4 = 18$ heaps <i>I, M</i> Amount earned after selling; $18 \times 1200 = \text{Shs } 21600$ <i>I, M</i>	S1 1 S1 2	For 18 X 1200 For 21600
(a) (ii)	Profits earned from 4 heaps of tomatoes $= 21600 - 17100$ $= \text{Shs } 4500$ <i>M</i>	S1 2 S1	For 24 For $21600 - 17100$ For 4500
(b)	Let x represent cost ticket for child Let y represent cost of ticket for adult $3x + y = 17,000$ (i) <i>I</i> $x + 2y = 14,000$ (ii) <i>I</i> From equation (i), $x = 14,000 - 2y$ (iii) Subst (iii) into (i) $3(14,000 - 2y) + y = 17,000$ <i>I</i> $42,000 - 6y + y = 17,000$ <i>I</i> $-5y = -25,000$ $y = 5,000$ <i>M</i> $x = 14,000 - 2(5,000)$ $x = 4,000$ <i>M</i> Amount for 5 children and 2 adults; $5(4,000) + 2(5,000) = \text{Ugx } 30,000$. <i>I, I, M</i>	S1 2 S1 2 S1 2 S1 2 S1 2 S1 3 S1 3 S1 3 S1 3 S1 3 S1 3 S1 3 S1 3 S1 3	For identifying two variables For expression in terms of x and y For substitution For value of y For value of x For subtraction substitution amount a family of 7
	Total score=20		

Item 3	Expected Responses	Score	Comments																																																																	
(a)	Statistical method could be a frequency distribution table.																																																																			
	<table border="1"> <thead> <tr> <th>Tally</th> <th>Weight (gms)</th> <th>x</th> <th>f</th> <th>fx</th> <th>CF</th> </tr> </thead> <tbody> <tr> <td> </td> <td>60 - 69</td> <td>64.5</td> <td>4</td> <td>258</td> <td>4</td> </tr> <tr> <td> </td> <td>70 - 79</td> <td>74.5</td> <td>4</td> <td>298</td> <td>8</td> </tr> <tr> <td>HHH </td> <td>80 - 89</td> <td>84.5</td> <td>7</td> <td>591.5</td> <td>15</td> </tr> <tr> <td>HHHHHH </td> <td>90 - 99</td> <td>94.5</td> <td>13</td> <td>1228.5</td> <td>28</td> </tr> <tr> <td>HHHHHHHH </td> <td>100 - 109</td> <td>104.5</td> <td>18</td> <td>1881</td> <td>46</td> </tr> <tr> <td> </td> <td>110 - 119</td> <td>114.5</td> <td>4</td> <td>458</td> <td>50</td> </tr> <tr> <td>P₁</td> <td>P₁</td> <td>P₁</td> <td>$\sum f = 50$</td> <td>$\sum fx = 4715$</td> <td>P₁</td> </tr> </tbody> </table>	Tally	Weight (gms)	x	f	fx	CF		60 - 69	64.5	4	258	4		70 - 79	74.5	4	298	8	HHH	80 - 89	84.5	7	591.5	15	HHHHHH	90 - 99	94.5	13	1228.5	28	HHHHHHHH	100 - 109	104.5	18	1881	46		110 - 119	114.5	4	458	50	P ₁	P ₁	P ₁	$\sum f = 50$	$\sum fx = 4715$	P ₁	S1 S1 S1 S1 S1 S1 S1 8	For classes For x values For f values For fx For c.f For Σfx For Σf																	
Tally	Weight (gms)	x	f	fx	CF																																																															
	60 - 69	64.5	4	258	4																																																															
	70 - 79	74.5	4	298	8																																																															
HHH	80 - 89	84.5	7	591.5	15																																																															
HHHHHH	90 - 99	94.5	13	1228.5	28																																																															
HHHHHHHH	100 - 109	104.5	18	1881	46																																																															
	110 - 119	114.5	4	458	50																																																															
P ₁	P ₁	P ₁	$\sum f = 50$	$\sum fx = 4715$	P ₁																																																															
	$\text{Mean} = \frac{\sum fx}{\sum f} = \frac{4715}{50} A_1$ $= 94.3 \text{ g } A_1$ <p>ALTERNATIVE SOLUTION</p> <table border="1"> <thead> <tr> <th>Weight in gms</th> <th>x</th> <th>f</th> <th>fx</th> <th>cf</th> </tr> </thead> <tbody> <tr> <td>60-64</td> <td>62</td> <td>2</td> <td>124</td> <td>2</td> </tr> <tr> <td>65-69</td> <td>67</td> <td>2</td> <td>134</td> <td>4</td> </tr> <tr> <td>70-74</td> <td>72</td> <td>2</td> <td>144</td> <td>6</td> </tr> <tr> <td>75-79</td> <td>77</td> <td>2</td> <td>154</td> <td>8</td> </tr> <tr> <td>80-84</td> <td>82</td> <td>3</td> <td>246</td> <td>11</td> </tr> <tr> <td>85-89</td> <td>87</td> <td>3</td> <td>261</td> <td>14</td> </tr> <tr> <td>90-94</td> <td>92</td> <td>6</td> <td>552</td> <td>20</td> </tr> <tr> <td>95-99</td> <td>97</td> <td>8</td> <td>776</td> <td>28</td> </tr> <tr> <td>100-104</td> <td>102</td> <td>11</td> <td>1122</td> <td>39</td> </tr> <tr> <td>105-109</td> <td>107</td> <td>7</td> <td>740</td> <td>R 46</td> </tr> <tr> <td>110-114</td> <td>112</td> <td>4</td> <td>448</td> <td>50</td> </tr> <tr> <td>P₁</td> <td>P₁</td> <td>$\sum f = 50$</td> <td>$\sum fx = 4700$</td> <td>P₁</td> </tr> </tbody> </table> $\text{Mean} = \sum \frac{fx}{f} = \frac{4700}{50} A_1$ $= 94 \text{ gms } A_1$	Weight in gms	x	f	fx	cf	60-64	62	2	124	2	65-69	67	2	134	4	70-74	72	2	144	6	75-79	77	2	154	8	80-84	82	3	246	11	85-89	87	3	261	14	90-94	92	6	552	20	95-99	97	8	776	28	100-104	102	11	1122	39	105-109	107	7	740	R 46	110-114	112	4	448	50	P ₁	P ₁	$\sum f = 50$	$\sum fx = 4700$	P ₁	S1 S1 S1 S1 S1 S1 S1 8	Substitution in formula
Weight in gms	x	f	fx	cf																																																																
60-64	62	2	124	2																																																																
65-69	67	2	134	4																																																																
70-74	72	2	144	6																																																																
75-79	77	2	154	8																																																																
80-84	82	3	246	11																																																																
85-89	87	3	261	14																																																																
90-94	92	6	552	20																																																																
95-99	97	8	776	28																																																																
100-104	102	11	1122	39																																																																
105-109	107	7	740	R 46																																																																
110-114	112	4	448	50																																																																
P ₁	P ₁	$\sum f = 50$	$\sum fx = 4700$	P ₁																																																																
(a)	<p>Tally</p> <p>P₁</p> <p>Since mean = 94 cabbages weighing below the average weight are 20. And 30 cabbages above average weight.</p>	<p>S1 S1 S1 S1 S1 S1 S1 8</p> <p>2</p> <p>Labelling and correct scale of axes. For plotting For smooth curve Locating P₆₀</p> <p>S1 S1 S1 S1 S1 S1 S1 2</p> <p>S1 S1 S1 S1 S1 S1 S1 2</p> <p>S1 S1 S1 S1 S1 S1 S1 2</p> <p>Use one error for The graph or Raw data.</p>																																																																		

	<p>SGroup A cabbages sales; 20×1350 $=\text{ugx}27,000$</p> <p>Group B cabbages sales 30×1650 $=\text{ugx}49,500$</p> <p>Total sales $27,000 + 49500 = \text{ugx}76,500$</p> <p>Cost price $= 50 \times 800 = 40,000$</p> <p>Profits $= 76,500 - 40,000$ $\text{ugx}36,500$</p> <p>since profits are less than 38,000, goal was not achieved;</p>	<p>A1 A1</p> <p>A1 A1</p> <p>A1 A1</p> <p>A1</p> <p>A1</p> <p>8</p>	<p>S1 S1</p> <p>S1 S1</p> <p>S1 S1</p>	<p>for addition for answer</p>
on	<p>$76500 - 40,000$</p> <p>$\text{ugx}36500$</p>		<p>Total score=20</p>	

Item 4	Expected Responses	Score	Comments
TITLE	Matrices showing the consumables in	P	
a)	<p>Week 1 purchases $= \begin{pmatrix} 2 & 3 & 2 \\ 0 & 4 & 3 \end{pmatrix} P_1$</p> <p>Week 2 purchases $= \begin{pmatrix} 3 & 4 & 2 \\ 1 & 5 & 2 \end{pmatrix} P_1$</p> <p>Total purchase $= \begin{pmatrix} 2 & 3 & 2 \\ 0 & 4 & 3 \end{pmatrix} + \begin{pmatrix} 3 & 4 & 2 \\ 1 & 5 & 2 \end{pmatrix} A_1$ $= \begin{pmatrix} 5 & 7 & 4 \\ 1 & 9 & 5 \end{pmatrix} A_1$</p>	<p>S1 S1 3</p> <p>S1 S1 2</p> <p>S1 S1 2</p>	<p>Data analysis Correct 2x 3 matrix</p> <p>Data analysis Correct 2 x 3 matrix</p> <p>For addition of correct matrices For sum</p>
b)	<p>Total picked for sugar; $5 + 1 = 6\text{kg}$</p> <p>Total picked for posho; $7 + 9 = 16\text{kg}$</p> <p>Total picked for beans; $4 + 5 = 9\text{kg}$</p> <p>Amount paid = $(6 \quad 10 \quad 5500) \begin{pmatrix} 5500 \\ 4000 \\ 2400 \end{pmatrix} P_1 A_1 A_1 A_1 A_1$ $= (6 \times 55000 + 10 \times 4000 + 10 \times 2400)$ $= 330,000 + 36,000 + 24,000$ $= \text{Ugx}118600$ $= \text{Ugx}107,400 A_1$</p>	<p>S1 S1</p> <p>S1 S1 3</p> <p>S1 S1</p> <p>S1</p> <p>S1 S1 S1</p> <p>S1 S1 S1 S1</p> <p>S1 S1 08</p>	<p>For strategy used</p> <p>Correct expansion S3 each correct pdt. S1 for 330,000 s1 for 36,000, s1 for 24,000 Sum $= \text{S}118600$ <u>107,400</u></p>

$\text{Amount pay back} = P(1 + \frac{r}{100})^t$ $= 398700 (1 + \frac{5}{100})^{1.5}$ $= \text{Ugx } 432,800$ $= 428973.2$	MM ST ST ST 03	For strategy Substitution in formula amount
Total score = 20		

Item 6	Expected Responses	Score	Comment
(CO NT) (i)	W:B = 3:2, B:R=3:2 W:B = 9:6, B:R=6:4 W:B:R = 9:6:4	s1 s1 A1 s1	for ratio identification Deduction from above
	Quantities; $W = \frac{9}{19} \times 380 = 180$ litres $B = \frac{6}{19} \times 380 = 120$ litres $R = \frac{4}{19} \times 380 = 80$ litres	A1 M1 M1 s1 s1	for quantities of different colours
(ii)	Amount needed for 380 litres $A = (180 \times 2200) + (120 \times 2700) + (80 \times 2850)$ $A = \text{Shs } (396,000 + 324,000 + 228,000)$ $A = \text{Shs } 948,000$	M1 M1 M1 s1 s3 s1 0+	Strategy identified S1 x 3 for each correct pdt for addition
	Amount needed to make 1 litre of mixture $= \frac{948000}{380}$ = approx. ugx 2495	A1 M1 0+	for addition
	Profit = $(3800 \times 380) - 948,000$ = $144000 - 948,000$ = 496,000	M1 0+ 0+	C's
(iii)	% profit = $\frac{496000}{948,000} \times 100$ = 52.3%	A1 M1 0+ 0+	for multiplication for subtraction
(b)	Vol of frustum = $\frac{1}{3}\pi(15^2 + 15 \cdot 48 + 48^2) \times 10$ = 7600 π cm ³	M1 0+ 0+	for division
	Vol of cylinder = $\pi \times 90^2 \times 120$ = 972000 π cm ³	A1 M1 0+ 0+	Correct answer
		04	Total score 20

No of buckets = 972000

$$\frac{112000\pi}{7600\pi} A_1 = 127.89$$

$$\approx 128 \text{ buckets} / M_1$$

UGANDA NATIONAL EXAMINATIONS COUNCIL

(To be fastened together with other answers in one sheet)

Candidate's Name


Signature

Subject Name

Wakissa *HSC* / Maths
Random No.

Paper code

Personal Number



UGANDA NATIONAL EXAMINATIONS BOARD

(To be fastened together with other answers to paper)

Candidate's Name

Signature

Subject Name

Item: 3


Wakisssha 456/1 (Maths) I.C.E.

Random No.

Personal Number

Paper code

of - An Ogive showing the distribution of weights of Cabbages.



END