POULLART DES PLACES.
SECONDARY SCHOOL
NYAMIRAMA
P.O. Box 200, Kabale

535/2

PHYSICS THEORY

PAPER 2

July/August 2023

2 ½HRS

KANUNGU DISTRICT JOINT MOCK EXAMINATIONS UGANDA CERTIFICATE OF EDUCATION

PHYSICS

PAPER 2

2HOURS 30MINUTES

INSTRUCTIONS

Attempt only five questions.

Any additional question(s) answered will not be marked.

Assume the following were necessary:

Acceleration due to gravity

 $=10ms^{-2}$

Specific heat capacity of water

 $=4200Jkg^{-1}k^{-1}$

Specific latent heat of vaporization of water

=2260000Jkg-1

Specific latent heat of fusion of water

=340,000Jkg-1

Speed of sound in air

=330ms-1

Density of water

=1000kgm⁻³

©2023Kanungu District Joint Mock Examinations

Turn Over



1.	(a) (i). Name the state of matter that do not have a definite shape.	(1mark)
	(ii). Give any two differences between the state of matter mentioned in a(i) above.	(2marks)
	(b) (i). Distinguish between diffusion and capillarity.	(2marks)
	(ii) Describe an experiment to demonstrate diffusion in gasses.	(4marks)
	(iii). State any three advantages of capillarity in our daily lives.	(2marks)
	(c)(i). A body weighs 12kg on earth. Determine its weight when on a planet whose due to gravity is 8ms ⁻² .	acceleration (3marks)
	(ii). Explain why weight varies with altitude.	(2marks)
2.	(a) state the newton's laws of motion.	(3marks)
	(b) a body accelerates from rest to 5ms ⁻¹ in 2seconds. It then maintains this speed after which it decelerates to rest in 3seconds.	for 4seconds
	 i) Sketch the velocity-time graph of the motion. ii) Use the graph to determine the total distance covered. iii) Use the same graph to find the body's displacement from its original position. 	(4marks) (3marks) (2marks)
	(c) Describe the working of a rocket engine.	(4marks)
3.	(i) state materials used to produce concrete.	(2marks)
	(ii) state any four advantages of concrete as a construction material.	(2marks)
	(iii) glass is one of the roofing materials in Uganda. Give any four advantages of us roof a house.	sing glass to (2marks)
	(b) (i) state the hooks law of elasticity.	(1mrk)
	(ii) describe an experiment to determine the force constant of an elastic material.	(5marks)
	(c) amass of 5kg extends rubber by 2cm. Determine;	
	i) The force constant of the rubber.	(2marks)
	ii) Extension caused by 3kg mass on the same rubber.	(2marks)
1.	(a) (i) Define the term fundamental interval as applied to thermometer	(1mark)
	(ii) Briefly describe the steps taken to calibrate a thermometer.	
	(b) When making a thermometer, water is not used as a thermometric liquid. Give any for this?	our reasons (2marks)
1	(c) (i) state pressure law.	(1mrk)

	(ii) Describe an experiment to verify the pressure law.	(5marks)
	(d) A gas at 0°C occupies 250cm³ when its pressure is 800mmHg. What volume will the occupy at s.t.p.	same gas (3marks)
5.	(a) (i) Distinguish between conductor and insulator as applied to electrostatics.	(2marks)
	(ii) state the law of electrostatics.	(lmark)
	(b) Describe how a body can be charged positively by induction.	
	(c)Explain how a lightening conductor safe guards a house against lightening.	(5marks)
	(d) Sketch the electric field pattern for the following;	
	 i) Two negative charges close to each other. ii) Two opposite charges close to each other. 	(2marks) (1mark)
6.	(a) Define the following terms as applied to wave motion.	
	i) Wave length ii) Wave velocity	(1mark) (1mark)
	(b) A wave of frequency (f) and velocity length (λ) travel from one point to another. She velocity (V) is given by V=λf	ow that its (3marks)
	(c) Distinguish between mechanical and electromagnetic waves.	(2marks)
	(d) State the effect of observing the following.	
	i) When sound waves undergo constructive interference.ii) When light waves undergo constructive interference.	(1mark) (1mark)
	(e) (i) What is sound?	(1mark)
	(ii) State any two properties of sound waves.	(1mark)
	(iii) Describe an experiment to verify the law of reflection of sound.	(5marks)
7.	(a) State the law of refraction.	(2marks)
	(b) Determine the power of a lens of focal length 20cm	(2marks)
	(c) (i) What is meant by the term dispersion	(1mark)
	(ii) Describe using a diagram, how dispersion in a glass prism forms a spectrum.	(5marks)
	(iii) Using a ray diagram, describe how long sightedness can be corrected.	(4marks)




- 8. (a) Define the following terms as used in physics.
 - i) Atomic mass

ii) Isotopes

(1mark)

(1mark)

b) The figure below shows a radioactive nuclide placed in the lead box.



- i) Identify the radiation /emission(s) in region I
- ii) Identify the radiation/emission in region II

(1mark)

(1mark)

(iii) Outline any three differences between emissions in region II.

(3marks)

- c) Describe an experiment to distinguish between radioactive emissions using a gold leaf (5marks)
- d) Explain why?
- i) Alpha particles are least deflected in an electric field.

ii) Isotopes cannot be separated by chemical means.

(2marks)

(2marks)

END

177		T. 0	PS 0786979	CENO:
	KANUNGU DISTRICT	Joins	Mocu E	xAm the A
1	N, C.S			
	PHYSICS PAPER			
				MARK
1 90	Liquids X and ga	ses X	plasma.	01
/4 C TO			mank 0	
ii	liquid.	Gases		
	- molecules are close		ire far afar	
	- fave shale of container	No S	rapo.	
	- Incomplessable	compr	essible	
	- rate of diffusion is los	rate of	diffesion is v	ps
		ligh'	1000	02
bu	· biffusion is the movement	ed mole	cules from	
	high concentration areas	to low	concentration	-
	areas while			
	· capillaity is the rise in the narrow tube	or fall o	a chemid	
	in the narrow tube			02
C C C	coloured gas is Put in	a transfe	went beauce	
	Another beaver is wer			/ 5"
	After sometime coloned	gas spra	ds and fulls "	04
	the hwested beaver			
300	Nei' aline in 1	10./		
6.13	- brying objects using to			0.00
	- Free moving in a lamp	, wick i		03
The same of	- water moving up a plan	tom so		-
	- brainage of tears from	the eye	s lecrimel du	CIS
ci	W=mg/	1000		
	= 12×8 /			2
	= 12x8/ = 96NX		Q	03
	allstude			3
din	As latitude ingreases,	accolont	due to	BITTO
	Stavity reduces since W	Vacua	with a	02
	weight reduces.	400,007	7,	
Marie Control of the Control	The same of the sa		Walter Control	

20 . Everbody remains at rest or uniform motion in a straight line unless acted upon by an external force. The rate of change of momentum is Propor tional to force applied and acts in the direction of the force u For every action, there is an equal but officite reaction 03 ba V(ms-1) distance = Area under the curve = 12(9+4)*5+ 12×4×3/ 32.5M (9 / = 38.5m 03 (Note: Attown all marks whichever method used) il Total displacement = 1/2 5 (9+4) / 1/2 × 4 × 3 32.5m = 6 26.5m . Fuel is burnt with oxygen is . High speed gases are Induced . The hot gases are expelled through the exhause · They exect equal but offoste momentum on the rocket, hence forward motion of the rocket.


18 11 16		PAGE NO:
100	graver.	11
39	is sad! cement, small stones, water	02
\		
1 3	is Durable	
	. weather resistant x	
1	· strong under tension v	
	· Fire resistant	- 2
	. Sound Proof	02
	· Any advantage of concrete	
ii.	- It is cheal, I	
874 BY	- Poor conductor of heat it	
	- Easy to use	
	The state of the s	02
	- Any advantage of glass	
bio	Trut si	
50	o destile material is	
	Proportional to force applied Provided to	2
	elastic limit is not exceeded.	01
0	0.4	ALLE
clb	. string with a pointer is suspended on	
	stand with a ruler	
	· initial pointer position is noted it	
	· mess is suspended on the spring &	
	· final Pointer Postion is noted it	
	· Extension is calculated X	
	· Procedure is refeated for different masses	
	Results obtained are tabulated it. Aproph of mass spanse extension is Plotted it. Stope of the graph is determined it.	
	· 36 pe of the graph is determined it	
	· slope equals constant!	05
cw	K = FV 5 x 10 X = 2500 Nmit	02
	0.02	
	e= F /= 3x10 /= 0.012 m/	02
iis		

-	PA
Havi	Fundamental interval is the difference between the upper and lower fixed Points
ران	· Uffer fixed foint is determined of the bound of the found of the fou
cd,	- water is colondess, not easy to readit - water has high heat capacity it - water expands abroormally it - water sticks on glass it 02
ew	Pressure law states that the Pressure of a fixed mass of about is directly Proportional to its absolute temperature provided volume is nept constant.
_ (ii)	Stinger Plask Flask Later = air
	enclosed airs is put in a worther both of intitled temperature, I and Pressure of are noted worther is healed of lose different temperatures. Table of results made of plotted of applications. Gaph of paperight I is Plotted of
(4)	Pi V ₁ = P ₂ V ₂ = P ₁ V ₁ P ₂ = 800 × 250 × 273 = 263 × 71 P ₂ = 273 × 760 Em ³

PAGE NO: 5 mis A conductor allows electrons to flow easily An insulator do not allow electrons to flow un Like charges refel it unlike charges attract it (b) - Body is placed on an insulating stand · Negative inducing pod is Placed clase to the body · The body is then eathed · with rod in position, earthing is removed. . Inducing rod in the removed and the body. OS becomes positively charged. c, - Hegatively charged cloud Passes over the spikes - It induces a Positive charge on the slikes - A Strong field is created around the spikes - The field comises air around ~ - Positive charges are refelled to the cloud, thus neutralizing it ' - Negative charges are attracted to the sples, harmlessily discharge it to the ground of 1 di

Gab wavelength is the distance between two Successive wave Patholos in a Phase of Consecutive in the distance covered by the wave for second (unit time) of I be Distance covered = 1 for one wave cyclo. Time taken t = T) V = distance = 1 V = 1 N = ft V	-	PA
wave velocity in the distance covered by the wave fer second (unit time): 10 1b. Distance covered = 1 for one wave gdb. Time taken t = T for one wave gdb. V = distance = 1 V = 1 V = f f V = f f V = f f V = f f O3 (c) Mechanical is freduced by vibration of farticles by the medium Electromagnetic is freduced by vibrations of magnetic and electric sparks 02 dip boul sound is heard 01 dip Bright light is 8 brined 01 evil sound is aform of energy freduced by Vibrating abjects 01 it is heightedinal 01	6 %	wavelength is the distance between two successive wave latricles in a Phase
time I but T= 1 But T= 1 V= 1 V= 1 V= 1 V= fl V= fl	ib	wave velocity is the distance covered
Buit 7= 1 V= 1 V= 1 V= 1 V= fl V	(b)	Distance covered = 1) for one wave golo.
Co Mechanical is Produced by Vibration of Particles of the medium Electromagnetic is Produced by Vibrations of magnetic and electric sparks Ol dis Bright light is obtained Ol eis Sound is aform of energy Produced by Vibrating objects ol its o mechanical ol	A TOTAL OF THE PARTY OF THE PAR	time E
co Mechanical is Produced by Vibration of Particles of the medium Electromagnetic is Produced by Vibrations of magnetic and electric sparks Ol dis Bright light is 8 bitimed Ol eis sound is aform of energy Produced by Vibrating objects ol its o mechanical ol		But 7 = 1
co Mechanical is Produced by Vibration of Particles of the medium Electromagnetic is Produced by Vibrations of magnetic and electric sparks Ol dis Bright light is 8 bitined Ol eis sound is aform of energy Produced by Vibrating objects ol its o mechanical ol		V = 1
Electromagnetic is Produced by Vibrations of magnetic and electric sparks 02 div Loud Sound is heard 01 div Bright light is 8 brained 01 eii Sound is aform of energy Produced by Vibrating abjects 01 iti at is mechanical 01 it is boughtedinal 01	24.00	V = fl 03
do Loud sound is heard of the Bright light is 8 brained of vision sound is aform of energy Produced by Vibrating abjects of the is mechanical of the is longitudinal of the is longitudinal	(0)	of the medium
do Loud sound is heard of the Bright light is 8 brained of vision sound is aform of energy Produced by Vibrating abjects of the is mechanical of the is longitudinal of the is longitudinal	7.000	Electromagnetic is Produced by Vibrations of
eis sound is aform of energy Produced by Vibrating objects iii . It is mechanical iii by is by tudinal		magnetic and electric sparks 1 02
eis sound is aform of energy Produced by Vibrating objects iii . It is mechanical iii by is by tudinal	de	Loud Sound: Load
eis sound is aform of energy Produced by Vibrating objects iii . It is mechanical iii by is by tudinal	di	Bright light is abtained
ilij . It is mechanical of		
ilij . It is mechanical of	ech	Sound is aform of energy Produced by
1. It is longitudinal V	1	Vibrating objects 01
1. It is longitudinal V	ili	. It is mechanical
- reflicted, reparted, diffacted, interfere		I LA LO LOS TILLOS
		- reflicted, sparted, diffacted, interfere

PAGE NO: 111 Wastch . The affaratus is set up as shown above The watch ticks . The ear is moved to detect maximum sound inter 5ly · The position is noted and angles ! and of are measured and recorded v . It is found that Li=LTV - The incident ray, the refracted ray 7 RI and the normal at the print of incidence all lie in the same Plane - Ratio of sine of angle of incidence to sine of angle of refraction is constant for agiven pair of media 16, Power = _1 f (m) 0.2 = 5 Diopters. L 02 ew Dispersion is separation of white light into its constituent colours.



Self-	PAGE NO:
8	que Atemic mass is the total number et
0	neutrons and Protons
	Profons
Sib	Adr 1 sotoles are atoms of the same
	element with same atomic number
	but different mess number 10
	Accept'
	atoms of similar Proton number but
	defferent newfrom members
1 3000	I, Alpha, peta, Gamma
dip	Beta, Gamme 3 arming 01 - Negatively charged Neutral
diù	- Negatively charged Neutral
	- Less Penetrating nore fenetrating
	- More someting less someting
	- deflected by Cannot be
	electric and magnetic field deflected
(E)	· Gold leaf electroscope is charged
	· Radiations are directed to the cap
	of Tises, then parations
	same charge as that on the Gold leaf
	. If the leaf falls, then are opposite charge,
	of the charge in the
	us charge
, , , ,	Alpha partièles are massive. Hence less deviated.
an	loss deviated
chio	1sotopes have Similar chemical
	Profesties, hence react same way. 01
	-END-