Name:	
Signature:	School:

P530/1
BIOLOGY
(Theory)
Paper 1
July / Aug. 2022
2 ½ hours



# UGANDA TEACHERS' EDUCATION CONSULT (UTEC)

Uganda Advanced Certificate of Education

## **BIOLOGY**

Paper 1

2 hours 30 minutes

## INSTRUCTIONS TO CANDIDATES:

Answer ALL questions in both sections A and B.

#### SECTION A

Write answers to this section in the boxes provided.

#### SECTION B

Write answers to this section in the spaces provided.

No additional sheets of paper should be inserted in this booklet.

For Examiners 'Use Only			
Section	Marks	Examiner's Signature & Number	
A:1-40			
B: 41			
42			
43			
44			
45			
46			
Total			

© 2022 UTEC Mock Examinations

# SECTION A (40 MARKS)

		f two adjacent plant cells A and B.
A	В	
$\Psi \text{ cell } = -0.4$	$\Psi \text{ cell} = -0.8$	
$\Psi_{\rm P} = 0.8$ $\Psi_{\rm s} = -1.2$	$\Psi_{\rm P} = 0.4$ $\Psi_{\rm s} = -1.2$	
15 -1.2	1 5 1.2	
In which direction w	ill water move by osn	nosis?
A. Both directions u	ntil equilibrium is esta	ablished.
B. Both directions e	ven when equilibrium	is established
C. From A to B unti	l equilibrium is establ	ished
D. From B to A unt	il equilibrium is estab	lished
A. Rapid impulse tra B. Continous impuls		44, 67 4,7
<ul><li>B. Continous impuls</li><li>C. Ceastion of impu</li></ul>		tentials
<ul><li>B. Continous impuls</li><li>C. Ceastion of impu</li><li>D. Summation of inc</li></ul>	se transmission dividual generator pot	tentials hephron contribute most to the survival of th
<ul><li>B. Continous impuls</li><li>C. Ceastion of impu</li><li>D. Summation of inc</li></ul>	se transmission dividual generator pot	The state of the s
B. Continous impulse C. Ceastion of impulse D. Summation of inc Which one of the fordesert frog? A. Bowman's capsu	ise transmission dividual generator pot llowing parts of the r	The state of the s
B. Continous impulse C. Ceastion of impulse D. Summation of incommendation which one of the fordesert frog?	ise transmission dividual generator pot llowing parts of the r	The state of the s
B. Continous impulse C. Ceastion of impulse D. Summation of inc Which one of the fordesert frog? A. Bowman's capsu	ise transmission dividual generator pot llowing parts of the r	The state of the s
<ul><li>B. Continous impuls</li><li>C. Ceastion of impu</li></ul>	se transmission	tentials
B. Continous impulse C. Ceastion of impulse D. Summation of incomment Which one of the fordesert frog? A. Bowman's capsu	ise transmission dividual generator pot llowing parts of the r	and the second second second second
B. Continous impulse C. Ceastion of impulse D. Summation of inc Which one of the fordesert frog? A. Bowman's capsu B. Proximal convolutions	ise transmission dividual generator pot llowing parts of the r	The state of the s
B. Continous impulse C. Ceastion of impulse D. Summation of inc Which one of the fordesert frog? A. Bowman's capsu B. Proximal convolutions	ise transmission dividual generator pot llowing parts of the r	The second secon
B. Continous impulse C. Ceastion of imput D. Summation of inc Which one of the fordesert frog? A. Bowman's capsu B. Proximal convolution. C. Glomerulus	ise transmission dividual generator pot llowing parts of the r	The state of the s
B. Continous impulse C. Ceastion of impulse D. Summation of inc Which one of the fordesert frog? A. Bowman's capsu B. Proximal convolutions	ise transmission dividual generator pot llowing parts of the r	
Continous impuls Ceastion of impuls Summation of inc Thich one of the foresert frog? Bowman's capsu Proximal convolution Glomerulus Loop of Henle	ise transmission dividual generator por llowing parts of the r lle lle luted tubule	nephron contribute most to the survival of the
B. Continous impulse C. Ceastion of imput D. Summation of incomplete Which one of the form desert frog? A. Bowman's capsus B. Proximal convolut C. Glomerulus D. Loop of Henle  If the sequence of based acids does it code for	ise transmission dividual generator por llowing parts of the r lle lle luted tubule	nephron contribute most to the survival of th
B. Continous impulse C. Ceastion of imput D. Summation of incomplete Which one of the form desert frog? A. Bowman's capsu B. Proximal convolut C. Glomerulus D. Loop of Henle If the sequence of bacacids does it code for A. 6	ise transmission dividual generator por llowing parts of the r lle lle luted tubule	The state of the s
B. Continous impulse C. Ceastion of impulse D. Summation of incomplete Which one of the form desert frog? A. Bowman's capsus B. Proximal convolut C. Glomerulus D. Loop of Henle If the sequence of based acids does it code for A. 6 B. 2	ise transmission dividual generator por llowing parts of the r lle lle luted tubule	nephron contribute most to the survival of th
B. Continous impulse C. Ceastion of impulse D. Summation of incomplete Which one of the form desert frog? A. Bowman's capsu B. Proximal convolut C. Glomerulus D. Loop of Henle If the sequence of bacacids does it code for A. 6	ise transmission dividual generator por llowing parts of the r lle lle luted tubule	nephron contribute most to the survival of the

6.	Which one of the following forms of reproduction may promote survival of a species?  A. Multiple fission  B. Conjugation  C. Budding  D. Fragmentation
7.	Which one of the following explains why the number of mitochondria per gram of liver varies in mammals of different sizes? They have different;  A. Nutrient requirements  B. Body temperature  C. Ventilation rate  D. Metabolic rates
8.	Which one of the following organisms is most affected by the excessive use of pesticides?  A. Carnivores B. Herbivores C. Parasites D. Producers
9.	Which one of the following features of a bony fish makes it more adapted for swimming than a cartilagenous fish?  A. Strong endoskeleton  B. Possession of swim bladder  C. Having a streamlined body shape  D. Highly coordinated neuromuscular activity
10.	When a gamete with non – disjunction is fertilized, the resulting condition is called;  A. Translocation  B. Duplication  C. Polyploidy  D. Inversion
11.	Which one of the following the least effect of competition among organisms of population for a similar limited resource?  A. Range restriction  B. Aggression towards each other  C. Extinction  D. Co-existence

12. Which one of the following is the first product of photosynthesis? A. Ribose sugar B. Ribulose C. Phosphoglyceric acid D. Phosphoglyceraldehyde 13. Which one of the following enables the two strands of DNA to easily separate during replication? A. Closeness of nitrogenous base pairs B. Presence of weak hydrogen bonds between base pairs. C. Presence of weak hydrogen bonds between phosphate and sugar D. Helical nature of the nucleotides 14. The effect of increased body temperature on the oxygen dissociation curve for haemoglobin in mammals is to; A. Lower haemoglobin's affinity for oxygen B. Increase haemoglobins affinity for oxygen C. Shift the oxygen dissociation curve to the left D. Increase on the levels of carbon dioxide in the blood. 15. Which one of these factors is most likely to change the gene pool of a small isolated population? A. Natural selection B. Non random mating C. Mutation D. Chance Figure 2 shows the effect of change in a light condition on the rate of water loss from a plant shoot.




Fig. 2

A B C	om the figure, one would conclude that;  There a few open stomata at point P  Some salts are lost from the plant at point R  Number of open stomata begin to reduce from point Q  There is a high level of a baisic acid in the leaves between point P and Q
n A H	Which one of the following substances are not transported by the circulatory system of nammals?  A. Glucose and oxygen  B. ATP and amylase  C. Carbon dioxide and urea  D. Adrenaline and amylase
	Which one of the following is not caused by seasonal change in migratory birds?  A. Plumage colouration  B. Feeding behavior  C. Reproductive behavior  D. Hormonal changes
19.	Which one of the following is not a role of the larval stage in animal development?  A. Dispersal  B. Asexual reproduction  C. Feeding  D. Sexual reproduction
20.	Which one of the following factors maintains phenotypic stability within a population  A. Gene mutation  B. Geographical isolation  C. Stabilizing selection  D. Genetic drift
21.	Figure 3 shows a structure from a plant tissue.

Fig.3

	Which one of the following is correct about the tissue from which this structure is formed?  A. It is a simple plant tissue  B. Has unevenly thickened cell wall  C. Transports only mineral salts  D. Has a mechanical role in the plant
2.	A lizard has a higher secondary productivity than a rat of equivalent size because the
	lizard;
	A. Needs to control its body temperature
	B. Eats relatively little food than a rat
	C. Has a low metabolic rate
	D. Feeds mainly on energy rich food substances
23.	When a pyruvate loses a carbon dioxide molecule in plants; it becomes;
	A. Acetylco enzym A
	B. Ethanol
	C. Lactate
	D. Ethanal
24	. Which one of the following events occurs at interphase of mitosis?
	A. Synthesis of DNA
	B. Separation of homologue's
	C. Synthesis of nucleic acids
	D. Constriction of the cell membrane
	and the second s
2:	5. Which one of the following statements explains why a humming bird hibernates only at night? It,
	A. Has a high metabolic rate
	B. Feeds on nectar from flowers which it only accesses at night
	C. Has a relatively large surface area to volume ratio encouraging faster heat loss
	D. Has a relatively low food consumption which can not sustain the high levels of metabolism
2	26. Which one of the following forces are not experienced by the bones of a tetrapod
	during its locomotion?
	A. Compressional forces
	B. Tension forces
	C. Shearing forces
	D. Expansion forces

27.	Which one of the following processes is not likely to lower the oxygen levels of river stream?
	steam;
	A. Ammonification
	B. Nitrogen fixation C. Nitrification
	D. Denitrification
28.	Which one of the following hormones would be released by a plant in response to water stress?
	A. Ethane
	B. Abscisic acid
	C. Gibberellins
	D. Auxins
29.	The role of variation in a population is to;
	A. Promote gene flow
	B. Promote hybrid vigour
	C. Allow the population grow fast
	D. Allow natural selection to operate
	operate and the operate and th
30	. Which one of the following is the final destination of electrical impulses initiated by
	the pace maker in the heart?
	A. Sino atrial node
	B. Base of ventricles
	C. Atrioventricular node
	D. Apex of ventricles
31	. Which one of the following features is shared by annelids and arthropods?
	A. Exoskeleton
	B. Jointed body form
	C. Metameric segmentation
	D. Chitineous cuticle
3'	2. At the synapse, increased permeability of the post synaptic membrane to chloride ions
0.	may cause;
	A. Hyperpolarisation of the membrane
	B. Depolarization of the membrane
	C. Polarization of the membrane
	D. Excitation of the membrane

33.	Which property of water makes it a suitable component of the earth worm's skeleton?  A. High surface tension  B. High density  C. Low viscosity  D. Incompressibility
34.	Colour blindness is a sex linked trait caused by a recessive gene. When a woman heterozygous for the trait is married to a normal man, what would be the probability of this couple producing a normal child?  A. 0%  B. 25%  C. 50%  D. 75%
35.	Which one of the following will least affect the genepool?  A. Mutation  B. Genetic drift  C. Crossing over  D. Natural selection
36.	When a predator avoids eating a brightly coloured prey, the behavior displayed is called;  A. Insight learning  B. Associative learning  C. Exploratory learning  D. Conditioning
37	In the mammalian eye, rods have a reduced visual activity than cones because the latter;  A. Densely packed at the periphery of the retina  B. Do not show synaptic convergence  C. Are less sensitive to light  D. Are highly concentrated at the blind spot
38	A partially closed ductus arteriosus in an individual causes;  A. Shortage of oxygen to the tissues  B. High blood pressure  C. Heart attack  D. Angemia

39.	Which one of the following is a component of enzymes?  A. Globulin  B. Keratin  C. Elastin  D. Collagen
40.	Which one of the following activities may not contribute to global warming?  A. Use of pesticides  B. Deforestation  C. Burning of coal  D. Use of CFCs
	SECTION B (60 MARKS)
	Figure 4. Shows the effect of sewage discharge on the concentration of dissolve oxygen and ammonium ions of a river at increasing distance downstream.  Oncentration f component  Dissolve oxygen  Ammonium ions
	Point of sewage discharge Distance down stream
	Fig. 4
	(a) Explain the changes in the concentration of ammonium ions downstream from the point of sewage discharge. (03 marks)
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

(b)	Explain why the concentration of dissolved oxygen decreases increases again, downstream.	initially and later (04 marks)
	***************************************	
	***************************************	
	.,	
-	a) Explain why the affacts shown on the figure are more severe of	t night than during
(0	<ul> <li>Explain why the effects shown on the figure are more severe a day time.</li> </ul>	(03 marks)
	(a) Explain each of the following observations;	
42.	(a) Explain each of the following observations,  (i) Fresh water fishes die when placed in sea water.	(03 marks)
	-1. dies when placed in fresh waters	(02 1-2)
	(ii) Spider crab dies when placed in fresh waters.	(03 marks)

(1.) ·		
(b)	Halophytes are plants that live in salt marshes.  Explain why it is necessary for halophytes to have of	smo-regulatory
(i)	mechanisms.	(02 marks)
•		
(ii)	Suggest how halophytes are adapted for living in salt marshes.	(02 marks)
()		
3. (a)	Distinguish between apical and lateral meristems.	(02 marks)
3. (a)		
	***************************************	
	***************************************	
	How do each of the following tissues bring about growth in h	igher plants?
(b)	Apical meristem.	(04 marks)
(i)	Apreal	

		***************************************	
		***************************************	
		***************************************	
	(ii)	Vascular cambium.	(04 marks)
		***************************************	
		***************************************	
		***************************************	
		***************************************	
44.	(a)	Give three characteristics of chromosomes in diploid cells.	(03 marks)
		***************************************	
		***************************************	
	(b)	Figure 5 shows a stage of cell division.	
	(0)	rigate a strong a stage of cent division.	
		Fig. 4	
	(i)	Giving a reason, identify the stage of cell division.	(03 marks)
	****		

(ii) From genetic	the figure, explain how the behavior of chromosomes contributes to evariation. (04 marks)
-	***************************************
*******	***************************************
*******	
,,,,,,	
and B. A nve	ows the oxygen dissociation curves for two species of aquatic animals A es at the bottom of the sea where there is plenty of decaying organic matter in the surface waters of the sea.
1	
	A
Percentage saturation of blood with oxygen	N B
	X X
	1.0 2.0 3.0 4.0 5.0
	Oxygen partial pressure (Kpa)
	Fig. 2
(a) From anima	the figure, state two differences in the behavior of haemoglobin of the two als. (02 marks)
*********	

(b)	Explain the advantages of the position of the dissociation curve for each			
(i)	in its habitat. Animal A.	(04 marks)		
••	••••••••••••••••••••••••••••••			
···	i) Animal <b>B</b>			
(1	i) Animal <b>B</b>	(4 marks)		
,				
	······································			
		• • • • • • • • • • • • • • • • • • • •		
46.	(a) Give <b>one</b> characteristic of cells where active transport occurs.	(01 mark)		
	(b) How does active transport occur across the plasma membrane?	(05 marks)		
	( con 50)	densey 19		

Explain the role of each of the following processes in cells.  (02 marks)
(02 marks)
(ii) Endocytosis
***************************************
***************************************