

TRINITY COLLEGE NABBINGO
BEGINNING OF TERM II EXAMINATIONS
S.5 CHEMISTRY PAPER 1
TIME: 1 HOUR

INSTRUCTIONS

- Answer all questions

1. (a) The freezing point of a solution containing 3.294g of sulphur in 100g of naphthalene was found to be -0.830°C and another solution containing 1.67g of iodine in the same mass of naphthalene froze at -0.84°C . Calculate;
- (i) The freezing point depression constant for naphthalene. (Molar mass of iodine is 127)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (ii) The molar mass of sulphur in naphthalene.

.....

.....

.....

.....

.....

.....

.....

.....

(b) (i) Determine the molecular formula of sulphur.

.....

.....

.....

.....

2. (a) Write down the structural formula of the following organic compounds.

(i) 2 – Bromo – 3, 3 Dimethyl pentane

.....

.....

.....

(ii) 2, 3 – chloro, iodo, 2 – methyl hexane.

.....

.....

.....

(iii) 4, 4 Bromo, methyl, 2 chloro, pent – 2 – ene.

.....

.....

.....

(b) Write down the IUPAC names of the following organic compounds.

(i) $(\text{CH}_2\text{CH}_2)_3\text{CBr}$

.....

.....

.....

(ii)
$$\begin{array}{c} \text{CH}_3\text{CH}_2\text{C} = \text{CH CH}_3 \\ | \\ \text{CH}_2\text{CH}_3 \end{array}$$

.....

.....


.....



.....

.....

.....



.....

.....

.....



.....

.....

.....

3. When 20cm³ of hydrocarbon Q was exploded in excess oxygen (200cm³), it completely burnt with a sooty flame. The volume of residual gas after cooling to room temperature was 160cm³ and addition of aqueous potassium hydroxide to the residual gas, the final volume of gas was 20cm³.

(a) Write the general equation for the complete combustion of hydrocarbons.

.....

.....

.....

.....

(b) Calculate the molecular formula of Z.

.....

.....

.....

.....

END