NAME:	INDEX NO	
SCHOOL:	SIGNATURE:	

P 530/3 BIOLOGY PAPER 3 2023 3 Hours.



AITEL JOINT MOCK EXAMINATION

Uganda Advanced Certificate of Education BIOLOGY PRACTICAL PAPER 3 3HOURS

INSTRUCTIONS TO CANDIDATES.

- **❖** Answer <u>all</u> questions
- * Write answers in the spaces provided. Additional sheets of paper <u>must not</u> be inserted in the booklet.

FOR EXAMINERS' USE ONLY		
Question	Marks	Examiner
1		
2		
3		
Total		



- 1. You are provided with specimen R which is freshly killed.
 - a) Open the mouth of the specimen widely. Examine the roof / cleft and floor of the mouth.
- i) State three observable differences between the roof/cleft and floor of the mouth. (3 mks)

Roof/ Cleft	Floor
ii) Examine the teeth of the specimen. State	e the dental formula (1 mk)
iii) Open further the mouth of the specimen back of the incisors; state your observati	exposing the teeth, examine the front and on, (1 mk)
iv) What is the significance of your observa	tion stated in (a) (iii) above (1 mk)
b) Place the specimen with its ventral side upp giving a reason	per most, examine it and identify its sex (2 mks)
Sex:	

	Re	ason:	
			• • • • • • • • • • • • • • • • • • • •
c)	i)	Measure the tail length.	(1 mk)
	ii)	Measure the body length	(1 mk)
	iii)	State the ratio of tail length: body length	(1 mk)
			• • • • • • • • • • • • • • • • • • • •
	iv)	What is the significance of the ratio stated in c (iii) above	(3 mks)
d)		Draw and label the ventral side of the right fore foot of the specimen R ((6 mks)

e)	Dissect the specimen to display blood vessels draining the head, neck and thoracic region with the heart displaced to its right. Draw and label. (20 mks)

- 2. You are provided with specimen Z. Remove a fleshy scale leaf with a razor blade, cut the inner epidermis into six (6) squares each 1cm x 1cm x 1cm x 1cm. Peel off each square of epidermal cells and place it in distilled water in a petri dish for 5 minutes. Label six (6) test tubes and into each, place 10cm⁻³ of sucrose solution of the following concentration 0.3, 0.4, 0.5, 0.6. 0.7 and 1.0 moldm⁻³.
 - a) Put one piece of epidermis into each test tube and gently shake the contents. Leave the tissue in solutions for 20 minutes. After 20 minutes, remove the piece of epidermis from each test tube and mount it in a drop of solution in which it is immersed. Observe under low power and count all cells visible and record in table I, then count allthe plasmolysis cells and record them in table I.

Table I

Table 1		
Molarity of sucrose	Total number of cells	Number of plasmolysed cells
concentration in moldm ⁻³		
0.3		
0.4		
0.5		
0.6		
0.7		
1.0		

)	i) Calculate the percentage of plasmolysed cells	(7 mks)

		Using the same axes, plot a graph showing how percentage plasmo Molarity of sucrose. (Graph paper)	lysis varies with (11 mks)
c)	i) St	rate what is being investigated in the tests.	(1 mk)
	ii) E	Explain the results of your tests.	(3mks)
	•••••		
	•••••		
	•••••		
	•••••		
	•••••		•••••
	•••••		
	•••••		•••••
	•••••		
3. Y	ou are	provided with specimen C ₁ , C ₂ , C ₃ , C ₄ , and C ₅ .	
a)	Class	sify specimen C ₁ under the following taxa.	(2 mks)
	i)	Kingdom	
	ii)	Phylum	
	iii)	Class	
	iv)	Order	

b)	Carefully examine specimen C ₁ . Give three observable characterist	tics which make it to
	be classified in the class stated in (a) (iii) above.	(3 mks)
		• • • • • • • • • • • • • • • • • • • •
		•••••
c)	Draw and label the anterior view of the head of specimen C ₁ .	(10 ½ mks)

d) Describe the features on the head of specimens C_1 , C_2 , C_3 , C_4 and C_5 . (12 ½ mks)

Specimen	Characteristics
C ₁	
C ₂	
C2	
C_3	
C ₄	

C ₅	

e) Construct a dichotomous key to identify the specimens. (4 mks)

END