TABLE 12. MORPHOLOGICAL AND GROWTH CHARACTERISTICS OF HAIR

	,	Number of hair follicles per cm ²	Number of visible hairs	Length (mm)	Width (μm)
ĺ	Scalp	350 SE = ±50 (ref. 811, p. 458)	200-300/cm² (refs. 56, p. 61; 280, p. 604; 624, p. 427; 806, p. 483) red, 90,000; brown, 140,000; black, 110,000; blond, 140,000 (refs. 56, p. 61; 521, p. 1971; 806, p. 483; 857, p. 147)	Length varies from a few millimeters to as much as 1.5 m if not cut (ref. 806, p. 483)	Head hair: 25-125 (ref. 311, p. 501) \$\sigma\$: 52-96, \$\hat{9}\$: 50-100 (ref. 521, p. 1971)
	Eyebrows		600 in each (ref. 806, p. 483)	10 (ref. 311, p. 501) 7–16 (ref. 857, p. 158)	80 (refs. 521, p. 1971; 857, p. 158)
	Eyelashes Upper 145 SE = ± 40 ref. 811, Lower 455 SE = ± 55 p. 458		140-150 refs. 521, p. 1973; 857, p. 50-75 159; see also ref. 806, p. 483	8-12 6-8 ref. 857, p. 159	43–66 (ref. 521, p. 1971)
	Forehead Cheek Nose Upper lip Chin	$ \begin{array}{l} 765 \ SD = \pm 40 \\ 830 \ SD = \pm 100 \\ 720 \ SE = \pm 80 \\ 535 \ SE = \pm 55 \\ 385 \ SE = \pm 70 \\ 220 \ SD = \pm 120 \\ \end{array} $			
	Face (average) Beard (chin)	700 SE = ±40 (ref. 811, p. 449) 520 SD = ±120 (ref. 811, p. 458)	30-40/cm ² (refs. 56, pp. 61-62; 357, p. 404)	50-300 (ref. 311, p. 501)	153 (ref. 521, p. 1971)
	Chest Back Abdomen and groin		1/cm ² (ref. 280, p. 604)	Body hair: 3-60 (ref. 311, p. 501)	
	Axilla	65 SE = ±35 (ref. 811, p. 458)	♂: 1200–1400 (ref. 357, p. 410) ♀: 700–900 (ref. 357, p. 411)	10-50 (ref. 311, p. 501; see also ref. 56, p. 62)	79-80 (ref. 521, p. 1971)
Ī					
	Perineal	♂: Scrotum, 60 SE = ±40 (ref. 811, p. 458)	3: 20-35/cm² (ref. 857, p. 147) ♀: 30-40/cm² (ref. 56, p. 61)	10-60 (rcf. 311, p. 501; see also ref. 56, p. 62)	91-105 3: scrotum, 82 (ref. 521, p. 1971; see als ref. 806, p. 484)
	Lower	Leg, thigh, 55 SD = ±20 Leg, lower, 45 SD = ±25		3-60 (ref. 311, p. 501) assuming the same as body hair	
1		Foot, dorsum, 60 SE = ±25 (ref. 811, p. 458)			
	Upper	Arm, upper, 45 SD = ±30 Arm, lower, 95 SD = ±30 (ref. 811, p. 458)	Arm, lower, 13/cm ² (ref. 857, p. 147)	3-60 (ref. 311, p. 501) assuming the same as body hair	

Number of hairs: 18/cm² (ref. 857, p. 147)
Length of growth period:
summer average, 197 d
winter average, 166 d
Length of rest period: 83–141 d
p. 615

Ulnar side of hand Length of cycle: summer average, 170 d winter average, 150 d Length of growth period: 47 d

Dorsum of finger Length of cycle: 72-125 d (ref. 280, p. 615)

		Weight (g)	Rate of growth (mm per 24 h)	Length of cycle	Length of growth period	Length of rest period
	Scalp	♂: 20 g (estimated) ♀: 300 g (ref. 857, p. 147)	age 21-30 y == 0.3 ♂: 0.34, ♀: 0.36 (ref. 575, p. 567; see also refs. 13, p. 47; 834, p. 94)	average = 4 y; range = 5-7 y (ref. 280, p. 615; see also ref. 13, p. 47)		
н						
3	Eyebrows		adult: 0.15-0.16 (refs. 280, p. 617; 575, p. 566)	112-150 d (refs. 13, p. 47; 280, p. 615; 806, p. 484)	30 d (ref. 280, p. 615)	105 d (ref. 280, p. 615)
	Eyclashes Upper Lower			112-150 d (ref. 806, p. 484)	30 d (ref. 280, p. 615)	
A	Forehead Cheek Nose					
D	Upper lip Chin Face (average)		21-30 y: 0.42 (ref. 575, p. 567)			ALL AND DESCRIPTION AND DESCRI
	Beard (chin)		21-30 y: 0.42 (ref. 280, p. 617) 25-35 mg per 24 h (ref. 357, p. 402)	7–11 mo (ref. 280, p. 615)	4–11 mo (ref. 280, p. 615)	10-75 d (ref. 280, p. 615)
T R	Chest Back Abdomen and groin			Summer: 140-210 d Winter: 124-189 d (ref. 280, p. 615)		70 d (ref. 280, p. 615)
U	Axilla	♂: 0.15, ♀: 0.1 (ref. 357, pp. 406-7)	21–30 y: 0.36 (mean) (refs. 280, p. 617; 575, p. 567; 795, p. 537) range: 0.3–0.42 (ref. 280, p. 616; see also refs. 575, p. 567; 834, p. 94)	202-204 d (ref. 280, p. 615)		
K	Perineal		0.3 after puberty (ref. 795, p. 537)		우: 11-23 mo (ref. 280, p. 615)	♀: 9–12 mo (ref. 280, p. 615)
L	Lower		Thigh, ♂: 0.22; ♀, 0.12			
I			(ref. 575, p. 566; see also ref. 280, p. 617)			
м			Leg: 0.23 (ref. 806, p. 484; 834, p. 94)			
В	Upper		Arm: 0.22 (refs. 280, p. 617; 806, p. 484; 834, p. 94)			