Bay Branch

co-0811-r-003

Sedimentation Risk Index

44

Alabama

State:

<u>Common</u>: 5.5mi S of Andalusia

Five Runs Creek <u>Drainage</u>: Land owner:

GPS: 31.228644, -86.486386

Dixon Family Partnership LP

County: Covington \overline{PLSS} (T-R-S): 3N-16E-18

Parcel No.:

Road Name: Bay Branch Rd



Crossing Structure:

Risk Factor	Ranking	Score
US Channel Morph	С	5
DS Channel Morph	E	5
DS Bank Alteration	MINOR/PARTIAL	3
Upstream Skew Angle	<5°	5
Crossing fill condition	Good/Vegetated	5
Inlet/Outlet Condition	No Impairment	5
Road Approach Material	All Sand/Clay	3
Potential Eroded Volume Mean	>40 y ³	1
Approach Slope Mean	>4%	1
Soil K Factor	< 0.20	5
Upstream Rt Outlet	Bare soil	0
Upstream Lt Outlet	Bare soil	0
Upstream Rt Ditch	Rip Rap	1
Upstream Lt Ditch	Rip Rap	1
Downstream Rt Outlet	Vegetated	1
Downstream Lt Outlet	Bare soil	0
Downstream Rt Ditch	Bare soil	0
Downstream Lt Ditch	Rip Rap	1
Outlet Total	Partially Improved Outlet System	3
Ditches Total	Partially Improved Drainage System	3
SRI Total	Medium Risk	44

Additional	Site F	'eatures
------------	--------	----------

<u>Crossing Type and Quantity:</u> <u>Crossing Materials</u>: Bridge, 1

Reinforced Concrete

BoB,BoC,CdC,DmB,FoA,MBA

Soil Types: Rt Approach Prism Fill: 0.25in Lt Approach Prism Fill: 0.15in

Jus	Covingion
~	
	Okaleba Walton
	Google

Feature	Within Range	Descriptive Field
303(d)	No	N/A
Wetland Species	No	N/A
Rare and Imperiled	No	N/A
Land Use/ Cover	Yes	N/A / DEVELOPED OPEN SPACE
Candidate Mussels	No	N/A
Sturgeon C.H.	No	N/A

Notes: None