Unnamed tributary

co-0904-r-015

Sedimentation Risk Index

Alabama

36

6.1mi SE of Andalusia Common:

Anderson Branch <u>GPS:</u> 31.264062340, -86.394527585 Roy & Debbie -US, James & Mertha Carter -DS <u>Drainage</u>: Land owner:

County: \overline{PLSS} $\overline{(T-R-S)}$:

Covington 4N-17E-31/3N-17E-6

Parcel No.: 8;4

Road Name: Cotton House Rd





Crossing Structure: DS

l	•		
		9	8

Risk Factor	Ranking	Score	
US Channel Morph	PONDED	1	
DS Channel Morph	E	5	
DS Bank Alteration	HIGH	1	
Upstream Skew Angle	>30°	1	
Crossing fill condition	Fair/Rip Rap	3	
Inlet/Outlet Condition	Sed Islands/Scouring	3	
Road Approach Material	All Sand/Clay	3	
Potential Eroded Volume Mean	<21 y ³	5	
Approach Slope Mean	2.1-4%	3	
Soil K Factor	0.21-0.40	3	
Upstream Rt Outlet	Vegetated	1	
Upstream Lt Outlet	Vegetated	1	
Upstream Rt Ditch	Vegetated	1	
Upstream Lt Ditch	Vegetated	1	
Downstream Rt Outlet	Rip Rap	1	
Downstream Lt Outlet	Rip Rap	1	
Downstream Rt Ditch	Bare soil	0	
Downstream Lt Ditch	Bare soil	0	
Outlet Total	Improved Outlet System	5	
Ditches Total	Partially Improved Drainage System	3	
SRI Total	High Risk	36	

		Covington
	<u> </u>	
		Walton A

Additional Site Features	
Crossing Type and Quantity:	Culvert, 1
Crossing Materials:	Metal
Soil Types:	CdC.DmB.

B,FoA,FuB,MBA

0.25in Rt Approach Prism Fill: Lt Approach Prism Fill: 0.2in

Feature	Within Range	Descriptive Field	
303(d)	No	N/A	
Wetland Species	No	N/A	
Rare and Imperiled	No	N/A	
Land Use/ Cover	Yes	N/A/ PASTURE, HAY	
Candidate Mussels	No	N/A	
Sturgeon C.H.	No	N/A	

Notes: Fencing across DS