


ECON-520

Ciencia de Datos para Economía y Negocios Clase 12

Viktoriya Semeshenko
Sergio De Raco



<https://bit.ly/e520-2026C1-apis>





APIs

Extracción de información (estructurada) de sitios web

Captura de datos no tradicionales: cosechar vs. consultar

	Cosechar	Consultar
Técnica	Crawling + Scraping	API
Fuente	Página web (cualquier URL)	Endpoint/WebSS (de un proveedor)
Datos	Extracción (manual, artesanal)	Consumo (queries)
Estructura	No estandar (muy variable)	Estandarizada (especificada)
Vigencia	“Efímera”	“Estable”



APIs: Consultas estructuradas a proveedores específicos


Ejemplo en [OECD APIs](#)

=> [API documentation](#), [API best practices](#)

Syntax of the API data query

The API data query is a URL composed by the following elements:

{Host URL}/{Agency identifier},{Dataset identifier}, {Dataset version}/{Data selection}?{other optional parameters}



APIs: Consultas estructuradas a proveedores específicos

- World Bank [catalog](#) y [call structs](#)
- IMF [catalog](#) y [call structs](#)
- Bloomberg [catalog](#) y [call structs](#)
- [Google cloud](#)
- [BCRA](#)
- [BYMA](#)
- [Finnhub](#)
- [BIS](#)
- [OECD](#)
- [FRED](#)



El BCRA y vos | APIs del Banco Central

API Basic Call Structures

← Developer Information

The Indicators API supports two basic ways to build queries: a URL based structure and an argument based structure. For example, the following two requests will return the same data, a list of countries with income level classified as low income:

APIs del Banco Central

- Argument based: https://api.worldbank.org/V2/country?income_level=LIC
- URL based: https://api.worldbank.org/V2/income_level/LIC/country

Query Strings

The API support the following query strings in requests.

Date and Date-Range: Date-range by year, month or quarter that scopes the result-set.

Examples:

- <https://api.worldbank.org>
- <https://api.worldbank.org>

A range is indicated using the c




Central de Deudores

- Central de Deudores v1.0
- Manual de Desarrollo
- Aviso legal



How to Use the API (Python and R)

← Knowledge Base



SDMX RESTful API

The BIS SDMX RESTful API is a subset of the official SDMX RESTful API v1.4.0, released in June 2019. This service offers programmatic access to the BIS statistical data and metadata released to the public. For additional information about the SDMX RESTful API, check the [official v1.4.0 release note \(en español\)](#) or the [v1.4.0 documentation](#). In addition the useful links for consumers.

Service: <https://data.bis.org/api/v1/> BIS Data API

Data queries

GET /data/(flow)/(key)/all Get data

Data availability queries

GET /availableconstraint/(flow)/(key)/all/(componentID) Get information about data availability

Structure queries

GET /datastructure/(agencyID)/(resourceID)/(versionID) Get data structure

OECD data via API

FRED example



[fred](#) package

- <https://github.com/charlescoverdale/fred>
- Seguir instrucciones en README
- [API key](#)

Otros paquetes interesantes para uso de APIs econ-fin

- [imfapi](#) package
-
-
- [edgar](#), [tidyedgar](#): query and process U.S. Securities and Exchange Commission's EDGAR (Electronic Data Gathering, Analysis, and Retrieval) system, read [API docs!](#)