




	verbatim_name	dataset	tp	AOO	relative_occupancy_area	D_A00_s	log_R2_1	Telfer_1_2
1	Riparia riparia	Birds_Atlas_Czechia	1	32888.398	0.3631303	1.5818196	-0.2364720	-1.111131
2	Riparia riparia	Birds_Atlas_Czechia	2	25962.363	0.2866579	1.4544358	-0.2364720	-1.111131
3	Riparia riparia	Birds_atlas_EBBA	1	5683253.391	0.4214903	1.6219537	0.2020917	0.420794
4	Riparia riparia	Birds_atlas_EBBA	2	6956076.236	0.5158873	1.7485935	0.2020917	0.420794
5	Riparia riparia	Birds_atlas_Japan	1	12885.222	0.0213007	0.3829257	-0.7043693	-1.641253
6	Riparia riparia	Birds_atlas_Japan	2	6370.716	0.0105315	0.3110671	-0.7043693	-1.641253
7	Riparia riparia	Birds_Atlas_New_York	2	35506.522	0.2661418	1.5494120	-0.3249181	-0.890633
8	Riparia riparia	Birds_Atlas_New_York	1	49138.088	0.3683182	1.6677466	-0.3249181	-0.890633











## Occupancy-Area Relationship Riparia riparia 2 7 dataset log Occupancy Birds\_Atlas\_Czechia Birds\_atlas\_EBBA Birds\_atlas\_Japan Birds\_Atlas\_New\_York 4 2 6 2 4 6 4 log Area