Timestamp Certificate

This timestamp was created with *Bitcoin*







Timestamp

Aug-18-2024 00:17:11 UTC

Comment:

0816.eml



Hash:

8f7936c003fc93df1e6d6282289a85f36394b7c523d09087c22601e07bde934a

Transaction:

13a840157a7b7e821fae2b86aeeab007756fe92a92d68eb613027edfece56694

Root Hash:

4a5baaea949a91520892ea0d888b58717b3ca8ce23e73e216c820cc003162c16

Click here to verify your timestamp.

This certificate is only valid in combination with the original file and OriginStamp's open procedure. More information on https://verify.originstamp.com.



Timestamp Certificate

Proof

The proof is necessary for the reproducibility of your document.

```
<?xml version="1.0" encoding="UTF-8"?>
<node type="key" value="4a5baaea949a91520892ea0d888b58717b3ca8ce23e73e216c820cc003162c16">
  <left type="mesh" value="4e9ffcf0d72fd1bf3b4fe0c39775c3a3f9253a039b09a470f7db3d31517ec10a"/>
   <left type="mesh" value="b8c8630cdeaac4efae824a276a757854a53413b7d2dc5b16745b4c558a07997f">
         <left type="mesh" value="73a0cbbc89f88ebd061eaf77eb18d33ef1575768f387ca9b01612ef814531883">
            <left type="mesh" value="73ea400674ab4195cd879c13efcac8d613fdf18d7333b51b8a348c9efd685a41"</pre>
               <left type="mesh" value="0c54b8cf6c153aa463bf5a56946b38db4649a5d98cb272875349372830683e46"/>
               <ri>right type="mesh" value="1b3cfb2ebefc5e45190218ad4685dea3a3a0616ac3ffa8446938f76f535fa5ab"</ri>
                  <left type="mesh" value="c312a0b6065c9e5042059b341b7811df0bd9d9bb3475b58865a24e0ac696d723"/>
                  <ri>right type="mesh" value="c86122ce0c571f62a475534e02132944b46cd6db834aa365f670308f392e9be4"></ri>
                     <left type="mesh" value="95f40dbeaf0ba115b93c7f5681e4e9e5536a56c4953626d13e88adcc2f1761bf"/>
                     <ri>description of the control of th
                        <left type="mesh" value="0581f6fba8b552459470c6b1494c635b05e9d9e24e35a9aa9f58e64cd757f10c">
                           < left\ type="mesh"\ value="d0fb7c27773e943deb0ba90c4293331625f2114d0f4143b827ef1450a1ff97d2"> left\ type="mesh"\ value="d0fb7c27773e943deb0ba90c4293566] left\ type="mesh"\ value="d0fb7c27773e943deb0ba90c429366] left\ type="mesh"\ value="d0fb7c27773e943deb0ba90c429366] left\ t
                              <left type="mesh" value="878dbd8d37a6c4632fe4a627c95abda4619251208623966dfe0325c8bedc1bb2"/>
                               <right type="mesh" value="aa01a323c3779e765f28d9c299c44a3b895ffc4e69f63c8ff4b6f137d7d25822">
                                 <left type="mesh" value="5ef0b562b192a0bd4429191528c2b6db2cc6c1e2210c79ca05ac4615b64237a7">
                                     <left type="mesh" value="333f23eec75be04db5c7f5fb2bae6ec0f971d26476a7233dcb25c205df2a5d0a"/>
                                     <right type="mesh" value="0ebcbcdd68450694ece5f2d748125d573e30419ff3ebfb6353bb098e49473454">
                                        <left type="mesh" value="8f6338bde0178fb0b9ee25749ef17975626e807a295d7eb5c6b1c3bedd6063aa"/>
                                       <ri>defined type="hash" value="8f7936c003fc93df1e6d6282289a85f36394b7c523d09087c22601e07bde934a"/></ri>
                                     </right>
                                 <right type="mesh" value="21656047644fc871284bab40db4aaabf37d552293190f9646e5ba26df69d2733"/>
                               </right>
                           <right type="mesh" value="3631f5aaa467a0ea530ee288ffd8c091c260bfc3f07e5cccc4db3bdcd6897a6d"/>
                        <right type="mesh" value="af0cf6221cab43000d768c5b19815bed6d127e6af7fd408d8b349b33427c0e06"/>
                     </right>
                  </right>
               </right>
            </left>
            < right type="mesh" value="15d3e46da10a47bab82762cc204c8e72c06dc6db801b643835bf4d322916267b"/> 15d3e46da10a47bab82762cc204c8e72c06dc6db801b643835bf4d322916267b"/> 15d3e46da10a47bab82762cc204c8e72667b"/> 15d3e46da10a47bab82762cc204c8e7267b"/> 15d3e46da10a47bab82762cc204c8e72c06dc6db801b643835bf4d3229667b"/> 15d3e46da10a47bab82762cc204c8e72667b"/> 15d3e46da10a47bab82762cc204c8e72667b"/> 15d3e46da10a47bab82762cc204c8e72667b"/> 15d3e46da10a47bab8276667b"/> 15d3e46da10a47bab827667b"/> 15d3e46da10a47bab827667b
         <right type="mesh" value="73032702f514dd5eb1062c03bda48a8299074b9333e02b33c2acf22e36edeb48"/>
      </left>
      <right type="mesh" value="0fb7cdacf1124c9c4bf68a25b3cb7db07f99d1c19e56edeff7a5ca86d982f5f0"/>
  </right>
</node>
```



Timestamp Certificate

Verification

OriginStamp is a timestamp service that uses various blockchains like the Bitcoin Blockchain to create tamper-proof timestamps for your data. Instead of backing up your data, OriginStamp embeds a cryptographic fingerprint in the blockchain. It is de facto impossible to deduce the content of your data from your fingerprint. Therefore, the data remains in your company and is not publicly accessible. All you need to do is send this fingerprint to OriginStamp via the interface. The integration of the RESTful API is very simple and convenient and allows all data to be easily tagged with a tamper-proof timestamp. This document shows the procedure and gives instructions for verifying a timestamp created with OriginStamp.

1. Determine the SHA-256 of your original file

There are numerous programs and libraries to calculate the SHA-256 of a file, such as MD5FILE. Simply drag and drop or select your file, to retrieve the SHA-256 of your file.

2. Validate your proof

First, it must be verified that the hash of the original is part of the evidence. In order to check this, the proof can be opened with a conventional editor and its content can be searched for the hash. If the hash cannot be found, either the file was manipulated or the wrong evidence was selected.

3. Determine the root hash

The Merkle tree is a tree structure, that allows to organize the seed more efficient than a plain-text seed file. The tree is built from the bottom to the top and follows a defined schema. The value of a node is determined by the aggregated hash of its children.

Left child =

a8eb9f308b08397df77443697de4959c156fd4c68c489995163285dbd3eedaef

Right child =

ab95adaee8eb02219d556082a7f4fb70d19b8000097848112eb85b1d2fca8f67

Node = SHA-

256(a8eb9f308b08397df77443697de4959c156fd4c68c4899951632 85dbd3eedaefab95adaee8eb02219d556082a7f4fb70d19b8000097 848112eb85b1d2fca8f67) =

47e47c96302eeba62ed443dd0c89b3411bbddd2c1ff6bdfb1f833fa1 1e060b85 This step is performed for all levels of the tree until the hash of the root has been calculated. If the hash of the root is identical as proof, the calculation was successful and the root hash is verified. The top hash corresponds to the root hash we embedded in the blockchain through a transaction. For a more detailed explanation of the Merkle tree, we want to refer to Wikipedia.

4. Determine the Bitcoin Transaction

Having determined the root hash in the previous step, we store this hash in an OP RETURN transaction in the Bitcoin blockchain.

5. Check the transactions

The Bitcoin transaction hash on the first page points to a transaction in the Bitcoin blockchain. Further, the root hash should be contained in an output of the OP_RETURN transaction. Most of the blockchain explorers can display the output of OP_RETURN transactions. As soon as the transaction has been found, the block time is the actual tamper-proof timestamp. To simplify the search, we added the transaction to the certificate.