FirstRegistrars
& INVESTOR SERVICES

FRISL *EAMS*
User Manual

Enterprise Asset Management System — registration, custody, repair, loan, RFID monitoring, audit and reporting, explained portal by portal.





REGISTRATION · CUSTODY · REPAIR · LOAN · RFID MONITORING · AUDIT & REPORTING

SECURE ASSETS. SMARTER MANAGEMENT. GREATER VALUE.

CONTENTS

Table of Contents

01	Introduction	What FRISL EAMS is and who this manual is for
02	Getting Started	Signing in, portals, and first-login setup
03	Roles & Portals at a Glance	Who sees what
04	Backoffice Portal	Registration, assignment, transfers, RFID, reports
05	Admin Portal	Users, master data, RFID infrastructure, settings
06	Auditor Portal	Audit trails, reconciliation, exceptions, scan periods
07	Staff Portal	My Assets, transfer requests, returns, notifications
08	The Asset Lifecycle	Statuses and how assets move between them
09	End-to-End Walkthrough	A full registration-to-custody example
10	Reports & Exports	Filtering, depreciation, aging, CSV
11	Troubleshooting & FAQ	Common issues and what they mean
A	Appendix — Quick Reference	Routes, demo logins, current limitations

CHAPTER 01

01 Introduction

FRISL EAMS tracks every physical asset the organisation owns, from the day it is tagged and registered to the day it is retired, sold, or discarded — and everything that happens to it in between.

The system replaces informal spreadsheets and paper sign-out sheets with a single, auditable record. Every asset has one current status, one current custodian, and a permanent history of how it got there. Movement — an assignment, a repair, a loan, an RFID gate scan — only happens through a defined workflow, so the trail is always reconstructable.

Who this manual is for

FRISL EAMS is organised into four portals, and this manual is written the same way — one chapter per portal — so that a reader can go straight to the section that matches their job:

- **Backoffice** staff who register assets, process assignments and transfers, and run day-to-day operations.
- **Admin** users who manage accounts, master data, and RFID infrastructure.
- **Auditors** who verify what the register says against what physically exists.
- **Staff** who have been issued assets and need to confirm receipt, request transfers, or return items.

> **SCOPE OF THIS EDITION**
>
> This manual describes the application as currently deployed for demonstration and pilot use. Authentication is a lightweight, application-level login rather than enterprise identity (see **Appendix A** for the full list of current limitations).

CHAPTER 02

02 Getting Started

Opening the application

Navigate to the application URL provided by your administrator (locally, this is `http://127.0.0.1:5000`). You will land on the **Sign In** page.

Signing in

Enter your **username** and **password** and select **Sign In**. The demo sign-in page also offers one-click portal buttons — *Backoffice Portal*, *Admin Portal*, *Auditor Portal*, *Staff Portal* — which auto-fill a demo account for that role so the correct portal can be previewed immediately.

1. Open the Sign In page.
2. Enter your username and password, or click a demo portal button to auto-fill one.
3. Select **Sign In**. You are taken straight to your portal's dashboard.
4. If your account is marked to require a password change, you will be routed to **Change Password** before you can continue.

> **FIRST LOGIN**
> Accounts created by an administrator with a temporary password will be forced to `/Account/ChangePassword` on first sign-in. You must supply the current password and a new one before the portal becomes accessible.

Signing out

Select **Logout** in the top-right of any portal header at any time. This clears your session immediately.

Your profile

Select **Profile** (Staff portal) or the account menu to view your display name, username, role, and assigned portal at `/Account/Profile`.

CHAPTER 03

03 Roles & Portals at a Glance

Every account has exactly one role, and every role maps to one portal. The portal decides which sidebar, dashboard, and set of actions you see — visiting a portal you don't have the role for redirects you back to your own.

Role	Portal	Home route	Typical user
BACKOFFICE	Backoffice	`/Portal/Backoffice`	Operations / registration staff
ADMIN	Admin	`/Portal/Admin`	System administrator
AUDITOR	Auditor	`/Portal/Auditor`	Internal audit / compliance
STAFF	Staff	`/Portal/Staff`	Asset custodian / end user
DEPT. HEAD	Staff	`/Portal/Staff`	Approves departmental requests and loans

Each portal is colour-coded consistently throughout the application — the same colours are used for the chapter markers in this manual:

BACKOFFICE `/Portal/Backoffice`

Registration, assignment, transfers, RFID tagging, stock verification, reports.

AUDITOR `/Portal/Auditor`

Audit trails, reconciliation, exceptions, scan-based audit periods.

ADMIN `/Portal/Admin`

User accounts, master data, RFID readers, system settings, audit logs.

STAFF `/Portal/Staff`

My Assets, receipt confirmation, transfer requests, returns, notifications.

CHAPTER 04 · BACKOFFICE

04 Backoffice Portal

The operational core of FRISL EAMS — this is where assets enter the system and where most day-to-day movement is processed.

Sidebar navigation

- **Dashboard** — operational summary and recent movements
- **Users** — view accounts (admin functions apply)
- **Master Data** — departments, locations, categories, suppliers
- **Register Asset** — add a new asset to the register
- **Assets** — search, filter, and inspect the full register
- **RFID Tags** — assign, replace, or remove tags
- **RFID Scan** — read/write against a physical or simulated reader
- **Assignments** — initiate custody handover to staff
- **Transfers** — move an asset between departments/locations
- **Stock Verification** — scan-based physical count sessions
- **Reports** — filtered, depreciation, and aging reports
- **Audit Trail** — chronological log of status changes

Registering a new asset

1. Open **Register Asset** (`/Assets/Register`).
2. Enter the asset's name, category, department, and a unique RFID code.
3. Submit. The system rejects the RFID code if it is already linked to another asset.
4. FRISL EAMS generates a tag code automatically in the format `FRISL-YEAR-CATEGORY-DEPARTMENT-SEQUENCE` .
5. The asset is saved with status `RegisteredUnassigned` and an RFID tag record is created and linked to it.

Assigning an asset to staff

1. Open **Assignments** → **Create**. Only assets currently `RegisteredUnassigned` are offered.
2. Choose the asset and the receiving staff member, department, and location.

3. Submit. The asset moves to `AssignedPendingConfirmation` — custody has not transferred yet.
4. The asset becomes `ActiveAssigned` only once the staff member confirms receipt from their own Staff portal (see Chapter 07).

> **WHY TWO STEPS**
>
> Splitting assignment into "initiate" and "confirm" means the register can never claim a handover happened unless the recipient actually acknowledged it — this is what makes the custody trail defensible.

Transfers, RFID tags & stock verification

Transfers move an already-assigned asset to a new department or location, with departure and arrival optionally confirmed by an RFID scan at each end. **RFID Tags** lets Backoffice re-tag an asset if a physical tag is lost or damaged, or deactivate a tag entirely. **Stock Verification** starts a scan session for a department or location — assets are scanned in and the system reports which expected items were not seen.

CHAPTER 05 · ADMIN

05 Admin Portal

System administration — accounts, reference data, and the RFID infrastructure everything else depends on.

Sidebar navigation

- **Dashboard** — user activity and system-wide metrics
- **Assets** — full register, same view as Backoffice
- **Users** — create accounts, reset passwords, activate/deactivate
- **Master Data** — departments, locations, categories, suppliers, vendors, contractors
- **RFID Tags** — tag inventory across all assets
- **RFID Readers** — configure reader devices/checkpoints
- **System Settings** — application-level configuration
- **Audit Logs** — full status-change history across the system

Managing user accounts

1. Open **Users** → **Create**.
2. Enter a username, display name, and role. A temporary password is set.
3. The new user is forced through **Change Password** on their first sign-in.
4. Use **Toggle Active** to suspend an account without deleting it, or **Reset Password** to issue a new temporary password.

Assigning roles

Role changes are made from the **User Roles** screen — updating a user's role immediately changes which portal they land in at their next sign-in.

CHAPTER 06 · AUDITOR

06 Auditor Portal

Independent verification — confirming that what the register says matches what is physically present.

Sidebar navigation

- **Dashboard** — audit-focused summary metrics
- **Audit Trails** — full chronological status-change log
- **Asset Register** — read access to the full asset list
- **Reconciliation** — expected vs. observed comparison summary
- **Reports** — same filtered/depreciation/aging reports as other portals
- **Exceptions** — items flagged for review
- **Scan RFID** — verify an individual asset by tag
- **RFID Tags** — read access to tag assignments
- **Stock Verification** — participate in or review count sessions
- **Audit Scan Periods** — multi-pass scan-based audit campaigns

Running an audit session

1. Open **Audit** and start a new session for a department and date scope.
2. Submit results for each asset in scope as it is physically verified.
3. Close the session once all items have been checked.
4. Open **Variance** for that session to see differences between expected and observed records.

Audit Scan Periods

For larger sweeps, **Audit Scan Periods** supports multiple scan passes: create a period, upload the list of RFID codes read in each pass, then run **Check Discrepancies** to see which registered assets were never scanned, and which scanned codes don't match anything in the register.

CHAPTER 07 · STAFF

07 Staff Portal

The everyday view for anyone who has custody of an asset — confirm receipt, ask for a transfer, or hand something back.

Sidebar navigation

- **Dashboard** — your assets and pending actions at a glance
- **My Assets** — everything currently or pending assignment to you
- **Request Transfer** — ask to move an asset to a new location/department
- **Asset Return** — hand an asset back into store
- **Notifications** — alerts relevant to your assets
- **Profile** — your account details

Confirming receipt of a new assignment

1. Open **My Assets** (`/MyAssets`). Anything Backoffice has assigned to you but not yet confirmed appears with a pending-receipt action.
2. Review the asset's condition, location, and department as recorded.
3. Select **Confirm Receipt**.
4. The asset's status changes to `ActiveAssigned` and you are now its recorded custodian.

> **WHY THIS MATTERS**
>
> Until you confirm, the asset is still formally "in transit" — `AssignedPendingConfirmation` . Confirming is what creates the accountable link between you and the item.

Requesting a transfer or returning an asset

Use **Request Transfer** if an asset needs to move with you to a new department or site — this is routed for approval rather than applied immediately. Use **Asset Return** when you no longer need an item; it goes back into store and out of your custody once processed.

CHAPTER 08

08 The Asset Lifecycle

Every asset has exactly one current status. Status changes are validated — an asset cannot jump between arbitrary states — and every valid change is written permanently to its history.

Common path

`UnregisteredUnassigned` → `RegisteredUnassigned` → `AssignedPendingConfirmation` → `ActiveAssigned`

Branches from Active service

Trigger	Resulting status	Portal / action
Fault reported, repair approved	`UnderRepair`	Backoffice → repair workflow
Repair review decides replacement	`PendingReplacement`	Backoffice → repair workflow
Repair review decides discard	`Discarded`	Backoffice → repair workflow
Internal loan approved	`LoanedOutInternal`	Loan workflow
External loan approved	`LoanedOutExternal` + exit grant created	Loan workflow
Recalled from custody	`RecalledToStorage`	Backoffice
Repair completed / loan returned	`ActiveAssigned`	Returns to normal custody
End of useful life	`Retired` / `Sold` / `Discarded`	Disposal

Every asset's paper trail

Open any asset's **History** tab from its detail page to see every transition it has ever made, in order, with the date and the action that caused it. This is the same data Auditors see in **Audit Trails** and Admins see in **Audit Logs** — one underlying record, three different views into it.

CHAPTER 09

09 End-to-End Walkthrough

A single worked example, moving between three portals, that exercises the core of the system in one pass.

1. Sign in as **Backoffice**. Open **Register Asset** and register a new item with a unique RFID code. Note the generated tag code.
2. Open **Assets**, confirm the new item appears with status `RegisteredUnassigned`.
3. Open **Assignments** → **Create**, assign it to a staff member. Status becomes `AssignedPendingConfirmation`.
4. Log out, sign in as that **Staff** member. Open **My Assets** and confirm receipt. Status becomes `ActiveAssigned`.
5. Log out, sign in as **Admin** or **Auditor**. Open the asset's detail page and check its **History** tab — both transitions should be listed with timestamps.
6. Back in Backoffice, raise a repair against the asset, approve it, then complete the repair — status should return to `ActiveAssigned`.
7. Approve an external loan for the asset and confirm an exit grant appears; return the loan and confirm the asset comes back to `ActiveAssigned`.
8. As Auditor, start an audit session covering the asset's department, submit a result for it, close the session, and review the variance report.
9. From any Reports screen, export the filtered asset list to CSV and open it to confirm the new asset is present.

CHAPTER 10

10 Reports & Exports

Report	Route	Use it for
Filtered asset report	`/Reports`	Slicing the register by department, category, and status
Depreciation	`/Reports/Depreciation`	Straight-line asset value over time
Aging	`/Reports/Aging`	Grouping assets into age bands (0–3, 3–5, 5–10, 10+ years)

Every report screen has a matching **Export CSV** action, producing a file suitable for Excel or any downstream analysis tool.

CHAPTER 11

11 Troubleshooting & FAQ

"Invalid username or password" on sign-in

Check for extra spaces and correct case — usernames are matched case-insensitively but passwords are not. If the account was created by an Admin, confirm whether a temporary password was issued rather than a self-chosen one.

An asset I expect to assign isn't in the list

Only assets currently in `RegisteredUnassigned` are offered on the Assignment screen. Check the asset's current status on its detail page — it may already be assigned, on loan, or under repair.

I confirmed receipt but the asset still shows pending

Confirmation must be done from the **same account** the asset was assigned to. If a colleague received it on your behalf, the assignment should be corrected by Backoffice rather than confirmed under the wrong account.

I was redirected away from a portal I tried to open

This is expected — visiting a portal your role doesn't have access to redirects you back to your own home portal rather than showing an error.

The page shows a generic "System Error"

Note the action you were performing and contact your administrator with the approximate time — the server-side log will contain the underlying detail.

APPENDIX A

A Quick Reference

Demo sign-ins

Username	Password	Role	Portal
`Washington`	`Washington1`	Backoffice	Backoffice
`Admin`	`Admin1`	Admin	Admin
`Auditor`	`auditor1`	Auditor	Auditor
`Staff`	`Staff1`	Staff	Staff
`ithod`	`HodIt1`	Department Head	Staff

These are demonstration credentials seeded into the environment. Rotate or remove them before any production use.

Route reference

Area	Route
Sign in	`/Account/Login`
Change password	`/Account/ChangePassword`
Asset register	`/Assets`, `/Assets/Register`, `/Assets/Detail/{id}`, `/Assets/History/{id}`
Assignments	`/Assignments`, `/Assignments/Create`
My Assets (Staff)	`/MyAssets`
Requests / Repairs / Loans / RFID	`/Workflow/Requests`, `/Workflow/Repairs`, `/Workflow/Loans`, `/Workflow/Rfid`
Audit	`/Audit`, `/Audit/Variance/{id}`
Reports	`/Reports`, `/Reports/Depreciation`, `/Reports/Aging`
Staff / Contractors	`/Staff`, `/Contractors`

Current limitations

- Sign-in is application-level (username/password stored in the database), not enterprise SSO or Active Directory.
- RFID scanning logic is implemented in software; live reader/hardware integration is a separate, later phase.
- Notifications are recorded in-app; email/SMS delivery is not yet wired up.
- The database backing this deployment is MongoDB — confirm with your administrator which environment (local/dev/production) you are connected to before entering real data.
