



FACULTY OF ENGINEERING

Advanced Bread Toasting Device to Outdo SMEG

Final Year Project Report

By:

F. V. Viljoen

Frikkie Viljoen

Student number: 12345678

Supervisor:

Dr WHO

Co-supervisor: The Cat in the Hat

Assistant supervisor: Jim Carry

Submitted in pursuit of the degree

BACHELOR OF ENGINEERING

In

MECHATRONIC ENGINEERING

North-West University Potchefstroom Campus

31 February 2035

Abstract

This report presents the design, development, and testing of . . .

[Replace this placeholder with a 200–350 word summary covering: (1) the problem and its significance, (2) the design approach taken, (3) key results and how they relate to the requirements, and (4) main conclusions and future work recommendations.]

Keywords: Keyword One; Keyword Two; Keyword Three; Keyword Four; Keyword Five

Contents

Abstract	i
List of Figures	iv
List of Tables	v
Declaration of Originality	vi
1 Introduction	1
2 Problem Analysis	2
2.1 Background	2
2.2 Problem Statement	2
2.3 Project Objectives	2
2.4 Requirements	2
2.4.1 Functional Requirements	2
2.4.2 Performance Requirements	2
2.4.3 Physical Requirements	2
2.4.4 Non-Functional Requirements	2
2.5 Risk Analysis	2
3 Literature Study	3
3.1 Case Studies	3
3.1.1 Case Study 1 – [Topic]	3
3.1.2 Case Study 2 – [Topic]	3
3.2 Existing Solutions	3
3.3 Possible Solutions	3
3.4 Display Data	3
4 Concept Design	4
4.1 Functional Flow Diagrams	4
4.2 System Architecture	4
5 Preliminary Design	5
5.1 Preliminary Hardware Decisions	5
5.1.1 [Subsystem 1 – e.g. Imaging Module]	5
5.1.2 [Subsystem 2 – e.g. Processing Unit]	5
5.1.3 [Subsystem 3 – e.g. Power Supply]	5

5.1.4 [Subsystem 4 – e.g. Mechanical Housing]	5
5.2 Preliminary Software Decisions	5
6 Detailed Design	6
6.1 Detailed Hardware Decisions	6
6.1.1 [Component A Specifications]	6
6.1.2 [Component B Specifications]	6
6.2 Detailed Software Decisions	6
6.3 CAD Designs	6
6.3.1 [Assembly A – e.g. Probe Enclosure]	6
6.3.2 [Assembly B – e.g. Cable Reel]	7
6.4 Electrical Design	7
7 Implementation	8
7.1 Electrical Implementation	8
7.2 Mechanical Implementation	8
7.3 Software Implementation	8
7.4 Final System	8
8 Testing	9
8.1 Test REQ_04_PERF – [Requirement Short Name]	9
8.2 Test REQ_05_PERF – [Requirement Short Name]	9
9 Conclusion	11
A Generative AI Usage	12
B Risk Register	13
C Additional Technical Data	15

List of Figures

3.1	[Caption describing the figure and its source example_ref	3
4.1	Functional flow diagram illustrating the system life-cycle.	4
4.2	Functional flow diagram illustrating the operational flow.	4
4.3	Operational Level 0 architecture.	4
5.1	Selected [Subsystem 1] component.	5
6.1	Software architecture diagram.	6
6.2	Isometric CAD drawing of [Assembly A].	6
6.3	Isometric CAD drawing of [Assembly B].	7
6.4	Full electrical schematic of the system.	7
7.1	Electrical hardware component layout and wiring diagram.	8
7.2	Photograph of the assembled electrical system.	8
7.3	Photograph of the mechanical assembly.	8
7.4	Final assembled system.	8

List of Tables

3.1	[Table title example_ref].	3
4.1	Operational Functional Units.	4
4.2	Operational Interfaces.	4
5.1	Available [Subsystem 1] options.	5
5.2	Single board computer comparison.	5
6.1	[Component A] specifications example_datasheet	6
6.2	[Component B] specifications.	6
8.1	Results for Test REQ_04_PERF.	9
8.2	Results for Test REQ_05_PERF.	9
A.1	Generative AI (GA) evidence throughout the report.	12
B.1	Risk identification and management.	13
B.2	Risk traceability matrix BEFORE mitigation.	13
B.3	Risk traceability matrix AFTER mitigation.	14

Declaration of Originality

I, Frikkie Viljoen, with student number 12345678 declare the following:

This report is my own original work. I further declare that:

1. No part of it has been copied from another person;
2. I did not work with another person on this project and report;
3. I acknowledged all consulted sources in the text and submitted a bibliography;
4. I have indicated all sections where I have used generative AI-enabled technology;
5. Parts without references are my own ideas, arguments, and conclusions.

The Turnitin plagiarism test resulted in a score of Bot Bootlicker%.

Signature

31 February 2035

1 Introduction

This report outlines the design, development, and testing of . . .

[Introduce the broader context of the project. Explain *why* the project is important and what engineering need it addresses. Keep this concise – typically one to two pages.]

The report is structured as follows. Chapter 2 analyses the problem and establishes the project requirements. Chapter 3 presents a literature study of existing solutions. Chapters 4, 5, and 6 cover the concept, preliminary, and detailed design phases respectively. Chapter 7 describes the physical and software implementation. Chapter 8 presents the test results. Chapter 9 draws conclusions and identifies future work.

2 Problem Analysis

2.1 Background

[Describe the domain context and motivation. Explain why the problem exists, what current approaches are insufficient, and why an engineering solution is warranted. Cite relevant sources **example_ref**.]

2.2 Problem Statement

[Clearly state the engineering problem to be solved in one or two focused paragraphs. Avoid proposing solutions here.]

2.3 Project Objectives

The objectives of this project are:

- **Objective 1:** ...
- **Objective 2:** ...
- **Objective 3:** ...

2.4 Requirements

[Requirements should be uniquely identified so they can be traced through design decisions and test results.]

2.4.1 Functional Requirements

- **REQ_01_FUNC:** [The system shall ...]
- **REQ_02_FUNC:** [The system shall ...]
- **REQ_03_FUNC:** [The system shall ...]

2.4.2 Performance Requirements

- **REQ_04_PERF:** [The system shall achieve ...]
- **REQ_05_PERF:** [The system shall achieve ...]

2.4.3 Physical Requirements

- **REQ_06_PHYS:** [The device shall fit within ...]
- **REQ_07_PHYS:** [The device shall weigh less than ...]

2.4.4 Non-Functional Requirements

- **REQ_08_USABILITY:** [An operator with ... training shall be able to ...]
- **REQ_09_MODULARITY:** [The ... subsystem shall be detachable from ...]

2.5 Risk Analysis

[Summarise the risk analysis methodology and the most significant risks identified. A full risk register with likelihood/impact ratings and mitigation strategies is provided in Appendix B.]

3 Literature Study

3.1 Case Studies

[Review published research relevant to your problem. Group related work into subsections. Always cite your sources **example_ref**.]

3.1.1 Case Study 1 – [Topic]

[Discussion of the first body of literature.]

3.1.2 Case Study 2 – [Topic]

[Discussion of the second body of literature.]

3.2 Existing Solutions

[Describe and critically evaluate commercial or academic solutions that already address (partly or fully) the problem. Highlight limitations that motivate your own design.]

3.3 Possible Solutions

[Identify two or three candidate high-level solution strategies. Evaluate each against the requirements established in Chapter 2 and justify the approach selected for further development.]

3.4 Display Data

[If your literature study surfaces specific data (experimental results, performance benchmarks, standards) that will inform the design, present it here with tables or figures as appropriate.]

Figure 3.1. *[Caption describing the figure and its source **example_ref**].*

Table 3.1. *[Table title **example_ref**].*

Parameter	Option A	Option B
Criterion 1	Value	Value
Criterion 2	Value	Value

4 Concept Design

[Describe the high-level solution strategy. Focus on *what* the system must do, not yet *how* it will do it. Use functional flow diagrams and architecture diagrams to illustrate the concept.]

4.1 Functional Flow Diagrams

[Describe the life-cycle and operational flows of the system. Reference each diagram in the text before it appears.]

Figure 4.1. *Functional flow diagram illustrating the system life-cycle.*

Figure 4.2. *Functional flow diagram illustrating the operational flow.*

4.2 System Architecture

[Describe the operational levels of the system (Level 0, Level 1, Level 2, etc.) with a block diagram for each.]

Figure 4.3. *Operational Level 0 architecture.*

Table 4.1. *Operational Functional Units.*

F/U ID	Name	Description
F/U 1.0	[Subsystem A]	[What this functional unit does.]
F/U 2.0	[Subsystem B]	[What this functional unit does.]
F/U 3.0	[Subsystem C]	[What this functional unit does.]

Table 4.2. *Operational Interfaces.*

Interface	From	To	Description
I1	F/U 1.0	F/U 2.0	[Description of data/power/signal.]
I2	F/U 2.0	F/U 3.0	[Description.]

5 Preliminary Design

[Expand the concept into specific subsystem decisions. For each functional unit, identify candidate technologies or components, evaluate them against the requirements, and select and justify the best option.]

5.1 Preliminary Hardware Decisions

5.1.1 [Subsystem 1 – e.g. Imaging Module]

[Discuss the criteria for selecting this component (resolution, power, size, cost, etc.). Present the options in a comparison table.]

Table 5.1. *Available [Subsystem 1] options.*

Component	Criterion A	Criterion B	Criterion C	Selected
Option 1				
Option 2				✓
Option 3				

[Justify the selected option in one or two paragraphs **example_ref.**]

Figure 5.1. *Selected [Subsystem 1] component.*

5.1.2 [Subsystem 2 – e.g. Processing Unit]

Table 5.2. *Single board computer comparison.*

SBC	CPU	RAM	I/O	Selected
Option 1				
Option 2				✓

5.1.3 [Subsystem 3 – e.g. Power Supply]

[Description and justification.]

5.1.4 [Subsystem 4 – e.g. Mechanical Housing]

[Description and justification with sketch or CAD view if available.]

5.2 Preliminary Software Decisions

[Select the operating system, programming language, key libraries, and communication protocols. Justify each choice briefly.]

6 Detailed Design

[Specify every design decision at the component level. Include exact part numbers, electrical parameters, mechanical dimensions, software data structures, and algorithms.]

6.1 Detailed Hardware Decisions

6.1.1 [Component A Specifications]

[Describe the component and why the exact variant was chosen. Refer to the datasheet **example_datasheet**.

Table 6.1. [Component A] specifications **example_datasheet**.

Parameter	Value
Supply voltage	5 V
Operating current	500 mA
Dimensions	85 mm × 56 mm
Mass	45 g
Interface	USB 3.0, MIPI CSI-2

6.1.2 [Component B Specifications]

Table 6.2. [Component B] specifications.

Parameter	Value
Parameter 1	Value
Parameter 2	Value

6.2 Detailed Software Decisions

[Describe the software architecture in detail: threading model, communication protocols, data structures, and key algorithms. Include a software block diagram or state machine where helpful.]

Figure 6.1. *Software architecture diagram*.

6.3 CAD Designs

[Present all custom-fabricated mechanical parts with isometric CAD views and key dimensions annotated.]

6.3.1 [Assembly A – e.g. Probe Enclosure]

[Description of the part, material choice, and manufacturing method.]

Figure 6.2. *Isometric CAD drawing of [Assembly A]*.

6.3.2 [Assembly B – e.g. Cable Reel]

Figure 6.3. *Isometric CAD drawing of [Assembly B].*

6.4 Electrical Design

[Present the full electrical schematic or wiring diagram. Describe the power distribution, signal routing, and any protection circuits (fuses, TVS diodes, etc.).]

Figure 6.4. *Full electrical schematic of the system.*

7 Implementation

[Describe how the design was physically realised. This chapter bridges the design (Chapters 5–6) and the testing (Chapter 8).]

7.1 Electrical Implementation

[Describe the PCB or wiring assembly process, any soldering or crimping work, cable management, and final continuity / short-circuit checks performed before power-on.]

Figure 7.1. *Electrical hardware component layout and wiring diagram.*

Figure 7.2. *Photograph of the assembled electrical system.*

7.2 Mechanical Implementation

[Describe the fabrication and assembly of all mechanical parts. Include materials used, tolerances achieved, and any challenges encountered during construction.]

Figure 7.3. *Photograph of the mechanical assembly.*

7.3 Software Implementation

[Describe how the software was written, structured, and tested informally during development. Highlight any algorithms, third-party libraries used, or non-trivial design patterns.]

```
1 import sensor_library as sl
2
3 def init_sensor(pin: int, baud: int = 9600) -> sl.Sensor:
4     """Initialise and calibrate the sensor on the given GPIO pin."""
5     sensor = sl.Sensor(pin=pin, baud=baud)
6     sensor.calibrate()
7     return sensor
```

Listing 7.1: Sensor initialisation routine.

7.4 Final System

[Present photographs of the completed system from multiple angles. Briefly confirm that it matches the design intent before formal testing begins.]

(a) *Front view.*

(b) *Side view.*

Figure 7.4. *Final assembled system.*

8 Testing

[Each test traces back to a requirement defined in Section 2.4. For every test, state the objective, procedure, results, and a pass/fail verdict.]

8.1 Test REQ_04_PERF – [Requirement Short Name]

Objective: Verify that the system achieves ... as specified in REQ_04_PERF.

Procedure:

1. Set up the system in the test configuration.

Step 2 ...

2. Record the measured value.
3. Repeat three times and calculate the average.

Acceptance criterion: The measured value shall be ≤ 15 ms.

Results:

Table 8.1. *Results for Test REQ_04_PERF.*

Trial	Expected (ms)	Measured (ms)	Pass / Fail
1	≤ 15 ms		
2	≤ 15 ms		
3	≤ 15 ms		
Average			

Conclusion: Requirement REQ_04_PERF was [met / not met] because ...

8.2 Test REQ_05_PERF – [Requirement Short Name]

Objective: ...

Procedure:

1. ...

Acceptance criterion: ...

Results:

Table 8.2. *Results for Test REQ_05_PERF.*

Trial	Expected	Measured	Pass / Fail
1			
2			
3			

Conclusion: ...

9 Conclusion

[Summarise what was achieved relative to the objectives stated in Section 2.3. Address each objective explicitly.]

Objective 1 was [achieved / partially achieved / not achieved] because . . .

Objective 2 was [achieved / partially achieved / not achieved] because . . .

Objective 3 was [achieved / partially achieved / not achieved] because . . .

[Comment on the overall performance of the system during testing. Identify limitations encountered and explain their likely causes.]

Future Work

[List and briefly describe improvements or extensions recommended for future iterations of the project. Common examples include:]

ensor integration

ted control loop

ure for field use

A Generative AI Usage

[List every instance where generative AI tools were used to assist in writing or editing any part of this report, as required by the Declaration of Originality.]

Table A.1. *Generative AI (GA) evidence throughout the report.*

Section	Tool	Prompt summary	How output was used
§7.3	ChatGPT-4o	“Explain threading model for . . .”	Edited, verified, and rewritten in own words.

B Risk Register

Table B.1. *Risk identification and management.*

ID	Risk description	Likelihood	Impact	Mitigation strategy
R01	Component delivery delay	Medium	High	Order components 4 weeks in advance; identify local suppliers.
R02	Waterproofing failure of enclosure	Low	High	Pressure-test housing before electronics are installed.
R03	Software instability on embedded platform	Medium	Medium	Use watchdog timer; implement error logging.
R04	[Add risk]			

Table B.2. *Risk traceability matrix **BEFORE** mitigation.*

Likelihood	Impact				
	1 – Negligible	2 – Minor	3 – Moderate	4 – Major	5 – Severe
5 – Very high					
4 – High				R01	
3 – Medium			R03		
2 – Low				R02	
1 – Very low					

Table B.3. *Risk traceability matrix **AFTER** mitigation.*

Likelihood	Impact				
	1 – Negligible	2 – Minor	3 – Moderate	4 – Major	5 – Severe
5 – Very high					
4 – High					
3 – Medium		R01	R02		
2 – Low		R03			
1 – Very low					

C Additional Technical Data

[Include supplementary material that is too detailed for the main body but necessary for completeness or reproducibility. Typical content includes:]

- Full electrical schematics (if too large for Chapter 6)
- Complete test data tables
- Extended derivations or calculations
- Full source-code listings
- Manufacturer datasheets (as PDF pages via `\includepdf`)