

---

# Table of Contents

Introduction	1.1
Basics	1.2
npm	1.2.1
ES6	1.2.2
React	1.2.3
First steps	1.3
Base React application	1.3.1
Development notes	1.3.2
Include react-geo dependency	1.3.3
Include a react-geo component	1.3.4
react-geo components	1.4
MapComponent	1.4.1
Drawer	1.4.2
NominatimSearch	1.4.3
MeasureButton	1.4.4
LayerTree	1.4.5
Hooks	1.5
useMap	1.5.1
Summary	1.6
Imprint	1.7

## Workshop *react-geo - mapping with React*

Welcome to the workshop **react-geo - mapping with React**. This workshop is designed to give you a comprehensive overview of [react-geo](#) as a library of geo-related application components available in combination with [React](#), [Ant Design](#) and [OpenLayers](#).

**info** If you want to visit this page on your own device or to print the PDF version, you can download the workshop materials [here](#).

## Setup

The following instructions and exercises assume that you have some requirements fulfilled on your local machine. Please check if you have the consequent packages installed:

- A suitable text editor, e.g. the lightweight [Atom](#) editor.
- [NodeJS](#) in version 10 or higher.

All set? Then, lets' go!

## Overview

This workshop is presented as a set of modules. In each module you will perform tasks designed to achieve a specific goal for that module. Each module builds upon lessons learned in previous modules and is designed to iteratively build up your knowledge base.

- [Basics](#) - Dive into the basics of EcmaScript 6, React and npm.
- [First steps](#) - Learn how to create your own React app and how to include react-geo in it.
- [react-geo components](#) - Extend your application with some react-geo components.
- [Hooks](#) - Have a look at more advanced components.

## Authors

- André Henn ([henn@terrestris.de](mailto:henn@terrestris.de))
- Daniel Koch ([koch@terrestris.de](mailto:koch@terrestris.de))
- Kai Volland ([volland@terrestris.de](mailto:volland@terrestris.de))
- Jan Suleiman ([suleiman@terrestris.de](mailto:suleiman@terrestris.de))

# Basics

Before we get started with react-geo we have a short look at some basic stuff.

- [NPM](#) - Node / Node package manager
- [ES6](#) - EcmaScript 6
- [React](#) - ReactJS

# npm

[npm](#) is the package manager for Node.js (a JavaScript runtime environment) and the world's largest software registry (more than 600k packages) with approximately 3 billion downloads per week.



You can use npm to:

- Adapt packages to your apps, or incorporate them as they are.
- Download standalone tools you can use right away.
- Run packages without downloading using npx.
- Share code with any npm user, anywhere.
- Restrict code to specific developers.
- Form virtual teams (orgs).
- Manage multiple versions of code and code dependencies.
- Update applications easily when underlying code is updated.
- Discover multiple ways to solve the same puzzle.
- Find other developers who are working on similar problems.

## package.json

The command `npm init` in your project folder opens an interactive dialogue to establish a npm project. The result is the `package.json` including all important settings, scripts and dependencies of your project.

```
{
  "name": "name_of_your_package",
  "version": "1.0.0",
  "description": "This is just a test",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "repository": {
    "type": "git",
    "url": "http://github.com/yourname/name_of_your_package.git"
  },
  "author": "your_name",
  "license": "ISC"
}
```

Please check the [npm docs](#) for further information.

## Install packages with npm

The most common way to install new packages with npm is via the [CLI](#). To install a package simply type:

```
npm install packagename
```

You find the installed packages in the `node_modules` subfolder.

## Node version manager NVM

- bash script to manage multiple active node.js versions
- See [here](#)

```
wget -qO- https://raw.githubusercontent.com/creationix/nvm/v0.34.0/install.sh | bash
nvm i v8
```

## ES6



ES (ECMAScript) is a trademarked scripting-language specification created to standardize JavaScript. As the name suggests, ES6 (later renamed to ES2015) is the sixth edition and came with significant new syntax for writing complex applications, including classes and modules. Some browsers do not (or only partially) support ES6, but the ES6 code can be transpiled in ES5, which enjoys a broader compability.

JavaScript frameworks and libraries to build modern web-applications are written in ES6.

### import

```
import { CircleMenu } from 'react-geo';
```

### export

```
const name = 'Peter';  
export default name;
```

## Variable declaration

- ES5: `var`
- ES6: `var` , `let` and `const` :
  - scope dependent

## Function definition

```
// ES5  
var myFunc = fuction (myArg) {  
  if (!myArg) {  
    myArg = 'Peter'  
  };  
  return myArg + ' is the best arg!';  
}  
  
// ES6  
const myFunc = (myArg = 'Peter') => {  
  return myArg + ' is the best arg!';  
} // myFunc() ----> 'Peter is the best arg!'  
  
// ES6 shortened  
const myFunc = myArg => myArg + ' is the best arg!';
```

## Template string

```
// ES5  
var a = 1909;  
console.log('Year: ' + a)  
  
// ES6  
console.log(`Year ${a}`)
```

## Destructuring assignment

See also [here](#)

*Example 1:* Object destructuring

```
// ES5
var obj = {
  name: 'Peter',
  age: 55
}
var age = obj.age;

// ES6
const obj = {
  name: 'Peter',
  age: 55
}
const {
  age
} = obj;
```

*Example 2* (also uses [Spread operator](#)):

```
// ES5
var user = {name: 'peter', age: 12};
user = Object.assign(user, {email: 'peter@love.de'});

// ES6
let user = {name: 'peter', age: 12};
user = {...user, email: 'peter@love.de'};
```



# React



[React](#) is a modern and open-source JavaScript library for building user interfaces based on ES6. Originally, it has been developed by a software engineer at Facebook and is still being maintained by Facebook (among others).

React allows developers to create large web-applications that use data and can change over time without reloading the page. It aims primarily to provide speed, simplicity, and scalability. React processes only user interfaces in applications. This corresponds to View in the Model-View-Controller (MVC) pattern, and can be used in combination with other JavaScript libraries or frameworks in MVC, such as AngularJS.

The smallest React example looks like this:

```
ReactDOM.render(  
  <h1>Hello, world!</h1>,  
  document.getElementById('root')  
)>
```

Check the [docs](#) and [Tutorial](#) for more information.

## Props

Props are the component's configurations that you pass to instances. They are received from the above component and immutable. For detailed information check [Components and Props](#)

## State

The state stores internal values of a component. It's a *serializable* representation of one point in time—a snapshot. The state can be manipulated within a component via `setState`. For detailed information check [State and Lifecycle](#)

## Lifecycle




Image source, last accessed 01/03/2019

Check [State and Lifecycle](#)

## JSX

React components are typically written in JSX, a JavaScript extension syntax allowing quoting of HTML and using HTML tag syntax to render subcomponents. HTML syntax is processed into JavaScript calls of the React framework. Developers may also write in pure JavaScript. An example of JSX code:

```
import React from 'react';

class App extends React.Component {
  render() {
    return (
      <div>
        <p>Header</p>
        <p>Content</p>
        <p>Footer</p>
      </div>
    );
  }
}

export default App;
```

# First steps

Now that we have set up our development setup and learned the basics about React and EcmaScript 6, we will start by creating a simple React based webapplication by the use of [create-react-app](#), that will include a simple react-geo component. This application will be extended towards a fully functional mapping application little by little later on.

Content of this chapter:

- [Base React application](#)
- [Development notes](#)
- [Include react-geo dependency](#)
- [Include a react-geo component](#)

## First steps

As a matter of course we could start this workshop by creating a React based webapplication by hand, but as you could imagine this would be a tough job for starters. So we want to dive into react-geo directly without the need to stick together all development tools to get a webapp running. Thankfully there is a project available, that we can use to generate an application for us (even without any configuration!): [create-react-app](#).

Creating a new application is easy. Just navigate to a folder of your choice and create a new app named *my-app* inside this directory with:

```
npx create-react-app my-app
```


This will take a while, but finally you will see a list of commands you can run inside the created folder. Now switch to the project's folder with:

```
cd my-app
```

Finally we can start the development server with:

```
npm start
```

To view the application in your browser please open <http://localhost:3000/>.



## Development notes

`create-react-app` includes a [webpack](#) development server. This server allows you to 'hot deploy' your edited code. This means that your code changes will be immediately visible in the browser.

- Edit `src/App.js` to modify the example... and let the magic happen!



```
import React from 'react';
import logo from './logo.svg';
import './App.css';

function App() {
  return (
    <div className="App">
      <header className="App-header">
        <img src={logo} className="App-logo" alt="logo" />
        <p>
          Edit <code>src/App.js</code> and save to reload.
        </p>
        <a
          className="App-link"
          href="https://reactjs.org"
          target="_blank"
          rel="noopener noreferrer"
        >
          Hallo Welt!
        </a>
      </header>
    </div>
  );
}

export default App;
```

## Include react-geo dependency

`react-geo` is published at <https://www.npmjs.com/package/@terrestris/react-geo> and can be integrated and installed in your *my-app* application via basic `npm` commands.

## Add react-geo dependency

To add the dependency `react-geo` please navigate to your project's folder (if not already done) and execute:

```
npm i @terrestris/react-geo
```

This will add the latest version of `react-geo` to your local `package.json` file (into the `dependencies` section) and download the distributed version of the library to the `node_modules` directory.

## Add Ant Design und OpenLayers dependencies

You may have noticed that the step from above has produced some warnings, which include `react-geo` :

```
npm WARN @terrestris/react-geo@16.2.0 requires a peer of antd@~3.0 but none is installed. You must install peer dependencies yourself.  
npm WARN @terrestris/react-geo@16.2.0 requires a peer of ol@~5.0 but none is installed. You must install peer dependencies yourself.
```

`npm` has three different types of dependencies:

### dependencies

`dependencies` are used to directly specify packages needed to *run* your application's code (e.g. a front-end library like [Bootstrap](#))

### devDependencies

`devDependencies` are reserved to specify packages needed to *build* your application's code (e.g. test harnesses like [Jest](#) or transpilers like [Babel](#)).

### peerDependencies

However, under some conditions, one wants to express the *compatibility* of a certain package with the host package and npm calls this dependency a `peerDependencies`. Usually this is used to express the dependency of a plugin inside this host package or similar. In `react-geo` we need to have `antd`, `ol` and `react` defined as peer dependencies due to scope issues, because all of them were usually referenced by the host package/the application itself in a certain version.

As `npm` handles dependencies hierarchically, including those packages in `react-geo` twice would lead to two different dependencies available in your application at runtime. To share the dependencies between your host application and `react-geo`, we advise `react-geo` to use the dependencies given by the host package.

To meet these requirements we have to install the requested peer dependencies by ourselves with:

```
npm i antd ol
```

Now we're ready to make use of all `react-geo` components and utilities inside our *my-app* application.

**info** Due to a breaking change in webpack, we also have to install following dependencies explicitly: `npm i buffer`

## Include a react-geo component

Now that we have `react-geo` installed, we can use it's components in the *my-app* application. For demonstration purposes we'll now add a [simple button](#) to the application.

Please open a text editor (if not already done) and open the file `App.js` from the `src` directory of your *my-app* application. Now import the `SimpleButton` class with the following statement:

```
import {
  SimpleButton
} from '@terrestris/react-geo';
```

The style definitions of `react-geo` and `antd` need to be imported as well:

```
import 'antd/dist/antd.min.css';
import './react-geo.css';
```

If the `react-geo.css` file is not yet located in the `src` directory please paste it from [here](#).

**info** Please note that we are importing css files with the ES6 `import` here. This needs a properly configured [css-loader](#). `create-react-app` includes this.

Now make use of the imported class by integrating it to the `render` method inside the `App` div (e.g. within the `<p>` -element):

```
<SimpleButton>
  Hello world!
</SimpleButton>
```

Save the file, open the application in your browser. You should see the changes directly, otherwise reopen <http://localhost:3000>. A blue button labelled with the text *Hello world* will be rendered.



Congratulations! You just created a complete React application including your first `react-geo` component with a few commands! We will now enhance the button to alert once it has been clicked by implementing a `onClick` callback function:

```
<SimpleButton
  onClick={() => {alert('Hello World!')}}
>
  Hello world!
</SimpleButton>
```



Save the changes and test the results by clicking on the button. You should now see a simple alert message with a *Hello World!* message.

We can also replace the text of the button with an icon. Simply remove the *Hello world* text and add the `icon` property with the value `"bars"` to the component.

```
<SimpleButton
  onClick={() => {alert('Hello World!')}}
  iconName="bars"
/>
```

Voilà! You added a nice menu button to your app!

Your final solution should look like the following snippet:

```
import React from 'react';
import logo from './logo.svg';
import './App.css';
import 'antd/dist/antd.min.css';
import './react-geo.css';

import {
  SimpleButton
} from '@terrestris/react-geo';

function App() {
  return (
    <div className="App">
      <header className="App-header">
        <img src={logo} className="App-logo" alt="logo" />
        <p>
          Edit <code>src/App.js</code> and save to reload.
        </p>
        <SimpleButton
          onClick={() => {alert('Hello World!')}}
          iconName="bars"
        />
      </header>
    </div>
  );
}

export default App;
```

## react-geo components

Currently (16.2.0), react-geo provides a bunch of components that can be used for building Web-GIS applications. For example:


- Buttons (e.g. to en/disable map interactions)
- CircleMenu
- NominatimSearch
- ScaleCombo
- PropertyGrid
- FeatureGrid
- LayerTree
- Legend
- MapComponent
- Panel / Window
- Slider (LayerTransparency)
- Toolbar
- AddWMS-Container
- Utils
  - GeometryUtil (topological operations)
  - FeatureUtil
  - MapUtil
- HigherOrderComponents
  - VisibleComponent
  - MapProvider

You find the full\* feature list [here](#).

In the following, we'll have a closer look at some components in detail and show how they can be used in combination.

# MapComponent

Wrapper for an OpenLayers map. The `ol.map` is passed to the `MapComponent` as a prop.



- The map object can be shared across the whole application without passing it as prop to the whole render tree.
- The map can be created asynchronously (using a [Promise](#)) so that every child of the MapProvider is just rendered when the map is ready.
- [Documentation](#)

**Task:** Add a map to your application. Use openstreetmap as tile layer.

```
import React from 'react';

import OlMap from 'ol/Map';
import OlView from 'ol/View';
import OlLayerTile from 'ol/layer/Tile';
import OlSourceOsm from 'ol/source/OSM';

import './App.css';
import 'ol/ol.css';
import 'antd/dist/antd.min.css';
import './react-geo.css';

import {
  MapComponent
} from '@terrestris/react-geo';

const layer = new OlLayerTile({
  source: new OlSourceOsm()
});

const center = [ 788453.4890155146, 6573085.729161344 ];

const map = new OlMap({
  view: new OlView({
    center: center,
    zoom: 16,
  }),
  layers: [layer]
});

function App() {
  return (
    <div className="App">
      <MapComponent
        map={map}
      />
    </div>
  );
}
```

```
    </div>
  );
}


export default App;
```

Beside the OpenLayers style the app needs its own stylesheet, e.g. to size the map.

```
html, body, #root, .App, #map {
  margin: 0;
  padding: 0;
  height: 100%;
  width: 100%;
}
```

# Drawer

Drawers are a nice method to add features in a visual appealing way. In this case we make use of the [Drawer component](#) provided by antd. This can be opened and closed with the SimpleButton we created previously.



**Task:** Add a drawer with the title `react-geo-application` to the right side of the app and let it open and close via a SimpleButton.

Your solution should look something like this:

```
import React, { useState } from 'react';

import OlMap from 'ol/Map';
import OlView from 'ol/View';
import OlLayerTile from 'ol/layer/Tile';
import OlSourceOsm from 'ol/source/OSM';

import { Drawer } from 'antd';

import {
  SimpleButton,
  MapComponent
} from '@terrestris/react-geo';

import './App.css';
import 'ol/ol.css';
import 'antd/dist/antd.min.css';
import './react-geo.css';

const layer = new OlLayerTile({
  source: new OlSourceOsm()
});

const center = [ 788453.4890155146, 6573085.729161344 ];

const map = new OlMap({
  view: new OlView({
    center: center,
    zoom: 16,
  }),
  layers: [layer]
});

function App() {
  const [visible, setVisible] = useState(false);

  const toggleDrawer = () => {
    setVisible(!visible);
  }

  return (
    <div className="App">
      <MapComponent
        map={map}
      />
      <SimpleButton
        style={{position: 'fixed', top: '30px', right: '30px'}}
      />
    </div>
  );
}
```


```
      onClick={toggleDrawer}
      iconName="bars"
    />
    <Drawer
      title="react-geo-application"
      placement="right"
      onClose={toggleDrawer}
      visible={visible}
      mask={false}
    />
  </div>
);
}

export default App;
```

# NominatimSearch

NominatimSearch is a component that provides a search field querying [nominatim search](#) as geocoder. However, it is not limited to Nominatim search, see props `nominatimBaseUrl` .

- [Documentation](#)



**Task:** Add the NominatimSearch component to the drawer.

```
import React, { useState } from 'react';

import OlMap from 'ol/Map';
import OlView from 'ol/View';
import OlLayerTile from 'ol/layer/Tile';
import OlSourceOsm from 'ol/source/OSM';

import { Drawer } from 'antd';

import {
  SimpleButton,
  MapComponent,
  NominatimSearch
} from '@terrestris/react-geo';

import './App.css';
import 'ol/ol.css';
import 'antd/dist/antd.min.css';
import './react-geo.css';

const layer = new OlLayerTile({
  source: new OlSourceOsm()
});

const center = [ 788453.4890155146, 6573085.729161344 ];

const map = new OlMap({
  view: new OlView({
    center: center,
    zoom: 16,
  }),
  layers: [layer]
});

function App() {
  const [visible, setVisible] = useState(false);

  const toggleDrawer = () => {
    setVisible(!visible);
  }

  return (
    <div className="App">
      <MapComponent
        map={map}
      />
      <SimpleButton
        style={{position: 'fixed', top: '30px', right: '30px'}}
        onClick={toggleDrawer}
      />
    </div>
  );
}
```

```
        iconName="bars"
      />
      <Drawer
        title="react-geo-application"
        placement="right"
        onClose={toggleDrawer}
        visible={visible}
        mask={false}
      >
        <NominatimSearch
          key="search"
          map={map}
          style={{
            width: '100%'
          }}
        />
      </Drawer>
    </div>
  );
}


export default App;
```



# MeasureButton

- Button (toggle) to en/disable certain `ol.interaction` s and `ol.layer` s to measure a distance, a polygonal area or angles

- [Documentation](#)



**Task:** Add a MeasureButton to the drawer.

```
import React, { useState } from 'react';

import OlMap from 'ol/Map';
import OlView from 'ol/View';
import OlLayerTile from 'ol/layer/Tile';
import OlSourceOsm from 'ol/source/OSM';

import { Drawer } from 'antd';

import {
  SimpleButton,
  MapComponent,
  NominatimSearch,
  MeasureButton
} from '@terrestris/react-geo';

import './App.css';
import 'ol/ol.css';
import 'antd/dist/antd.min.css';
import './react-geo.css';

const layer = new OlLayerTile({
  source: new OlSourceOsm()
});

const center = [ 788453.4890155146, 6573085.729161344 ];

const map = new OlMap({
  view: new OlView({
    center: center,
    zoom: 16,
  }),
  layers: [layer]
});

function App() {
  const [visible, setVisible] = useState(false);

  const toggleDrawer = () => {
    setVisible(!visible);
  }

  return (
    <div className="App">
      <MapComponent
        map={map}
      />
      <SimpleButton
        style={{position: 'fixed', top: '30px', right: '30px'}}
        onClick={toggleDrawer}
      />
    </div>
  );
}
```


```
        iconName="bars"
      />
      <Drawer
        title="react-geo-application"
        placement="right"
        onClose={toggleDrawer}
        visible={visible}
        mask={false}
      >
        <NominatimSearch
          key="search"
          map={map}
          style={{
            width: '100%'
          }}
        />
        <MeasureButton
          key="measureButton"
          name="line"
          map={map}
          measureType="line"
          iconName="pen"
          pressedIconName="pen"
        >
          Measure distance
        </MeasureButton>
      </Drawer>
    </div>
  );
}

export default App;
```

# LayerTree

- Tree component displaying the map layers in a hierarchical way
- [Documentation](#)

Autoconfigured with the topmost layer group ([OpenLayers LayerGroup](#)) of passed map.




**Task:** Add a basic LayerTree to the drawer.

**Hint:** To display the OSM Layer properly, add the `name` property to the `layer` variable.

```
<LayerTree
  map={map}
/>
```

The layer group ([OpenLayers LayerGroup](#)) can be passed as a prop as well.



**Task:** Add the layers *Food insecurity layer* and *World borders layer* as a layer group to the LayerTree.

**Steps:**

1. Create the layer group for the three layers
  - SRTM30-Contour <https://ows.terrestris.de/osm/service>
  - OSM-Overlay-WMS <https://ows.terrestris.de/osm/service>
  - OSM-WMS (from the previous examples)
2. Add the layer group to the map
3. Extend the LayerTree component with the property `layerGroup`

```
const layerGroup = new OlLayerGroup({
  name: 'Layergroup',
  layers: [
    new OlLayerTile({
      name: 'Food insecurity layer',
      minResolution: 200,
      maxResolution: 2000,
      source: new OlSourceTileJson({
        url: 'https://api.tiles.mapbox.com/v3/mapbox.20110804-hoa-foodinsecurity-3month.json?secure',
        crossOrigin: 'anonymous'
      })
    }),
    new OlLayerTile({
      name: 'World borders layer',
      minResolution: 2000,
      maxResolution: 20000,
      source: new OlSourceTileJson({
        url: 'https://api.tiles.mapbox.com/v3/mapbox.world-borders-light.json?secure',
```

```
        crossOrigin: 'anonymous'
      })
    })
  ]
});
```

```
<LayerTree
  layerGroup={layerGroup}
  map={map}
/>
```

### Complete Example:

```
import React, { useState } from 'react';

import OlMap from 'ol/Map';
import OlView from 'ol/View';
import OlLayerTile from 'ol/layer/Tile';
import OlSourceOsm from 'ol/source/OSM';
import OlSourceTileWMS from 'ol/source/TileWMS';
import OlLayerGroup from 'ol/layer/Group';

import { Drawer } from 'antd';

import {
  SimpleButton,
  MapComponent,
  NominatimSearch,
  MeasureButton,
  LayerTree
} from '@terrestris/react-geo';

import './App.css';
import 'ol/ol.css';
import 'antd/dist/antd.min.css';
import './react-geo.css';

const layerGroup = new OlLayerGroup({
  name: 'Layergroup',
  layers: [
    new OlLayerTile({
      source: new OlSourceOsm(),
      name: 'OSM'
    }),
    new OlLayerTile({
      name: 'SRTM30-Contour',
      minResolution: 0,
      maxResolution: 10,
      source: new OlSourceTileWMS({
        url: 'https://ows.terrestris.de/osm/service',
        params: {
          'LAYERS': 'SRTM30-Contour'
        }
      })
    }),
    new OlLayerTile({
      name: 'OSM-Overlay-WMS',
      minResolution: 0,
      maxResolution: 200,
      source: new OlSourceTileWMS({
        url: 'https://ows.terrestris.de/osm/service',
        params: {
          'LAYERS': 'OSM-Overlay-WMS'
        }
      })
    })
  ]
});
```

```
const center = [ 788453.4890155146, 6573085.729161344 ];

const map = new OlMap({
  view: new OlView({
    center: center,
    zoom: 16,
  }),
  layers: [layerGroup]
});

function App() {
  const [visible, setVisible] = useState(false);

  const toggleDrawer = () => {
    setVisible(!visible);
  }

  return (
    <div className="App">
      <MapComponent
        map={map}
      />
      <SimpleButton
        style={{position: 'fixed', top: '30px', right: '30px'}}
        onClick={toggleDrawer}
        iconName="bars"
      />
      <Drawer
        title="react-geo-application"
        placement="right"
        onClose={toggleDrawer}
        visible={visible}
        mask={false}
      >
        <NominatimSearch
          key="search"
          map={map}
          style={{
            width: '100%'
          }}
        />
        <MeasureButton
          key="measureButton"
          name="line"
          map={map}
          measureType="line"
          iconName="pen"
          pressedIconName="pen"
        >
          Measure distance
        </MeasureButton>
        <LayerTree
          map={map}
          layerGroup={layerGroup}
        />
      </Drawer>
    </div>
  );
}

export default App;
```

## React hooks

React Hooks were introduced in React 16.8 and allow us to handle state management and side-effects in function components. React Hooks enable us to write React applications with only function components. Thus, there is no need to use class components anymore.

Besides the integrated hooks you've already dealt with (e.g. `useState` ), it's possible building your own Hooks to extract component logic into reusable functions. `react-geo` comes with a simple `useMap` hook to get the current OpenLayers map instance into your component.

## useMap Hook

The `useMap` hook relies on the [React Context API](#) which allows us to pass data through the component tree without having to pass props down manually at every level.

## MapContext

The `MapContext` supplies the passed map to the React context (see also [here](#)) for the child elements.

## useMap

The `useMap` hook grabs a map object from the context and makes it available in the given component. See the [docs](#) for a working example.

**Task:** Update your app by mappifying your components.

```
import React, { useState } from 'react';

import OlMap from 'ol/Map';
import OlView from 'ol/View';
import OlLayerTile from 'ol/layer/Tile';
import OlSourceOsm from 'ol/source/OSM';
import OlSourceTileWMS from 'ol/source/TileWMS';
import OlLayerGroup from 'ol/layer/Group';

import { Drawer } from 'antd';

import {
  SimpleButton,
  MapComponent,
  NominatimSearch,
  MeasureButton,
  LayerTree,
  MapContext,
  useMap
} from '@terrestris/react-geo';

import './App.css';
import 'ol/ol.css';
import 'antd/dist/antd.min.css';
import './react-geo.css';

const layerGroup = new OlLayerGroup({
  name: 'Layergroup',
  layers: [
    new OlLayerTile({
      source: new OlSourceOsm(),
      name: 'OSM'
    }),
    new OlLayerTile({
      name: 'SRTM30-Contour',
      minResolution: 0,
      maxResolution: 10,
      source: new OlSourceTileWMS({
        url: 'https://ows.terrestris.de/osm/service',
        params: {
          'LAYERS': 'SRTM30-Contour'
        }
      })
    })
  ],
  new OlLayerTile({
    name: 'OSM-Overlay-WMS',
```

```
minResolution: 0,
maxResolution: 200,
source: new OlSourceTileWMS({
  url: 'https://ows.terrestris.de/osm/service',
  params: {
    'LAYERS': 'OSM-Overlay-WMS'
  }
}))
})
}
});

const center = [ 788453.4890155146, 6573085.729161344 ];

const olMap = new OlMap({
  view: new OlView({
    center: center,
    zoom: 16,
  }),
  layers: [layerGroup]
});

function Map() {
  const map = useMap();

  return (
    <MapComponent
      map={map}
    />
  );
};

function NominatimSearchWithMap() {
  const map = useMap();

  return (
    <NominatimSearch
      key="search"
      map={map}
      style={{
        width: '100%'
      }}
    />
  );
};

function MeasureButtonWithMap() {
  const map = useMap();

  return (
    <MeasureButton
      key="measureButton"
      name="line"
      map={map}
      measureType="line"
      iconName="pen"
      pressedIconName="pen"
    >
      Measure distance
    </MeasureButton>
  );
};

function LayerTreeWithMap(props) {
  const map = useMap();

  return (
    <LayerTree
      map={map}
      {...props}
    />
  );
};
```



```
};

function App() {
  const [visible, setVisible] = useState(false);

  const toggleDrawer = () => {
    setVisible(!visible);
  }

  return (
    <div className="App">
      <MapContext.Provider value={olMap}>
        <Map />
        <SimpleButton
          style={{position: 'fixed', top: '30px', right: '30px'}}
          onClick={toggleDrawer}
          iconName="bars"
        />
        <Drawer
          title="react-geo-application"
          placement="right"
          onClose={toggleDrawer}
          visible={visible}
          mask={false}
        >
          <NominatimSearchWithMap />
          <MeasureButtonWithMap />
          <LayerTreeWithMap
            layerGroup={layerGroup}
          />
        </Drawer>
      </MapContext.Provider>
    </div>
  );
}

export default App;
```

# Summary

Congratulations! You finished the react-geo-workshop!

In this workshop you learned to setup your first react-based application. Through the addition of different react-geo components such as `MapComponent`, `NominatimSearch` and `MeasureButton` you made the step from a simple `Hello World` to a fully fledged map application.

Your complete application should look something like this:



And here is the complete source code:

```
import React, { useState } from 'react';

import OlMap from 'ol/Map';
import OlView from 'ol/View';
import OlLayerTile from 'ol/layer/Tile';
import OlSourceOsm from 'ol/source/OSM';
import OlSourceTileWMS from 'ol/source/TileWMS';
import OlLayerGroup from 'ol/layer/Group';

import { Drawer } from 'antd';

import {
  SimpleButton,
  MapComponent,
  NominatimSearch,
  MeasureButton,
  LayerTree,
  MapContext,
  useMap
} from '@terrestris/react-geo';

import './App.css';
import 'ol/ol.css';
import 'antd/dist/antd.min.css';
import './react-geo.css';

const layerGroup = new OlLayerGroup({
  name: 'Layergroup',
  layers: [
    new OlLayerTile({
      source: new OlSourceOsm(),
      name: 'OSM'
    }),
    new OlLayerTile({
```

```
    name: 'SRTM30-Contour',
    minResolution: 0,
    maxResolution: 10,
    source: new OlSourceTileWMS({
      url: 'https://ows.terrestris.de/osm/service',
      params: {
        'LAYERS': 'SRTM30-Contour'
      }
    })
  })),
  new OlLayerTile({
    name: 'OSM-Overlay-WMS',
    minResolution: 0,
    maxResolution: 200,
    source: new OlSourceTileWMS({
      url: 'https://ows.terrestris.de/osm/service',
      params: {
        'LAYERS': 'OSM-Overlay-WMS'
      }
    })
  })
]
});

const center = [ 788453.4890155146, 6573085.729161344 ];

const olMap = new OlMap({
  view: new OlView({
    center: center,
    zoom: 16,
  }),
  layers: [layerGroup]
});

function Map() {
  const map = useMap();

  return (
    <MapComponent
      map={map}
    />
  );
};

function NominatimSearchWithMap() {
  const map = useMap();

  return (
    <NominatimSearch
      key="search"
      map={map}
      style={{
        width: '100%'
      }}
    />
  );
};

function MeasureButtonWithMap() {
  const map = useMap();

  return (
    <MeasureButton
      key="measureButton"
      name="line"
      map={map}
      measureType="line"
      iconName="pen"
      pressedIconName="pen"
    >
      Measure distance
    </MeasureButton>
  );
};
```

```
    );  
  };  
  
  function LayerTreeWithMap(props) {  
    const map = useMap();  
  
    return (  
      <LayerTree  
        map={map}  
        {...props}  
      />  
    );  
  };  
  
  function App() {  
    const [visible, setVisible] = useState(false);  
  
    const toggleDrawer = () => {  
      setVisible(!visible);  
    }  
  
    return (  
      <div className="App">  
        <MapContext.Provider value={olMap}>  
          <Map />  
          <SimpleButton  
            style={{position: 'fixed', top: '30px', right: '30px'}}  
            onClick={toggleDrawer}  
            iconName="bars"  
          />  
          <Drawer  
            title="react-geo-application"  
            placement="right"  
            onClose={toggleDrawer}  
            visible={visible}  
            mask={false}  
          >  
            <NominatimSearchWithMap />  
            <MeasureButtonWithMap />  
            <LayerTreeWithMap  
              layerGroup={layerGroup}  
            />  
          </Drawer>  
        </MapContext.Provider>  
      </div>  
    );  
  }  
  
  export default App;
```

# Imprint

This workshop is licensed under the [CC BY-SA](#) license. In case of questions, feel free to contact us via GitHub [@terrestris](#), e-mail [info@terrestris.de](mailto:info@terrestris.de) or telephone 0228 – 962 899 51.

## Authors

- André Henn ([henn@terrestris.de](mailto:henn@terrestris.de))
- Daniel Koch ([koch@terrestris.de](mailto:koch@terrestris.de))
- Kai Volland ([volland@terrestris.de](mailto:volland@terrestris.de))
- Jan Suleiman ([suleiman@terrestris.de](mailto:suleiman@terrestris.de))