

Skills Network

Create credentials to access your database instance

Objective(s)

At the end of this lab you will be able to:

- Create your own instance of database on IBM Cloud using DB2 service

Exercise

Database credentials are required to connect from remote applications like Jupyter notebooks which are used in the labs and assignment in the last two weeks of the course.

0. Go to your IBM Cloud Resources dashboard (or click on IBM Cloud in the top left corner):

<https://cloud.ibm.com/resources>

Note: you may need to log into IBM Cloud in the process of loading the resources/dashboard.

If your connection is slow it may take over 30 seconds for the dashboard to fully load.

1. Locate and click on your Db2 service listed under Services.

(**NOTE:** In the example below the service is called "Db2-xx" but your Db2 service may have a different letters/numbers in the suffix e.g. "Db2-f8", "Db-50", etc.)

Filter by name or IP address...	Filter by group or org...	Filter...	Filter...	Filter...
Cloud Foundry apps (3)				
iot-solution-tutorial	@gmail.com / se...	London	SDK for Node.js™	Stopped
your-name-computer-vision-app	@gmail.com / lav...	London	Python	Started
Cloud Foundry services (1)				
Car Diagnostic API-6b	@gmail.com / dev	London	Car Diagnostic API	Provisioned
Services and software (8)				
Cloudant-ex	Default	London	Cloudant	Active
Db2-f7	Default	London	Db2	Active
Language Translator-iu	Default	London	Language Translator	Active

2. Click on Service Credentials in the left menu

Db2-f7



Active

Add tags




Manage

Getting started

Service credentials

Connections

3. Click on the button to create **New credential**



In the prompt that comes up click the "Add" button in the bottom right:

Create credential

Name:

Service credentials-3

Role: ⓘ

Manager

Advanced options ▾

Cancel

Add

- 4. Check the box to **View credentials**
- 5. Copy and save the credentials making a note of the following:

- **port** is the database port
- **db** is the database name
- **host** is the hostname of the database instance
- **username** is the username you'll use to connect
- **password** is the password you'll use to connect

Resource list /

Db2-f7

Active

Add tags

Details

Actions...

Manage

Getting started

Service credentials

Connections

Service credentials

You can generate a new set of credentials for cases where you want to manually connect an app or external consumer to an IBM Cloud service. [Learn more](#)

Search credentials...

New credential

Key name

Date created

Service credentials-1

2021-07-09 4:42 PM

{
 "connection": {
 "cli": {
 "arguments": [
 "-u",
 "mwh70849",
 "-p",
 " ",
 "--ssl",
 "--sslCAFile",
 "1dd14d0c-1b52-4f63-a606-53ecba28771d",
 "--authenticationDatabase",
 "admin",
 "--host",
 " ".dat
],
 "abases.appdomain.cloud:31198"
 }
 }
}

You need to scroll down to get the credentials details.

```
"db2": {  
  "authentication": {  
    "method": "direct",  
    "password": " ",  
    "username": "qdg93144"  
  },  
  "certificate": {  
    "certificate_base64": "LS0tLS1CRUdJTiBDRVJUSUZJQ0FURSB0tLS0tCk1JSURFakNDQWZxZ0F3SUJBZ01KQVA1S0R3ZTNCTkxiTUEwR0NTcUdTSWZzRFFkN3VUFNQjR4SERBYUJnT1YKQkFNTUUbEN  
UU0JEYkc5MVpDQkVZWJFJmVW1Ge1pYTXdIaGN0TWpBd01qSTVNRFF5TVRBeVdoY05NekF3TWpJMgpNRFF5TVRBeVdQWVNUnd3R2dZRFZRUUREQk5KUWswZ1EyeHZkV1FnUkdGMF1XSmhjM1Z6TU1JQk1qQU5CZ2txCmhra  
Uc5dzBCQVFFRkFBT0NBUTHBTU1JQkNnS0NB0UUVBdXUvbW9xdkdGNU8xSGpEa1psK25iYjE4UkR4ZGwKTzRUL3FoUGMxMTREY1FUK0p1RXdhG13aG1jTGxaQnF2QWFMb1h1bmhqSVFOMG01L0x5YzdBY291VXNmSGR  
0QwpDVGcrSUsxbjBrdDMrTHM3d1dTakxqVE96N3M3M1ZUSU5yYmx3cnRIRUlvM1JWTKV6SkNHYW5LSXdZWZVSUtrClc1dNM1R0SD15cnFsSGN0Z2pIU1FmRkVTRm1YaHJiODhSQmd0amIva0xtVGpCaTFBeEVadWNobWZ2Q  
VRmNEN0Y3EKY21QcHNqdDBPTnI0YnhJMVRyUWxEemNiN1hMSFBzW91SUprdnVzMUZvaTEySmRNM1MxK31abFZPMUZmZkU3bWpKMjhUdGJoZ3JGOGtIU0NMskJvTTFZ3FPZG90Vm5Q0C9E0WZhamNNN01Wd2V4a01S0TN  
KR1FJREFRQUJvMU13ClVUQWRCZ05WSFE0RUZnUUVV1Q3JZanFJQzc1VUpxVmZEMDh1ZWdqeDZiUmN3SHdZRFZSMGpCQmd3Rm9BVWV0c1kKanFJQzc1VUpxVmZEMDh1ZWdqeDZiUmN3RHdZRFZSMFRBUUgVQkFVd0F3RUive  
kF0QmdrcWhraUc5dzBCQVZzRgpBQU9DQVFFQkYRTBU0Ut3M1N3RjJ2MXBqaHV4M01kWwV2SGFVSKRMb0tPd0hSRnFS0HgXZ2dRcGVFcFBnMk5SCkx3R08yek85SWZUMmhLaWd1d2o1WnJ5SGxxcH1xQ0pLOHJEU28xZUV  
PekIyWmE2S1YrQTVscEttMwdjV3VHYzMkk1U1rVTFzTDdlUjd3ZFFuVjU0TVU4aERvNi9sVHRMRVB2Mnc3V1NP51FDK013ejgrTFJMdjVHSW5BN1JySWNhKwozM0wxNnB4ZEttd1pLYThWcnBnMXJ3QzRnY3d1YUhYMUNEW  
E42K0JIBzhvW65Ywkh6UG91cldYS1BoaGdXZ2J5CkNDcUdIK0NWnQ1eFg3b05NS3VNSUNqRVZndnNLWnRqETQ5VW5iNVZZbHQ0b1J3dTF1bGdzRDNjek1tbj1LREQKNHB1REFvYTZyMktZZE4xVXxuN3F3VG1Tbd1TU05  
RPT0KLS0tLS1FTkQgQ0VSVE1GSUNBVEUtLS0tLQo=",  
    "name": "1cbbb1b6-3a1a-4d49-9262-3102a8f7a7c8"  
  },  
  "composed": [  
    "db2://qdg93144: @54a2f15b-5c0f-46df-8954-7e38e612c2bd.clogj3sd0tgtu0lqde00.databases.appdomain.cloud:32733/bludb?authSource=admin&replicaSet=r  
eplset"  
  ],  
  "database": "bludb",  
  "host_ios": [  
    "54a2f15b-5c0f-46df-8954-7e38e612c2bd.clogj3sd0tgtu0lqde00.databases.appdomain.cloud:30592"  
  ],  
  "hosts": [  
    {  
      "hostname": " ",  
      "port": 32733  
    }  
  ],  
  "jdbc_url": [  
    "jdbc:db2://54a2f15b-5c0f-46df-8954-7e38e612c2bd.clogj3sd0tgtu0lqde00.databases.appdomain.cloud:32733/bludb:user=<userid>;password=<your_password>;sslConnecti  
on=true;"  
  ],  
  "auth": " /bludb"
```

Author(s)

Rav Ahuja

Other Contributor(s)

Simran Garg

Changelog

Date	Version	Changed by	Change Description
2021-07-09	2.1	Malika	Updated screenshots
2020-08-27	2.0	Simran	Migrated lab to course in GitLab

© IBM Corporation 2020. All rights reserved.