


Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
Data Visualization with Power BI and Tableau

Practical – II

Roll No.: T039	Name: Bhavesh Ramakant Salaskar
Class: T.Y.IT	Batch: 1
Date of Assignment: 20-07-2026	Date/Time of Submission: 20-08-2026

<https://www.kaggle.com/datasets/abuhumzakhn/store-data>

a) Create basic calculated fields using formulas





Profit Margin Ratio

X


[Profit] / [Sales]

The calculation is valid.


ApplyOK



b) Perform row-level calculations




C: Performing Aggregate-Level Calculations



D: Implementing FIXED Level of Detail (LOD) Calculations

Fixed Regional Sales

```
{ FIXED [State] : SUM([Sales]) }
```



E: Using INCLUDE and EXCLUDE LOD Expressions

Include Sales per Customer

```
{ INCLUDE[Customer ID]:SUM([Sales]) }
```

SUM(Include Sale...


State

039

- Filter...
- Show Filter
- Apply to Worksheets
- Format...
- ✓ Show Header
- ✓ Include in Tooltip
- Find in Data pane
- Attribute
- Measure (Sum)
 - Sum
 - Average
 - Median
 - Count
 - Count (Distinct)
 - Minimum
 - Maximum
 - Percentile
 - Std. Dev
 - Std. Dev (Pop.)
 - Variance
 - Variance (Pop.)
- Discrete
- Continuous
- Edit in Shelf
- △ Add Table Calculation...
- Quick Table Calculation
- Remove

0M 10M 20


110M



f) Create and use parameters for dynamic analysis

Exclude Category Sales

```
{ EXCLUDE [Sub-Category]:SUM([Sales]) }
```



g) Apply calculations to fix data issues and enhance insights

Create Parameter



Name

Select Profit Threshold

Properties

Data type

Float

Display format

500

Current value

500

Value when workbook opens

Current value

Allowable values

☒ All

☐ List


☐ Range

Cancel

OK

KPI Threshold Met?

```
IF SUM([Profit]) >= [Select Profit Threshold] THEN "Target Achieved"  
ELSE "Below Target"  
END
```



Cleaned Discount

`IFNULL([Discount], 0)`

Standardized City Type

`UPPER([City Type])`

