

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



9231/32

May/June 2020

1 hour 30 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use 10 ms^{-2} .

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].


DC (PQ/FC) 187882/3
© UCLES 2020

[Turn over

BLANK PAGE

- 1 A particle P is projected with speed u at an angle of 30° above the horizontal from a point O on a horizontal plane and moves freely under gravity. The particle reaches its greatest height at time T after projection.

Find, in terms of u , the speed of P at time $\frac{2}{3}T$ after projection. [5]



A light inextensible string of length a is threaded through a fixed smooth ring R . One end of the string is attached to a particle A of mass $3m$. The other end of the string is attached to a particle B of mass m . The particle A hangs in equilibrium at a distance x vertically below the ring. The angle between AR and BR is θ (see diagram). The particle B moves in a horizontal circle with constant angular speed $2\sqrt{\frac{g}{a}}$.


Show that $\cos \theta = \frac{1}{3}$ and find x in terms of a . [5]

[illegible]

- [illegible]

- (b)** Find the speed of P when the spring first returns to its natural length. [4]

[illegible]



A uniform square lamina $ABCD$ has sides of length 10 cm. The point E is on BC with $EC = 7.5$ cm, and the point F is on DC with $CF = x$ cm. The triangle EFC is removed from $ABCD$ (see diagram). The centre of mass of the resulting shape $ABEFD$ is a distance $\bar{x}$ cm from CB and a distance $\bar{y}$ cm from CD .

- (a) Show that $\bar{x} = \frac{400 - x^2}{80 - 3x}$ and find a corresponding expression for $\bar{y}$. [4]

[illegible]

- [illegible]

- (b)** Find an expression for the displacement of P from its initial position when its velocity is $2u$. [5]

This image shows a full page of a blank sheet of white paper. It features approximately 20 evenly spaced horizontal dotted lines running across the width of the page, providing a guide for handwriting practice. The lines are light gray or black dots, and there is no other content on the page.

- 6 A particle P of mass m is moving with speed u on a fixed smooth horizontal surface. The particle strikes a fixed vertical barrier. At the instant of impact the direction of motion of P makes an angle α with the barrier. The coefficient of restitution between P and the barrier is e . As a result of the impact, the direction of motion of P is turned through 90° .

(a) Show that $\tan^2 \alpha = \frac{1}{e}$. [3]

This image shows a full page of a handwriting practice worksheet. It consists of approximately 20 horizontal dotted lines spaced evenly down the page, providing a guide for letter height and placement. The background is plain white, and there are no other markings or text present.

The particle P loses two-thirds of its kinetic energy in the impact.

(b) Find the value of α and the value of e . [5]

[illegible]

(a) Show that $\theta = 60^\circ$. [5]

This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings on the page.

© UCLES 2020

This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page, providing a template for handwriting practice or general note-taking. There are no margins, text, or other markings on the page.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.