



Cambridge International AS & A Level

CANDIDATE
NAME
CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

FURTHER MATHEMATICS

9231/42

Paper 4 Further Probability & Statistics

May/June 2025

1 hour 30 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION


- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has **16** pages. Any blank pages are indicated.



BLANK PAGE






DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN



As shown in the diagram, the continuous random variable X has probability density function f given by

$$f(x) = \begin{cases} a & 0 \leq x \leq 5, \\ b - cx & 5 \leq x \leq 8, \\ 0 & \text{otherwise,} \end{cases}$$

where a , b and c are constants.

- (a) Show that $a = \frac{2}{13}$ and find the values of b and c . [3]

[illegible]

(b) Find the mean of X .

[illegible]

(c) Find the median of X .

[2]

.....

.....

.....

.....

.....

The random variable Y is defined by $Y = X^2$.

(d) Find the cumulative distribution function for Y .

[4]

[illegible]



- 3 Eggs in a supermarket are sold in boxes of six. A supermarket manager wishes to model the number of broken eggs in the boxes sold in the store. A random sample of 2000 boxes is taken and the number of broken eggs recorded. The observed frequencies are shown in the table below.

Number of broken eggs	0	1	2	3	4	5	6
Observed frequency	1844	143	11	0	1	0	1

- (a) Use the data to estimate the probability that an egg is broken. Give your answer correct to 4 significant figures. [1]

.....

.....

.....

.....

.....

.....

It is decided to carry out a goodness of fit test at the 0.5% significance level to determine whether a binomial distribution fits the data.

The observed frequencies and the expected frequencies are given in the following table.

Number of broken eggs	0	1	2	3	4	5	6
Observed frequency	1844	143	11	0	1	0	1
Expected frequency	1831.3	a	6.016	0.119	0.001	0.000	0.000

- (b) Show that $a = 162.6$ correct to 1 decimal place. [1]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





- [illegible]

-
-
-


- 4 A researcher is interested in whether there is a difference between two schools in students' aptitude for English. She randomly chooses 10 students from school X and 8 students of a similar age from school Y to take a written English test. The scores for the students from school X (x) and school Y (y) are summarised as follows.

$$\Sigma x = 612 \qquad \Sigma x^2 = 40\,104 \qquad \Sigma y = 444 \qquad \Sigma y^2 = 27\,460$$

You should assume that the two distributions are normal and have the same population variance.

- (a) Find a 95% confidence interval for the difference in the mean scores for students from school X and students from school Y in the written English test. [6]

This image shows a full page of white paper with horizontal dotted lines, typical of primary-ruled notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

[illegible]

-
-
-




- 5 Two jigsaw puzzles have the same number of pieces with identical shapes but have different pictures printed on them. One puzzle has a seaside picture and the other has a cartoon picture. A researcher believes that children will complete the cartoon puzzle more quickly. To test this belief, 10 children are randomly selected. The time taken in seconds for each child to complete each puzzle is recorded below.

Child	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>	<i>H</i>	<i>I</i>	<i>J</i>
Seaside	182	130	193	181	192	204	184	192	180	189
Cartoon	161	111	195	159	202	200	168	165	145	160

- (a) Carry out a Wilcoxon matched-pairs signed-rank test at the 5% significance level to test the researcher's belief. [6]

This image shows a full page of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.



This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings on the page.

(c) Comment on the validity of using this experiment to test the researcher's belief. [1]



- 6 Y is a discrete random variable which takes the values $0, 2, 4, \dots$. The probability generating function of Y is given by

$$G_Y(t) = \frac{k}{1 - at^2}.$$

- (a) Find k in terms of a . [1]

[illegible]

- (b)** Show that $P(Y > 2) = a^2$. [3]

This image shows a full page of a handwriting practice worksheet. It consists of multiple sets of three horizontal dashed lines, providing a guide for letter height and placement. The lines are evenly spaced across the entire page, leaving ample room for writing practice. There is no text or other markings on the page.

This image shows a full page of a handwriting practice worksheet. It consists of approximately 20 horizontal rows. Each row is defined by two parallel dashed lines, creating a series of uniform gaps for letter height. The lines are evenly spaced across the entire page, providing a guide for consistent letter formation. There is no text or other markings on the page.

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

* 0000800000015 *



15

BLANK PAGE





Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

