

*

WolframAlpha (<https://www.wolframalpha.com/>)


GeoGebra (<https://www.geogebra.org/>)

Desmos (<https://www.desmos.com/>).

1

$$1. \quad y = \frac{Ax+B}{Cx+D} \quad (AD - BC \neq 0) \quad ($$

$$2. \quad k > 0; \quad b > 0 \quad y = kx + \frac{b}{x} \quad y = kx - \frac{b}{x}$$



$$x > 0 \quad y = kx + \frac{b}{x} \quad x = \underline{\hspace{2cm}}$$

$$\underline{\hspace{2cm}} \quad y = kx - \frac{b}{x} \quad x = \underline{\hspace{2cm}}.$$

$$3. \quad y = \frac{x^2 + Ax + B}{x + C} \quad y = \frac{x + C}{x^2 + Ax + B} \quad ($$

$$y = (x^2 + Ax + B)(x + C)$$

$$4. \quad y = \frac{P \sqrt{Ax^2 + B}}{Cx^2 + D} \quad y = \frac{P \sqrt{Ax^2 + B}}{Cx^2 + D} \quad t = \underline{\hspace{2cm}}$$

$$x^2 = t^2 \quad \frac{B}{A}$$

$$y = \frac{P \sqrt{A}}{C} \quad \frac{t}{t^2} \quad \frac{B}{A} + \frac{D}{C} = \frac{P \sqrt{A}}{C} \quad \frac{1}{t + \frac{D}{C} \frac{B}{A} \frac{1}{t}}$$

$$5. \quad y_i = \frac{4}{Cx_i + D} \quad (AD - BC \neq 0; \quad i = 1; 2; 3; 4)$$

$$\frac{(y_1 \ y_3)(y_2 \ y_4)}{(y_1 \ y_4)(y_2 \ y_3)} = \frac{(x_1 \ x_3)(x_2 \ x_4)}{(x_1 \ x_4)(x_2 \ x_3)}$$

$$6. \quad y = jx \quad b_1 + jx \quad b_2 + jx \quad b_n + jx \quad b_1 < b_2 < \dots <$$

$$7. \quad f(x)_{\max}; f(x)_{\min} \quad f(x) \quad (a; b)$$

$$9 \ x_0 \geq (a; b); \quad f(x_0) > m \quad) \quad \underline{\hspace{2cm}}$$

$$9 \ x_0 \geq (a; b); \quad f(x_0) < m \quad) \quad \underline{\hspace{2cm}}$$

$$8 \ x \geq (a; b); \quad f(x) < m \quad) \quad \underline{\hspace{2cm}}$$

$$8 \ x \geq (a; b); \quad f(x) > m \quad) \quad \underline{\hspace{2cm}}$$

$$8. \quad \log_a(MN) = \underline{\hspace{2cm}}.$$

$$\log_a \frac{M}{N} = \underline{\hspace{2cm}}.$$

$$\log_a M^n = \underline{\hspace{2cm}} \quad \log_{a^n} M = \underline{\hspace{2cm}}.$$

$$\log_a M = \underline{\hspace{2cm}}.$$

$$9. \quad ($$

$$f(x_1 + x_2) = f(x_1) + f(x_2) \quad \underline{\hspace{2cm}}$$

$$f \quad \frac{x_1 + x_2}{2} = \frac{f(x_1) + f(x_2)}{2} \quad \underline{\hspace{2cm}}$$

$$f(x_1 x_2) = f(x_1) f(x_2) \quad \underline{\hspace{2cm}}$$

$$f(x_1 + x_2) = f(x_1) f(x_2) \quad \underline{\hspace{2cm}}$$

$$f(x_1 x_2) = f(x_1) + f(x_2) \quad \underline{\hspace{2cm}}$$

$$f(x_1 x_2) = x_2 f(x_1) + x_1 f(x_2) \quad \underline{\hspace{2cm}}$$

$$f(x_1 + x_2) + f(x_1 - x_2) = 2 \ f(x_1) f(x_2) \quad \underline{\hspace{2cm}}$$

$$f(x_1 + x_2) = f(x_1) + f(x_2) + 2 \ x_1 x_2 \quad \underline{\hspace{2cm}}$$

$$10. \quad f(x) = \ln \frac{1+x}{1-x} \quad f(x) = \ln \frac{1}{1+x}$$

$$f(x_1) + f(x_2) = f(\underline{\hspace{2cm}})$$

$$11. \quad \arctan x_1 + \arctan x_2 = \underline{\hspace{2cm}}.$$

- 12 “ < ” “ > ”
 $x_1, x_2 \in (0; \frac{\pi}{2})$; $x_1 \neq x_2$
 $\frac{1}{2}(\sin x_1 + \sin x_2) \underline{\hspace{1cm}} \sin \frac{x_1 + x_2}{2}$
 $x_1, x_2 \in (0; \frac{\pi}{2})$; $x_1 \neq x_2$
 $\frac{1}{2}(\tan x_1 + \tan x_2) \underline{\hspace{1cm}} \tan \frac{x_1 + x_2}{2}$
 $x_1, x_2 \in \mathbf{R}$; $x_1 \neq x_2$
 $\frac{e^{x_1} + e^{x_2}}{2} \underline{\hspace{1cm}} e^{\frac{x_1 + x_2}{2}}$
 $x_1, x_2 \in (0; +\infty)$; $x_1 \neq x_2$
 $\frac{\ln x_1 + \ln x_2}{2} \underline{\hspace{1cm}} \ln \frac{x_1 + x_2}{2}$
 $x_1, x_2 \in (0; +\infty)$; $x_1 \neq x_2$; $\ln \mathbf{R}$; $\ln > 1$
 $\frac{x_1 + x_2}{2} \underline{\hspace{1cm}} \frac{x_1 + x_2}{2}$
- 13 $f(x) \cdot f(x) = \frac{1}{f(x+a)} \cdot f(x)$
 $\underline{\hspace{1cm}}$.
- 14 $f(x) \cdot f(x+a) = f(b-x) \cdot f(x)$
 $\underline{\hspace{1cm}}$.
- 15 $f(x) \cdot x = a \cdot (b; c)$
 $a \neq b \cdot f(x) \cdot T = \underline{\hspace{1cm}}$.
- 16 $a; b; c > 0 \cdot \frac{a+b+c}{3} >$
 $\underline{\hspace{1cm}}$.
- 17 $a; b > 0; x > 0$
 $ax^2 + \frac{b}{x} = ax^2 + \frac{b}{2x} + \frac{b}{2x} > \underline{\hspace{1cm}}$
 $ax + \frac{b}{x^2} = \frac{1}{2}ax + \frac{1}{2}ax + \frac{b}{x^2} > \underline{\hspace{1cm}}$.
- 18 $f(x) \cdot [a; b]$
 $f(a) \cdot f(b) \underline{\hspace{1cm}} x_0 \in (a; b) \cdot f(x_0) = 0$.
- 19 $f_0(x) = x; f_1(x) = f(x); f_{n+1}(x) = f(f_n(x))$.
 $f_n(x) \cdot f(x) \cdot n$
- | | |
|-------------------------|---|
| $f(x)$ | $f_n(x)$ |
| $x + 2^{\frac{1}{x-1}}$ | |
| $\frac{x}{a+bx}$ | |
| $\sqrt[k]{ax^k+b}$ | |
| $x^2 + 2x$ | |
| $\frac{x^2}{2x-1}$ | $\frac{x^{2^n}}{x^{2^n} - (x-1)^{2^n}}$ |

20 $f_1(x) = f(x) = \frac{1+x}{1-x}$; $f_{n+1}(x) = f(f_n(x)) \quad n \in \mathbf{N}^+$
 $k \in \mathbf{N} \quad f_{4k+1}(x) = \underline{\hspace{1cm}}, f_{4k+2}(x) = \underline{\hspace{1cm}},$
 $f_{4k+3}(x) = \underline{\hspace{1cm}}, f_{4k+4}(x) = \underline{\hspace{1cm}}.$

2

21. $P_n^k = \underline{\hspace{1cm}} \quad A_n^k.$
22. $C_n^k = C_n^{n-k} = \underline{\hspace{1cm}}.$
 $C_n^k + C_n^{k-1} = \underline{\hspace{1cm}}.$
23. $(a+b)^n = \underline{\hspace{1cm}}.$
24. $(a+b+c)^2 = \underline{\hspace{1cm}}.$
 $(\sqrt[3]{a} + \sqrt[3]{b} + \sqrt[3]{c})^2$
25. $\frac{1}{1-1} \cdot \frac{1}{1-2} \cdot \frac{1}{1-1} = \underline{\hspace{1cm}}$
 $\underline{\hspace{1cm}}$
 $\underline{\hspace{1cm}}$
 $\underline{\hspace{1cm}}$
 $\frac{\mathbb{P}}{k=0} C_n^k = \underline{\hspace{1cm}}.$
26. $C_{2n}^3 \cdot C_{2n}^5; \quad \underline{\hspace{1cm}} \quad (\quad “ \quad ” \quad “ \quad ” \quad) \quad C_{2n}^1$
27. $\sum_{k=r}^n C_k^r = \underline{\hspace{1cm}}; \quad \sum_{k=0}^n C_m^k C_n^{r-k} = \underline{\hspace{1cm}}$
 $\sum_{k=1}^n k C_n^k = \underline{\hspace{1cm}}; \quad \sum_{k=1}^n k^2 C_n^k = \underline{\hspace{1cm}}$
28. $n \cdot D_n \cdot D_1 = 0; D_2 = 1$
 $D_n = (n-1)(D_{n-1} + D_{n-2})$
 $D_n - nD_{n-1} = [D_{n-1} - (n-1)D_{n-2}] = (-1)^n$
 $\frac{D_n}{n!} - \frac{D_{n-1}}{(n-1)!} = \frac{(-1)^n}{n!}$
 $D_n = n! - 1 \cdot \frac{1}{1!} + \frac{1}{2!} + \dots + (-1)^n \frac{1}{n!}$
29. $ax + bx^n$
 $T_{r+1} = C_n^r a^{n-r} b^r x^{(n-r)+r};$

$$\begin{aligned} C_n^m a^n b^m & \\ & \geq C_n^m a^n b^m > \underline{\hspace{2cm}} \\ & \geq C_n^m a^n b^m > \underline{\hspace{2cm}} \end{aligned}$$

$$30. \quad k \in \mathbf{N} \quad \frac{30k+1}{2} \quad \frac{30k+30}{3} \quad \frac{30}{5} \quad \underline{\hspace{2cm}}$$

3

$$31. \quad S = f(k_1; k_2; \dots; k_n) \\ f(x) = (1+x^{k_1})(1+x^{k_2}) \dots (1+x^{k_n}) \quad f(x) \\ \underline{\hspace{2cm}} \quad S \\ m \in \mathbf{N}$$

$$32. \quad (\quad) \quad E(X) = \underline{\hspace{2cm}} \\ E(aX+b) = \underline{\hspace{2cm}}. \\ D(X) = E[f(X-E(X))^2] = \underline{\hspace{2cm}} \\ D(aX+b) = \underline{\hspace{2cm}}.$$

$$33. \quad n \quad \underline{\hspace{2cm}}$$

$$34. \quad P(A_1 \cap A_2) = \underline{\hspace{2cm}}$$

$$35. \quad P(B|A) = \underline{\hspace{2cm}}. \\ P(A \setminus B) = \underline{\hspace{2cm}}. \\ A; B \quad P(A \setminus B) = \underline{\hspace{2cm}}.$$

$$36. \quad P(A) = \underline{\hspace{2cm}}.$$

$$37. \quad P(\quad|A) = \underline{\hspace{2cm}}$$

$$38. \quad \begin{matrix} b(n;p) & A \\ p & n & A & k \end{matrix} \\ PfX = kg = \underline{\hspace{2cm}}. \quad \underline{\hspace{2cm}}$$

$$39. \quad n \quad k \\ PfX = kg = (1-p)^k \cdot p; \quad k \in \mathbf{N}^+; \quad 0 < \\ p < 1. \quad \underline{\hspace{2cm}} \quad \underline{\hspace{2cm}}.$$

$$40. \quad \begin{matrix} N & D(D \in N) \\ n(n \in N) & k(k \in D) \end{matrix} \\ PfX = kg = \frac{nD}{N} \cdot \frac{1}{N} \cdot \frac{D}{N} \cdot \frac{N}{N} \cdot \frac{n}{1}. \\ \underline{\hspace{2cm}}$$

$$41. \quad f(x) = \frac{1}{2} e^{-\frac{(x-2)^2}{2}}; \quad x \in \mathbf{R}; \quad > 0. \\ X \quad \underline{\hspace{2cm}} \quad \underline{\hspace{2cm}}. \quad X \sim N(\quad; \quad^2) \\ \underline{\hspace{2cm}} \quad \underline{\hspace{2cm}} \quad (\quad).$$

$$42. \quad \hat{y} = \hat{a} + \hat{b}x. \\ \hat{b} = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{\sum_{i=1}^n (x_i - \bar{x})^2} = \frac{\sum_{i=1}^n x_i y_i - n\bar{x}\bar{y}}{\sum_{i=1}^n x_i^2 - n\bar{x}^2} \\ = \frac{\sum_{i=1}^n x_i y_i - \frac{1}{n} \sum_{i=1}^n x_i \sum_{i=1}^n y_i}{\sum_{i=1}^n x_i^2 - \frac{1}{n} \sum_{i=1}^n x_i \sum_{i=1}^n x_i} \\ \hat{a} = \bar{y} - \hat{b}\bar{x} \\ (\bar{x}; \bar{y}).$$

$$43. \quad r = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{\sum_{i=1}^n (x_i - \bar{x})^2} = \frac{\sum_{i=1}^n x_i y_i - n\bar{x}\bar{y}}{\sum_{i=1}^n x_i^2 - n\bar{x}^2} \\ = \frac{\sum_{i=1}^n x_i y_i - \frac{1}{n} \sum_{i=1}^n x_i \sum_{i=1}^n y_i}{\sum_{i=1}^n x_i^2 - \frac{1}{n} \sum_{i=1}^n x_i \sum_{i=1}^n x_i} \\ = \frac{\sum_{i=1}^n x_i y_i - \frac{1}{n} \sum_{i=1}^n x_i \sum_{i=1}^n y_i}{\sum_{i=1}^n x_i^2 - \frac{1}{n} \sum_{i=1}^n x_i \sum_{i=1}^n x_i}$$

44. () 2 2

	$Y = 0$	$Y = 1$	
$X = 0$	a	b	$a + b$
$X = 1$	c	d	$c + d$
	$a + c$	$b + d$	$n = a + b + c + d$

$$r^2 = \frac{n(ad-bc)^2}{(a+b)(c+d)(a+c)(b+d)}$$

2 “ X Y ”

4

$$45. \quad \cos(\quad) = \underline{\hspace{2cm}} \\ \sin(\quad) = \underline{\hspace{2cm}}$$

46.

$$\sin 2x = \underline{\hspace{2cm}}$$

$$\cos 2x = \underline{\hspace{2cm}}$$

$$(\hspace{2cm})$$

47.

$$\sin 3x = \underline{\hspace{2cm}}$$

$$\cos 3x = \underline{\hspace{2cm}}$$

48.

$$\cos(n+1) = 2 \cos \cos n \underline{\hspace{2cm}}$$

49.

$$\sin x + \sin y = \underline{\hspace{2cm}}$$

$$\cos x + \cos y = \underline{\hspace{2cm}}$$

50.

$$\sin x \sin y = \underline{\hspace{2cm}}$$

$$\cos x \cos y = \underline{\hspace{2cm}}$$

$$\sin x \cos y = \underline{\hspace{2cm}}$$

51.

$$a \sin x + b \cos x$$

$$= \underline{\hspace{2cm}} \quad \tan' = \frac{b}{a}$$

$$a \sin x + b \cos(x + x_0)$$

$$= \underline{\hspace{2cm}}$$

$$a \cos^2 x + b \sin^2 x + c \sin x \cos x$$

$$= \underline{\hspace{2cm}}$$

$$a \sin^2 x + b \cos x = \underline{\hspace{2cm}}$$

52.

$$\sum_{k=1}^n \cos kx = \underline{\hspace{2cm}}$$

$$\sum_{k=1}^n \sin kx = \underline{\hspace{2cm}}$$

53. $\cos \frac{x}{2} \cos \frac{x}{4} \cos \frac{x}{2^n} = \underline{\hspace{2cm}}.$

54.

$$ABC \quad (A + B + C = \pi)$$

$$\sin A + \sin B + \sin C = \underline{\hspace{2cm}}$$

$$\cos A + \cos B + \cos C = \underline{\hspace{2cm}}$$

$$\tan A + \tan B + \tan C = \underline{\hspace{2cm}}$$

$$\tan \frac{A}{2} \tan \frac{B}{2} + \tan \frac{B}{2} \tan \frac{C}{2} + \tan \frac{A}{2} \tan \frac{C}{2} = \underline{\hspace{2cm}}$$

55.

$$ABC \quad A = B = C = \frac{\pi}{3}$$

$$0 < \sin A + \sin B + \sin C \leq \underline{\hspace{2cm}}$$

$$0 < \sin A \sin B \sin C \leq \underline{\hspace{2cm}}$$

$$0 < \cos A + \cos B + \cos C \leq \underline{\hspace{2cm}}$$

$$0 < \cos A \cos B \cos C \leq \underline{\hspace{2cm}}$$

56.

$$x \geq 0; \frac{\pi}{2} < x < \pi; \sin x > \frac{2}{\pi}x \quad \cos x > 1 - \frac{2}{\pi}x.$$

$$ABC$$

$$\sin A + \sin B + \sin C > \underline{\hspace{2cm}}$$

$$\cos A + \cos B + \cos C > \underline{\hspace{2cm}}$$

$$\tan A + \tan B + \tan C > \underline{\hspace{2cm}}$$

57.

$$\begin{cases} x = A \cos(\omega t + a) \\ y = B \cos(\omega t + b) \end{cases}; AB \neq 0 \quad t$$

58.

$$\sinh x = \underline{\hspace{2cm}}$$

$$\operatorname{arcsinh} x = \underline{\hspace{2cm}}$$

$$\cosh x = \underline{\hspace{2cm}}$$

$$\operatorname{arccosh} x = \underline{\hspace{2cm}}.$$

$$(\sinh x)^0 = \underline{\hspace{2cm}} \quad (\cosh x)^0 = \underline{\hspace{2cm}}.$$

$$(\operatorname{arcsinh} x)^0 = \underline{\hspace{2cm}} \quad (\operatorname{arccosh} x)^0 = \underline{\hspace{2cm}}.$$

$$(\cosh x)^2 - (\sinh x)^2 = \underline{\hspace{2cm}}.$$

5

59.

$$i^{4n} = \underline{\hspace{2cm}} \quad i^{4n+1} = \underline{\hspace{2cm}} \quad i^{4n+2} = \underline{\hspace{2cm}} \quad i^{4n+3} = \underline{\hspace{2cm}}.$$

60.

$$\overline{\overline{z}} = \underline{\hspace{2cm}} \quad \overline{\frac{z_1}{z_2}} = \underline{\hspace{2cm}}$$

$$\frac{\overline{z_1}}{\overline{z_2}} = \underline{\hspace{2cm}} \quad \frac{\overline{z_1}}{z_2} = \underline{\hspace{2cm}}.$$

61.

$$jzj = \underline{\hspace{2cm}} \quad z\bar{z} = \underline{\hspace{2cm}}$$

$$jz_1z_2j = \underline{\hspace{2cm}} \quad \frac{z_1}{z_2} = \underline{\hspace{2cm}}$$

$$jz_1 + z_2j^2 + jz_1 \quad z_2j^2 = \underline{\hspace{2cm}}.$$

62

$$\underline{\hspace{2cm}} \in jz_1 \quad z_2j \in \underline{\hspace{2cm}}.$$

63

$$\frac{P \overline{A+B} \overline{C}}{P \overline{A+B} \overline{C}} (A > 0; C > 0)$$

$$= \frac{x + y \overline{C}}{P \overline{C}}$$

$$\underline{\hspace{2cm}}. \quad A >$$

64

$$P \overline{a + bi} \quad P \overline{a + bi} = x + yi$$

$$\underline{\hspace{2cm}}.$$

65

$$e^{ix} = \underline{\hspace{2cm}}.$$

66

$$e = 2.718281828$$

$$e = \underline{\hspace{2cm}}$$

$$67. \cos(n) + i\sin(n) = (\underline{\hspace{2cm}})^n$$

$$n$$

68

$$x^n = 1; n \in \mathbf{N}^+ \quad x \quad n$$

$$\underline{\hspace{2cm}}.$$

69

$$(x + iy)(\cos + i\sin) = \underline{\hspace{2cm}} (\underline{\hspace{2cm}}).$$

6

70

$$71. \begin{matrix} \overline{a} \\ \overline{a} \end{matrix} = (a_1; a_2; a_3) \quad \begin{matrix} \overline{b} \\ \overline{b} \end{matrix} = (b_1; b_2; b_3) \quad (\text{“ ”})$$

$$\begin{matrix} \overline{a} \\ \overline{a} \end{matrix} \begin{matrix} \overline{b} \\ \overline{b} \end{matrix} = j \overline{a} j j \overline{b} j \cosh \overline{a}; \overline{b} i = \underline{\hspace{2cm}}$$

$$\begin{matrix} \overline{a} \\ \overline{a} \end{matrix}; \begin{matrix} \overline{b} \\ \overline{b} \end{matrix}$$

$$\cosh \overline{a}; \overline{b} i = \underline{\hspace{2cm}}$$

72

$$\begin{matrix} a_1 & a_2 \\ b_1 & b_2 \end{matrix} = \underline{\hspace{2cm}}.$$

$$73. \begin{matrix} \overline{a} \\ \overline{a} \end{matrix} = (a_1; a_2; a_3) \quad \begin{matrix} \overline{b} \\ \overline{b} \end{matrix} = (b_1; b_2; b_3) \quad (\text{“ ”})$$

$$\begin{matrix} \overline{a} \\ \overline{a} \end{matrix} \begin{matrix} \overline{b} \\ \overline{b} \end{matrix} = \begin{matrix} \overline{i} & \overline{j} & \overline{k} \\ a_1 & a_2 & a_3 \\ b_1 & b_2 & b_3 \end{matrix}$$

$$= \underline{\hspace{2cm}}$$

$$\begin{matrix} \overline{i} & \overline{j} & \overline{k} \\ i & j & k \end{matrix}$$

$$x; y; z$$

$$\begin{matrix} \overline{a} \\ \overline{a} \end{matrix} \begin{matrix} \overline{b} \\ \overline{b} \end{matrix} \notin$$

$$\begin{matrix} \overline{b} \\ \overline{b} \end{matrix} \begin{matrix} \overline{a} \\ \overline{a} \end{matrix}. \quad j \overline{a} \quad \begin{matrix} \overline{b} \\ \overline{b} \end{matrix} j = \underline{\hspace{2cm}}. \quad (\text{“ ”})$$

74

$$a_3 = b_3 = 0 \quad \begin{matrix} \overline{j} \overline{a} \\ \overline{a}; \overline{b} \\ \overline{a}; \overline{b} \end{matrix} \quad \begin{matrix} \overline{b} \\ \overline{b} \end{matrix} j = \underline{\hspace{2cm}} \quad (\text{“ ”})$$

$$(a_1^2 + a_2^2)(b_1^2 + b_2^2)$$

$$= (a_1 b_1 + a_2 b_2)^2 + \underline{\hspace{2cm}}$$

$$\begin{matrix} \overline{a} & ? & \overline{b} \\ \overline{a} // \overline{b} \end{matrix}$$

$$\underline{\hspace{2cm}} \quad (\text{“ ”}).$$

$$\underline{\hspace{2cm}} \quad (\text{“ ”}).$$

75.

$$\begin{matrix} \overline{e}_1 & \overline{e}_2 \\ \overline{a} \end{matrix}$$

$$\begin{matrix} \overline{e}_1 & \overline{e}_2 \end{matrix}$$

$$\underline{\hspace{2cm}}.$$

76

$$O; P; Q; R \quad \overline{OR} = \overline{OP} + \overline{OQ}$$

$$P; Q; R \quad \underline{\hspace{2cm}}.$$

77.


$$O \quad A; B; C \quad C$$

$$\overline{AB} \quad (\text{“ ”}) \quad \overline{OA}; \overline{OB}$$

$$(0 < \quad < \quad) \quad \overline{OC} \quad \overline{OA}; \overline{OB}$$

$$t; (1 - t) \quad 0 < t < 1 \quad \overline{OC} = \overline{OA} + \overline{OB}$$

$$= \underline{\hspace{2cm}} = \underline{\hspace{2cm}}.$$



7

78

$$\underline{\hspace{2cm}}$$

$$\underline{\hspace{2cm}}$$

79. $\begin{array}{ccc} & \text{---} & \\ & \text{---} & \\ ABC & & G \\ O & & \end{array}$ _____.

$$\dot{O}G = \underline{\hspace{2cm}} (\dot{O}A + \dot{O}B + \dot{O}C)$$

80. _____

R

81.

$$c^2 = a^2 + b^2 \quad 2 \text{ } \overset{!}{a} \quad \overset{!}{b}$$
$$= \underline{\hspace{2cm}}$$
$$\overset{!}{a} \quad \overset{!}{b} = \underline{\hspace{2cm}}$$
$$\cos C = \underline{\hspace{2cm}}$$

82 “ ” ” ”

83. ABC

$a + b + c > 2(a \cos A + b \cos B + c \cos C)$

$$a^2 + b^2 + c^2 = 2bc \cos A + 2ac \cos B + 2ab \cos C$$

$$\begin{array}{ccc} a;b;c & & x;y;z \\ A+B+C= & & \\ x^2+y^2+z^2> & & \end{array}$$

84. $(a^2 - b^2)^2 + (2ab)^2 = (\quad)^2$
 $a, b (a \notin b)$
 $(3; 4; 5), (5; 12; 13), (7; 24; 25), (8; 15; 17), (9; 40; 41),$
 $(11; 60; 61), (20; 21; 29).$

85. $a^2 \quad \sqrt{a} \quad b^2 \quad \sqrt{b}$

86 $\frac{ABC}{a+b+c} \quad R \quad r \quad p =$
 $\frac{2}{2}$ _____.
 $R; A; B; C$ _____.
 $R; a; b; c$ _____.
 $p; r$ _____.
 $p; a; b; c$ _____.

87. r $r = \underline{\hspace{2cm}}$ ($p; a; b; c$
 $\hspace{1.5cm}$).

88 ABC

$a^2 + b^2 + c^2 > \underline{\hspace{1cm}} S_{ABC}$

89.
$$\frac{ABC}{ABC} = \frac{AB;BC;AC}{(\quad)}$$

$$xy + yz + zx = \frac{4}{3}S_{ABC} \leq \frac{1}{3}(a^2 + b^2 + c^2)$$

$(R > 2r).$

91. ABC O AOB BOC
 COA $S_C:S_A:S_B$

$$S_A + S_B + S_C = 0$$

$O \quad ABC$


$S_A : S_B : S_C = \underline{\hspace{2cm}}$

$$S_A : S_B : S_C = \underline{\hspace{2cm}}$$

$$S_A : S_B : S_C = \underline{\hspace{2cm}}$$

$$S_A : S_B : S_C = \underline{\hspace{2cm}}$$

$$\frac{AB}{AC} = \frac{BD}{CD}$$



93 ()

$$N \qquad B$$

8

94

$$\begin{aligned}(x)^0 &= \underline{\hspace{2cm}} & (\ln x)^0 &= \underline{\hspace{2cm}} \\ (a^x)^0 &= \underline{\hspace{2cm}} & (e^x)^0 &= \underline{\hspace{2cm}} \\ (\sin x)^0 &= \underline{\hspace{2cm}} & (\cos x)^0 &= \underline{\hspace{2cm}} \\ (\tan x)^0 &= \underline{\hspace{2cm}}.\end{aligned}$$

95

$$\begin{aligned}[c_1 f(x) + c_2 g(x)]^0 &= \underline{\hspace{2cm}} \\ [f(x) - g(x)]^0 &= \underline{\hspace{2cm}} \\ \frac{f(x)}{g(x)}^0 &= \underline{\hspace{2cm}}\end{aligned}$$

96

$$\begin{aligned}[f(x) - x^n]^0 &= \underline{\hspace{2cm}} \\ \frac{f(x)}{x^n}^0 &= \underline{\hspace{2cm}}\end{aligned}$$

97

$$\begin{aligned}[g(f(x))]^0 &= g^0(u) f^0(x) & u &= f(x). \\ [\ln f(x)]^0 &= \underline{\hspace{2cm}}.\end{aligned}$$

98

$$\begin{aligned}f(x) &= (x - x_0)^n g(x) \\ \ln f(x) &= n \ln(x - x_0) + \ln g(x) \\ \frac{f^0(x)}{f(x)} &= \underline{\hspace{2cm}}\end{aligned}$$

99

$$\begin{aligned}\underline{\hspace{2cm}} & \quad (\text{“ ” “ ”}) \\ \underline{\hspace{2cm}} & \quad \underline{\hspace{2cm}}\end{aligned}$$

100

$$\begin{aligned}- & \quad (\underline{\hspace{2cm}}) \\ \int_a^b f^0(x) dx &= \underline{\hspace{2cm}}\end{aligned}$$

101

$$\begin{aligned}(\text{L'Hospital}) & \quad x \rightarrow x_0 & f(x) & \\ g(x) & \rightarrow 0 & 1 & \\ \lim_{x \rightarrow x_0} \frac{f(x)}{g(x)} &= \lim_{x \rightarrow x_0} \frac{f^0(x)}{g^0(x)} \\ \lim_{x \rightarrow 0} x \ln x &= \underline{\hspace{2cm}}.\end{aligned}$$

102

$$\begin{aligned}e^x &> x + 1 & x &> x - 1 & e^{x-1} &> x \\ e &= \underline{\hspace{2cm}}.\end{aligned}$$

103

$$\begin{aligned}e^x &> x + 1 & x &> x & e^{-x} &> x + 1 \\ x < 1 & & & & e^x &\in \underline{\hspace{2cm}}.\end{aligned}$$

104

$$\begin{aligned}x &> x(> 0) & e^{-x} &> x + 1 & 1 + x &> 0 \\ e^x &> \underline{\hspace{2cm}}.\end{aligned}$$

105

$$\begin{aligned}e & \quad n \in \mathbb{N}^+ \\ 2 \leq 1 + \frac{1}{n} &< e < 1 + \frac{1}{n}^{n+1}\end{aligned}$$

106

$$\begin{aligned}y = f(x) &= ax^3 + bx^2 + cx + d \\ \underline{\hspace{2cm}} & \\ (\underline{\hspace{2cm}} & 0 \quad \underline{\hspace{2cm}})\end{aligned}$$

107

$$\begin{aligned}n & \quad P(x) & 1 & \\) & M & jP(x)j & [1; 1] \\ & & (\underline{\hspace{2cm}}) & M \\ & & \underline{\hspace{2cm}}.\end{aligned}$$

108

$$\begin{aligned}f(x) & \quad x = x_0 & (\text{Taylor}) \\ f(x) &= f(x_0) + \frac{f^0(x_0)}{1!}(x - x_0) + \frac{f^0(x_0)}{2!}(x - x_0)^2 \\ &+ \frac{f^0(x_0)}{3!}(x - x_0)^3 + \dots + \frac{f^{(n)}(x_0)}{n!}(x - x_0)^n + \\ &x_0 = 0 \\ e^x &= \underline{\hspace{2cm}} + \\ \sin x &= x - \frac{x^3}{3!} + \frac{x^5}{5!} - \dots + (-1)^n \frac{x^{2n+1}}{(2n+1)!} + \\ \cos x &= 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \dots + (-1)^n \frac{x^{2n}}{(2n)!} + \\ P_{1+x} &= 1 + \frac{1}{2}x - \frac{1}{2 \cdot 4}x^2 + \frac{1}{2 \cdot 4 \cdot 6}x^3 \\ \ln(1+x) &= x - \frac{x^2}{2} + \frac{x^3}{3} - \frac{x^4}{4} + \dots + (-1)^{n-1} \frac{x^n}{n} + \\ \ln \frac{1+x}{1-x} &= 2 \left(\underline{\hspace{2cm}} + \underline{\hspace{2cm}} \right)\end{aligned}$$

109

$$\begin{aligned}jxj < 0.2 & \quad P_{1+x} = 1 + \frac{1}{2}x (x \dots). \\ \frac{jxj}{P_{1.1}} &= 1.048808 & 1 + \frac{1}{2} & 0.1 = 1.05 \\ P_{73} &= 8.544003 & = P_{64+9} &= \frac{1}{64} \left(1 + \frac{9}{64} \right) = \\ & \underline{\hspace{2cm}}.\end{aligned}$$

110

$$\begin{aligned}f(x) & \quad (1) \\ [x_1; x_2] & \quad (2) & (x_1; x_2) & \\ 2 & (x_1; x_2) & f^0(\underline{\hspace{2cm}}) &= \\ \frac{f(x_2) - f(x_1)}{x_2 - x_1} & \quad (\underline{\hspace{2cm}}) \\ & \quad \underline{\hspace{2cm}}.\end{aligned}$$

111

$$\begin{aligned}- & \quad (\text{Hermite-Hadamard}) & f(x) & \\ [a; b] & \quad 8x_1; x_2 \in [a; b]; x_1 < x_2 \\ f \frac{x_1 + x_2}{2} &< \frac{1}{2} [f(x_1) + f(x_2)] (\underline{\hspace{2cm}} f^0(x) > 0) \\ f \frac{x_1 + x_2}{2} &< \frac{1}{x_2 - x_1} \int_{x_1}^{x_2} f(x) dx < \frac{f(x_1) + f(x_2)}{2}\end{aligned}$$

$$112 \quad \begin{aligned} 1^1 + 2^1 + 3^1 + \dots + n^1 &= \frac{n^2}{2} + \frac{n}{2} \\ 1^2 + 2^2 + 3^2 + \dots + n^2 &= \frac{n^3}{3} + \frac{n^2}{2} + \frac{n}{6} \\ 1^3 + 2^3 + 3^3 + \dots + n^3 &= \frac{n^4}{4} + \frac{n^3}{2} + \frac{n^2}{4} \\ 1^4 + 2^4 + 3^4 + \dots + n^4 &= \frac{n^5}{5} + \frac{n^4}{2} + \frac{n^3}{3} + \frac{n}{30} \\ 1^5 + 2^5 + 3^5 + \dots + n^5 &= \frac{n^6}{6} + \frac{n^5}{2} + \frac{5n^4}{12} + \frac{n^2}{12} \end{aligned}$$

$$\frac{1}{k+1}, \frac{1}{2}, \frac{k}{12}, 0, \frac{k(k-1)(k-2)}{720};$$

$$\begin{aligned} 1^k + 2^k + 3^k + \dots + n^k \\ = \frac{1}{k+1} \sum_{j=0}^k C_{k+1}^j B_j n^{k+1-j} + n^k \quad (1) \\ = \frac{1}{k+1} n^{k+1} + \frac{1}{2} n^k + \frac{k}{12} n^{k-1} + \dots \quad (2) \\ B_j \quad B_0 = 1; B_1 = \frac{1}{2}, B_2 = \frac{1}{6}; B_3 = \\ 0, B_4 = \frac{1}{30}; B_5 = 0; B_6 = \frac{1}{42} \\ 0 = \sum_{j=0}^n C_n^j B_j \quad (n > 2). \quad (1) \end{aligned}$$

$$113 \quad \text{zeta}(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} \quad (s > 1) \\ (2) = \sum_{n=1}^{\infty} \frac{1}{n^2} = \frac{\pi^2}{6}.$$

$$114 \quad \begin{aligned} \sum_{l=1}^n \frac{1}{l^{1/2}} &\sim \frac{2}{\sqrt{1}} \ln n \\ \sum_{l=1}^n \frac{1}{l^{1/3}} &\sim \frac{3}{2} \ln n \\ \sum_{l=1}^n \frac{1}{l^{1/3}} &\sim \frac{3}{2} \ln n \\ \sum_{l=1}^n \frac{1}{l^{1/2}} &\sim \frac{2}{\sqrt{1}} \ln n \end{aligned}$$

$$112 \quad (2)$$

$$n = 1$$

9

$$115 \quad 0 < b < a; c > 0 \quad \frac{b}{a} < \frac{c}{a} \\ \frac{1}{a^k} \sim \frac{1}{a^k}$$

$$116 \quad a, b, c, d > 0 \quad \frac{a}{b} < \frac{c}{d} \quad \frac{a}{b} < \frac{a+c}{b+d} < \frac{c}{d}$$

$$117. \quad a, b \in \mathbf{R} \quad \frac{ja+bj}{1+ja+bj} = \frac{ja}{1+ja} + \frac{bj}{1+bj} \\ (\quad < ; > ; \leq ; \geq)$$

$$118 \quad a > 1 \quad k > 1 \quad a^k - 1 > a^k - a^{k-1} = (a-1)a^{k-1}$$

$$\frac{1}{a^k - 1} \sim \frac{1}{a^k}$$

$$119 \quad x > 1 \\ > 1 \quad (1+x) \frac{1}{x} < 1+x \\ 0 < x < 1 \quad (1+x) \frac{1}{x} > 1+x$$

$$120 \quad \begin{aligned} x_1, x_2, \dots, x_n > 0; n > 2 \\ (1+x_1)(1+x_2) \dots (1+x_n) \\ > 1 + (x_1 + x_2 + \dots + x_n) \\ x_1, x_2, \dots, x_n \in (0, 1); n > 2 \\ (1-x_1)(1-x_2) \dots (1-x_n) \\ > 1 - (x_1 + x_2 + \dots + x_n) \end{aligned}$$

$$121. \quad x \in (0, \frac{\pi}{2})$$

$$\frac{x}{1+x^2} < \sin x < \frac{x}{1-\frac{2}{3}x^2} \\ x + \frac{x^3}{3} < \frac{3x}{1+x^2} < \tan x < \frac{x}{1-\frac{2}{3}x^2}$$

$$122 \quad x \in (0, 1) \\ \frac{x}{1+x^2} < \frac{x}{1+\frac{2}{3}x^2} < \sin x < \frac{x}{1+\frac{1}{3}x^2} < x \\ < \frac{x}{1-\frac{1}{3}x^2} < \tan x < \frac{x}{1-\frac{2}{3}x^2} < \frac{x}{1-x^2}$$

$$k \quad 123 \quad x \in \mathbf{R} \quad \cos x > \frac{4x^2}{2} \quad (x \in (0, \frac{\pi}{2}) \quad \cos x < 1 - \frac{4x^2}{2}).$$

$$124 \quad x \in (0, 1) \quad e^{2x} < \frac{1+x}{1-2x}.$$

$$t = \frac{1+x}{1-x} \in (1, +\infty) \quad x = \frac{t-1}{t+1}$$

$$125. \quad t \in (1, +\infty) \quad \ln t < \frac{1}{t} \quad (t \in (1, +\infty)).$$

$$126. \quad \frac{x_1; x_2}{\frac{1}{x_1} + \frac{1}{x_2}} < \frac{x_2}{\ln x_2} \frac{x_1}{\ln x_1} < \frac{x_1 + x_2}{2}$$

$$\frac{x_2}{\ln x_2} \frac{x_1}{\ln x_1} < \frac{x_1 + x_2}{2}$$

$$127. \quad (\quad 4 \quad)$$

$$128. \quad \frac{1}{a_1} + \frac{1}{a_2} + \dots + \frac{1}{a_n} \geq \frac{1}{\frac{a_1 + a_2 + \dots + a_n}{n}}$$

$$\frac{1}{a_1} + \frac{1}{a_2} + \dots + \frac{1}{a_n} \geq \frac{1}{\frac{a_1 + a_2 + \dots + a_n}{n}}$$

$$129. \quad a + b = C \quad ab \quad \frac{k_1}{a} + \frac{k_2}{b}$$

$$ab = \frac{1}{C} (a + b) \geq \dots$$

$$\frac{k_1}{a} + \frac{k_2}{b} = \frac{k_1}{a} + \frac{k_2}{b} \quad \frac{1}{C} (a + b)$$

$$= \dots$$

$$130. \quad x \in \mathbf{R} \quad \frac{1}{x^2 + 4} + \frac{1}{x^2 + 4} > \dots$$

$$131. \quad \dots \quad k \quad 1 + \dots + \dots$$

$$x_1^2 + x_2^2 + \dots + x_n^2 \geq x_1 + x_2 + \dots + x_n$$

$$132. \quad \frac{1}{a} = (a_1; a_2; \dots; a_n); \frac{1}{b} = (b_1; b_2; \dots; b_n)$$

$$\frac{1}{a} \frac{1}{b} = \frac{1}{a} \frac{1}{b} \cos \dots \frac{1}{a} \frac{1}{b}$$

$$133. \quad a, b, c \in \mathbf{R} \quad (a - b)^2 + (b - c)^2 + (c - a)^2 > 0$$

$$a^2 + b^2 + c^2 > \dots$$

$$134. \quad (\text{H\"older}) \quad p > 1; q > 1; \frac{1}{p} + \frac{1}{q} = 1$$

$$a_k > 0; b_k > 0; k = 1; 2 \dots n$$

$$\sum_{k=1}^n a_k b_k \leq \left(\sum_{k=1}^n a_k^p \right)^{\frac{1}{p}} \left(\sum_{k=1}^n b_k^q \right)^{\frac{1}{q}}$$

$$0 \quad k = 1; 2 \dots n \quad a_k = b_k. \quad p = q = 2$$

$$135. \quad (\text{Minkowski}) \quad r > 0; r \neq 1; a_k > 0; b_k > 0$$

$$\sum_{k=1}^n (a_k + b_k)^r \leq \left(\sum_{k=1}^n a_k^r \right)^{\frac{1}{r}} + \left(\sum_{k=1}^n b_k^r \right)^{\frac{1}{r}} \quad (r > 1)$$

$$\sum_{k=1}^n (a_k + b_k)^r > \left(\sum_{k=1}^n a_k^r \right)^{\frac{1}{r}} + \left(\sum_{k=1}^n b_k^r \right)^{\frac{1}{r}} \quad (r < 1)$$

$$0 \quad k = 1; 2 \dots n \quad a_k = b_k.$$

$$136. \quad \dots > 2^{\frac{1}{k}} > \dots$$

$$\dots > \dots$$

$$2^{\frac{1}{k}}$$

$$137. \quad \dots > k^2 + 1 > k^2 > \dots$$

$$> \dots > \dots$$

$$k^2 + 1 \quad k^2$$

$$138. \quad \dots < \frac{1}{1} + \frac{1}{2} + \dots + \frac{1}{n} < \dots$$

10

$$139. \quad f a_n g \quad d \quad S_n \quad n$$

- $m + n = s + t \quad a_m + a_n = \dots$
- $S_{m+n} = S_m + S_n + \dots$
- $\frac{S_{2n-1}}{a_n} = \dots$
- $m \leq n \quad \frac{S_m}{m} \frac{S_n}{n} = \frac{S_{m+n}}{m+n} = \dots$
- $S_n; S_{2n} \quad S_n; S_{3n} \quad S_{2n} \quad \dots$
- $2n \quad \dots = \frac{a_1 + a_3 + \dots + a_{2n-1}}{a_2 + a_4 + \dots + a_{2n}} = \dots$

$$\bullet \quad \frac{2n+1}{\frac{a_1+a_3+\dots+a_{2n+1}}{a_2+a_4+\dots+a_{2n}}} = \frac{a_1+a_3+\dots+a_{2n+1}}{a_2+a_4+\dots+a_{2n}}$$

$$140. \quad a_n = a_1 x^{n-1} \quad x \notin 1$$

$$\frac{S_n}{\mathbb{P}} = \frac{\sum_{k=0}^n x^k}{\sum_{k=0}^n x^k} = \frac{1-x^{n+1}}{1-x} \quad |x| < 1$$

$$141. \quad (x \notin 1)$$

$$\sum_{k=1}^n k x^{k-1} = \frac{n x^{n+1} - (n+1)x^n + 1}{(1-x)^2}$$

$$|x| < 1$$

$$\sum_{k=1}^n k x^{k-1} = \frac{1-x^{n+1}}{(1-x)^2}$$

$$\sum_{k=2}^n k(k-1)x^{k-2} = \frac{2x^{n+1} - (n+2)x^n + nx^{n-1}}{(1-x)^3}$$

$$k^2 x^{k-1} = x \cdot k(k-1)x^{k-2} + kx^{k-1}$$

$$\sum_{k=1}^n k^2 x^{k-1} = \frac{1-x^{n+1}}{(1-x)^3}$$

$$\sum_{k=1}^n k^2 x^k = \frac{x(1-x^{n+1})}{(1-x)^3}$$

$$142. \quad \frac{1}{n(n+k)} = \frac{1}{n} \left(\frac{1}{n+k} - \frac{1}{n} \right)$$

$$\frac{1}{n(n+1)(n+2)} = \frac{1}{2n} \left(\frac{1}{n+1} - \frac{2}{n+2} + \frac{1}{n+3} \right)$$

$$\frac{1}{4n^2-1} = \frac{1}{4} \left(\frac{1}{n-1} - \frac{2}{n} + \frac{1}{n+1} \right)$$

$$\frac{1}{n^2+n} = \frac{1}{n} \left(\frac{1}{n+1} - \frac{1}{n} \right)$$

$$\frac{a^n}{(a^n+1)(a^{n+1}+1)} = \frac{1}{a} \left(\frac{1}{a^n+1} - \frac{1}{a^{n+1}+1} \right)$$

$$143. \quad (\text{Abel}) \quad \sum_{k=1}^n f a_{n-k} g + \sum_{k=1}^{n-1} f a_{n-k} g = \sum_{k=1}^n f a_{n-k} g$$

$$A_n; B_n$$

$$\sum_{k=1}^n A_k b_k + \sum_{k=1}^{n-1} A_{k+1} B_k = A_n B_n \quad (3)$$

$$144. \quad f(x) \in [a; b] \quad 2 \quad f(x)$$

$$(1) \quad x \in [a; b] \quad f(x) \in [a; b];$$

$$(2) \quad x, y \in [a; b] \quad L \in (0; 1)$$

$$j f(x) - f(y) j \in [0; 1]$$

$$145. \quad f(x) \in [a; b]$$

$$X \in [a; b]$$

$$f(x)$$

$$146. \quad A > 0; B > 0 \quad f(x) = \frac{P}{Ax+B}; g(x) = A + \frac{B}{x}$$

$$f a_n g \quad a_1 > 0; a_{n+1} = f(a_n) = \frac{P}{A a_n + B}$$

$$f b_n g \quad b_1 > 0; b_{n+1} = g(b_n) = A + \frac{B}{b_n}$$

$$f a_n g; f b_n g$$

$$147. \quad a > 0 \quad a \notin 1 \quad a < 1 \quad x_1 = a \quad a > 1$$

$$x_1 = \frac{1}{a} \quad x_{n+1} = \frac{x_n}{2} (3 - a x_n^2)$$

$$f x_n g$$

$$148. \quad a_{n+1} = A a_n + B \quad (A \notin 1)$$

$$a_{n+1} - x = A(a_n - x)$$

$$149. \quad a_{n+1} = A a_n + B q^n \quad q^n \quad \frac{a_{n+1}}{q^n} =$$

$$150. \quad a_{n+1} = A a_n^2 \quad A a_{n+1} = \frac{A^2}{A a_n + B} = \frac{A^2}{A a_n + B}$$

$$151. \quad a_{n+1} = a_n^2 + 2 a_n \quad 1 - a_{n+1} + 1 =$$

$$152. \quad a_{n+1} = a_n^2 - 2 a_n + 2 \quad 1 - a_{n+1} - 1 =$$

$$153. \quad a_{n+1} = \frac{A a_n}{C a_n + D} \quad \frac{1}{a_{n+1}} = \frac{C a_n + D}{A}$$

$$154. \quad p > 1; a < 0 \quad x \neq 0 \quad f(x) = x + a x^p$$

$$a_{n+1} = f(a_n)$$

$$a_n > 0 \quad \lim_{n \rightarrow \infty} a_n = 0$$

$$\lim_{n \rightarrow \infty} n a_n^{p-1} = \frac{1}{a(1-p)}$$

$$a_n > 0 \quad \lim_{n \rightarrow \infty} a_n = +\infty$$

$$b_n = \frac{1}{a_n} \quad b_n$$

$$155. \quad a_{n+2} = A a_{n+1} + B a_n$$

$$x_1; x_2 ($$

$$))$$

$$a_{n+2} - x_2 a_{n+1} = x_1 (a_{n+1} - x_2 a_n) =$$

$$= \frac{1}{a}$$

$$a_{n+2} - x_1 a_{n+1} = x_2 (a_{n+1} - x_1 a_n) =$$

$$= \frac{1}{a}$$

$$156. \quad a_{n+1} = \frac{A a_n + B}{C a_n + D}$$

$$x_1; x_2 ($$

$$))$$

$$a_{n+1} = \frac{A a_n + B}{C a_n + D} \quad (C a_n + D)$$

$$\begin{aligned} &= \frac{Aa_n + B}{Ca_n + D} \\ &= \frac{Aa_n + B}{Ca_n + D} \\ &= \frac{Aa_n + B}{Ca_n + D} \end{aligned}$$

$$\frac{a_{n+1}}{a_{n+1}} = \frac{A}{A} \frac{C}{C} \frac{a_n}{a_n} =$$

$$=$$

$$157. \quad a_{n+1} = \frac{1}{2} a_n + \frac{A^2}{a_n}$$

$$a_1 \notin A$$

$$\begin{aligned} a_{n+1} - A &= \frac{a_n^2 + A^2 - 2Aa_n}{2a_n} = \frac{(a_n - A)^2}{2a_n} \\ a_{n+1} + A &= \frac{a_n^2 + A^2 + 2Aa_n}{2a_n} = \frac{(a_n + A)^2}{2a_n} \\ \frac{a_{n+1} - A}{a_{n+1} + A} &= \frac{(a_n - A)^2}{(a_n + A)^2} = \left(\frac{a_1 - A}{a_1 + A} \right)^{2^n} \end{aligned}$$

11

158

$$\begin{aligned} &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \end{aligned}$$

159

$$\begin{aligned} &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \end{aligned}$$

160

$$(x_0; y_0) \quad Ax + By + C = 0$$

$$161. \quad Ax + By + C_1 = 0 \quad Ax + By + C_2 = 0$$

$$162. \quad l_1: A_1x + B_1y + C_1 = 0; l_2: A_2x + B_2y + C_2 = 0$$

$$A_1B_2 - A_2B_1 \neq 0 \quad l_1; l_2$$

$$=$$

163

$$\begin{aligned} &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \end{aligned}$$

$$164. \quad (x_0; y_0; z_0) \quad Ax + By + Cz + D = 0$$

$$165. \quad ax^2 + bx + c = 0 \quad x_1; x_2$$

$$jx_1 - x_2j = \frac{1}{2} x_1^2 + x_2^2 =$$

166

$$167. \quad (x_1; y_1); (x_2; y_2)$$

$$\begin{aligned} &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \end{aligned}$$

168

$$\begin{aligned} &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \end{aligned}$$

169

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$$

170

$$\begin{aligned} &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \end{aligned}$$

171

$$\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$$

172

$$y^2 = 2px$$

173

$$\begin{aligned} &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \end{aligned}$$

174

$$\begin{aligned} &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ &= \frac{1}{2} a_n + \frac{A^2}{a_n} \end{aligned}$$


175

$$S = \quad V =$$

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} + \frac{z^2}{c^2} = 1$$

177. _____ 1
(“ ”)

178 $O \quad R \quad O; A; A^0$
 $jOAj \ jOA^0j = \frac{\quad}{A \quad A^0} \quad \text{“} \quad \text{”}$




179 $(x_0; y_0)$ _____
 _____ ()

180. (x_0, y_0) _____
 _____ ()


$$181. \quad y^2 = 2px \quad (x_0; y_0)$$

$$182 \quad (x_0; y_0) \quad \frac{xx_0}{a^2} + \frac{yy_0}{b^2} = 1$$




$$(x_0, y_0) \quad 4$$

$$\frac{xx_0}{a^2} + \frac{yy_0}{b^2} = 1$$



184.				$A; B; C; D$	AB	CD
		P	AD	BC		R
	AC	BD	Q	P	QR	Q
		PR	R	PQ	PQR	



185. $l: Ax + By + C = 0$

$$\frac{\frac{Aa^2}{C} \quad x}{a^2} + \frac{\frac{Bb^2}{C} \quad y}{b^2} = 1$$

$$186. \quad \frac{x^2}{a^2} + \frac{y^2}{b^2} = 1 (a > b > 0)$$

$$\bullet \quad \frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{4}$$

$$\begin{array}{ccccccc} & & O & & & & \\ & P;Q & & O & & PQ & H \\ & H & & & & (&) \\ \hline & & & & & jPQj & \end{array}$$

$$\frac{6jPQj}{OPQ}$$

_____ 6 S_{OPQ} 6 _____

•

• $AB; CD$ $P \quad AB; CD$

$jPAj \ jPBj = \underline{\hspace{2cm}}.$

$$\begin{array}{l}
\bullet \quad \begin{array}{ccccc} & P(x_0;y_0) & & P & \\ & & & P & \\ Q;R & QR & & & \\ & \frac{(a^2-b^2)x_0}{a^2+b^2}; \frac{(a^2-b^2)y_0}{a^2+b^2} & & & \end{array} \\
\bullet \quad \begin{array}{ccccccc} & & M(x_0;y_0) & & & & \\ PQ;RS & PQ;RS & & K;L & & & KL \\ & & \frac{a^2x_0}{a^2+b^2}; \frac{b^2y_0}{a^2+b^2} & & & & \end{array} \\
\bullet \quad \begin{array}{ccccc} & P(x_0;y_0) & & P & \\ & & & P & \\ Q;R & QR & & & P \\ & \hline & & & & \end{array} \\
\bullet \quad \begin{array}{ccccccc} & AB & & M(m;0) & & M & \\ & CD & & AC;BD & & k_1;k_2 & \\ \neg \frac{k_1}{k_2} & & & & & & \\ - AC;BD & & & & & & \hline M & & & & & & \\ \textcircled{R} - & AB & & H & & CH;DH & \\ & \hline & & & & & \end{array} \\
\bullet \quad \begin{array}{ccc} P & F_1;F_2 & \setminus F_1PF_2 = \\ S_{F_1PF_2} = & \hline & \end{array} \\
\bullet \quad \begin{array}{ccccc} F_1;F_2 & & P & & PT \\ PF_1F_2 & P & & PT & \\ & & PF_1(& PF_2) & \\ & & \hline & & \end{array} \\
\bullet \quad \begin{array}{ccccc} & A_1(a;0);A_2(a;0) & & y & \\ & P_1;P_2 & A_1P_1 & A_2P_2 & \\ & \hline & & & \end{array} \\
187. \quad \frac{x^2}{a^2} - \frac{y^2}{b^2} = 1 \\
\bullet \quad \begin{array}{c} (\\) \end{array} \hline \\
\bullet \quad \begin{array}{ccccc} O & & & & \\ P;Q & O & P;Q & & \\ H & H & (&) & \\ & \hline & & P_{\overline{2}}. & \end{array} \\
\bullet \quad \begin{array}{ccc} P(x_0;y_0) & P & \\ & P & \end{array}
\end{array}$$

$$Q;R \qquad QR$$
$$\frac{(a^2+b^2)x_0}{a^2} ; \frac{(a^2+b^2)y_0}{b^2}$$
$$a \notin b$$
$$\bullet \qquad M(x_0;y_0)$$
$$PQ;RS \qquad PQ;RS \qquad K;L \qquad KL$$
$$\frac{a^2x_0}{a^2} ; \frac{b^2y_0}{b^2}$$
$$a \notin b$$
$$\bullet \qquad P(x_0;y_0) \qquad P$$
$$P$$
$$Q;R \qquad QR \qquad P$$
$$\bullet \qquad P \qquad F_1;F_2$$
$$\setminus F_1PF_2 = \qquad S_{F_1PF_2} = \frac{k}{x}$$
$$\bullet \qquad k > 0 \qquad y = \frac{k}{x}$$
$$188 \qquad y^2 = 2px$$
$$\bullet \qquad F \qquad O$$
$$\frac{1}{jFPj} + \frac{1}{jFQj} = \frac{1}{\cos p} + \frac{1}{\cos p} =$$
$$\frac{jFPj+jFQj}{jFPj+jFQj} = \frac{p}{1-\cos p} + \frac{p}{1+\cos p} =$$
$$y_1y_2 = \frac{y_1^2}{2p} - \frac{y_2^2}{2p} =$$
$$S_{OPQ} = \frac{1}{2} \cdot \frac{p}{2} \cdot \frac{2p}{\sin^2} \sin =$$
$$\bullet \qquad M(x_0;0) \qquad M$$
$$P(x_1;y_1); Q(x_2;y_2)$$
$$y_1y_2 = \frac{y_1^2}{2p} - \frac{y_2^2}{2p} =$$
$$\bullet \qquad O A;B \qquad OA'OB' =$$
$$p^2 \qquad AB \qquad$$
$$\bullet \qquad P \qquad \frac{p}{2};y_0$$
$$Q;R \qquad PQ;PR$$
$$F \qquad QR$$
$$PF ?$$
$$\bullet \qquad P(x_0;y_0) \qquad P$$
$$P$$
$$Q;R \qquad QR \qquad$$
$$\bullet \qquad P(x_0;y_0) \qquad P$$
$$P$$
$$Q;R \qquad QR \qquad P$$

189. (Poncelet)
 $n (n > 3)$
 (\quad)

190.
 $2r < R$
 $P \frac{R(R-2r)}{R(R-2r)}$
 R

191.
 $AB; CD$ $AC; BD$ PQ M $E; F$
 $ME = EF.$

12

192. 3 _____

193. $\frac{22}{7}$ 3:141592653 $\frac{355}{113}$ 3:14159292.

194. $(a \notin 0)$
 $x^3 + \frac{b}{a}x^2 + \frac{c}{a}x + \frac{d}{a} = (x - x_1)(x - x_2)(x - x_3) = 0$
 $x_1 + x_2 + x_3 = \underline{\hspace{2cm}}$
 $x_1x_2 + x_1x_3 + x_2x_3 = \underline{\hspace{2cm}}$
 $x_1x_2x_3 = \underline{\hspace{2cm}}.$

195.
 $a^3 - b^3 = \underline{\hspace{2cm}}$
 $a^4 - b^4 = \underline{\hspace{2cm}}$
 $= (a - b)(a + b)(a^2 + b^2)$
 $a^n - b^n = (a - b)(\underline{\hspace{2cm}})$
 $a^3 + b^3 + c^3 - 3abc = \underline{\hspace{2cm}}$

196. (\quad) $V = \underline{\hspace{2cm}}$
 S h

197. $V = \underline{\hspace{2cm}}$
 $S; S^0$ h (\quad)