

Building `dee`, an interoperable timelock client

Thibault Meunier

In the next 15min

- 0. Pre-requisites
- 1. Demo
- 2. CLI design
- 3. Timelock API
- 4. Final words

Pre-requisites

Useful context

The League of Entropy

Verifiable randomness every 3s

```
93be67a8e0585f9e057888de0a2f6f2841f3bd76634e8c47209c16f108322067
```

Threshold Group Signature over $H(\text{time})$

Timelock

[tlock paper](#) by Nicolas Gailly, Kelsey Melissaris, and Yolan Romainier

IBE scheme over the League of Entropy

Implemented by drand team in Go and Javascript

Interoperable across usages

- Web UI for text <https://timevault.drand.love/>
- Web UI for files <https://dee.notshady.com>
- Web API <https://tlock-worker.crypto-team.workers.dev>
- CLI `dee`

Demo

Try it at home

Live demo

Installation

```
cargo install dee
```

Add a remote chain

```
dee remote add quicknet https://drand.cloudflare.com/dbd506d...  
quicknet
```

Live demo - 2

Retrieve public randomness

```
dee rand -u quicknet  
3129db460507ff559f7fa5e71d6f8bc66aec27516de3d78f7461f6299a2bd483
```

Encrypt 30 seconds to the future

```
echo "Hello dee!" | dee crypt -r 30s > locked.dee
```

Decrypt, the future is now

```
dee crypt --decrypt locked.dee  
Hello dee!
```


Designing a CLI

CLI experience is real

Limit default

No default network

```
dee remote add mainnet https://api.drand.sh
```

Choose your own

```
dee rand --set-upstream mainnet
```

Communication for everyone

Configurable output level

```
dee rand -l  
Round      : 2820083  
Relative   : 00:00:24 ago  
Absolute   : 2023-03-28 19:58:30  
Randomness: 66aba01bb54f200ef6363143615e1e193eaacbb89dcc7b38...  
Signature  : 82fb1e24bd603216241d75d51c3378b193d62e4fb8fdbeab...
```

Informative error

```
echo "Hello world!" | dee crypt -r 30s  
error: remote must use unchained signatures
```

Mimic existing CLIs

git inspired

```
dee remote show mainnet
```

age inspired

```
dee crypt --decrypt --armor < cat.png
```

drand inspired

```
dee rand -u mainnet --json 1000
```

Rust specific devtooling

[clap](#) all in one argument parser, documentation, and manpages generation

```
/// Set default upstream. If empty, use the latest upstream.  
#[arg(short = 'u', long, value_hint = ValueHint::Url)]  
set_upstream: Option<String>,
```

Cross-platform support is simpler without openssl

```
cargo build --target wasm32-wasi
```

Considered two BLS12-381 libraries: [zkcrypto/bls12_381](#) and [arkworks-rs/curves](#).

```
cargo bench --all-features
```

My laptop "only" has 8GB of RAM

Timelock API

Encrypting towards the future doesn't negate API considerations

Work offline

Go

```
func (t Tlock) Encrypt(  
    dst io.Writer, src io.Reader, roundNumber uint64  
) (err error) {
```

Rust

```
fn encrypt(  
    dst: Write, mut src: Read, roundNumber: u64,  
    hash: &[u8], pk: &[u8],  
) -> Result<()> {
```

Work offline

Go

```
network := "https://api.drand.sh"  
tlock := tlock.New(network)  
tlock.Encrypt(dst, src, roundNumber)
```

Rust

```
let client: HttpClient = "https://api.drand.sh".try_into()?;  
let info = client.chain_info()?;  
  
tlock_age::encrypt(  
    &mut dst,  
    src,  
    &info.hash(),  
    &info.public_key(),  
    roundNumber,  
)?;
```


Interoperability

Two existing implementations: [drand/tlock](#) (Go), [drand/tlock-js](#) (JavaScript).

[rage](#) (Rust implementation of age) adds a [grease stanza](#): `<rand>-grease <rand>` .

[RFC 9380 Hash to curve](#) is a beacon of light: [hash_to_field](#), [expand_message](#).

Elliptic curve serialisation is not standardised.

$$\begin{array}{ll} \mathbb{F}_{p^{12}} \rightarrow c_0 || c_1 & \mathbb{F}_{p^{12}} \rightarrow c_1 || c_0 \\ c_0 \rightarrow \text{big-endian} & c_0 \rightarrow \text{little-endian} \end{array}$$

Final words

Time to move on

What could be different

Hostname instead of chain hash

```
https://api.drand.sh/dbd506d6ef76e5f386f41c651dcb808c5bcbd75471cc...  
-> https://quicknet.api.drand.sh
```

Stateless CLI

```
dee remote  
-> dee rand -u https://api.drand.sh/<hash>  
-> DEE_REMOTE=https://api.drand.sh/<hash>
```

Age Plugin

```
tlock {round} {chain_hash}  
-> tlock REDACTED REDACTED
```

Takeaways

1. One [academic paper](#), multiple engineering tradeoffs.
2. Building a protocol on top of an existing one changes the API.
3. [Discussions](#) improve software. Thanks to everyone that answered questions.

Thank you

For more information, go to:

github.com/thibmeu/drand-rs

github.com/thibmeu/tlock-rs