

Mitre ATT&CK Framework

List of tactics

Tactics	Purpose
Reconnaissance	Gather target info before attack
Resource Development	Build infra, payloads, domains, tools
Initial Access	First foothold into target
Execution	Run malicious code
Persistence	Maintain long-term access
Privilege Escalation	Gain higher privileges
Defense Evasion	Avoid detection
Credential Access	Steal passwords / tokens
Discovery	Learn environment
Lateral Movement	Move to other systems
Collection	Gather data before theft
Command and Control	Communicate with attacker infra
Exfiltration	Steal data out
Impact	Disrupt, encrypt, destroy

Use Cases for Sentinel Implementation

Rule Name	MITRE Tactic	MITRE Technique	Severity
External Surface Enumeration Simulation	Reconnaissance	T1595 Active Scanning	Low
Phishing Infrastructure / Stager Download Domain Prep	Resource Development	T1583 Acquire Infrastructure	Low
3) Spearphishing Attachment	Initial Access	T1566.001 – Spearphishing Attachment	Medium
Suspicious PowerShell Encoded Command	Execution	T1059.001 PowerShell	High
Browser Spawned PowerShell	Execution	T1059.001	High
Office App Spawned CMD	Execution	T1204.002 User Execution	High
Registry Run Key Persistence	Persistence	T1547.001 Registry Run Keys	High
Scheduled Task Creation	Persistence	T1053.005 Scheduled Task	High
Startup Folder File Drop	Persistence	T1547.001 Startup Folder	High
New Local Admin User Created	Persistence	T1053.005 Scheduled Task	High
Service Creation for Persistence	Privilege Escalation	T1543.003 Windows Service	High
Rundll32 Suspicious DLL Execution	Defense Evasion	T1218.011 Rundll32	High
Mshta Remote Payload Execution	Defense Evasion	T1218.005 Mshta	High
Excessive Failed Logins	Credential Access	T1110.001 Password Guessing	Medium
Suspicious LSASS Access / Dumping	Credential Access	T1003.001 LSASS Memory	Critical

Suspicious CMD Recon Commands	Discovery	T1059.003 Windows Command Shell + T1033	Medium
PsExec / WinRM Remote Execution Attempt	Lateral Movement	T1021 Remote Services	High
Sensitive File Staging in Temp Folder	Collection	T1074.001 Local Data Staging	Medium
Certutil File Download	Command and Control	T1105 Ingress Tool Transfer	High
Sysmon DNS Beaconing	Command and Control	T1071.004 DNS	High
Archive + Compress Sensitive Files Before Transfer	Exfiltration	T1560.001 Archive via Utility	High
Shadow Copy Deletion / Mass File Encryption Behavior	Impact	T1486 Data Encrypted for Impact	Critical

Linux Use Case

Rule Name	MITRE Tactic	MITRE Technique	Severity
Internal Host & Network Recon via ip ,ss , whomai	Reconnaissance	T1595 / T1082 / T1016	Medium
Payload Download Staging via curl / wget	Resource Development	T1583 / T1587	Medium
Excessive SSH Failed Logins	Initial Access	T1110.001	High
Suspicious Bash / Shell Command Execution	Execution	T1059.004	High
New SSH Key Added to authorized_keys	Persistence	T1098.004	Critical
Suspicious sudo su / root escalation	Privilege Escalation	T1548.003	Critical
Log Clearing / .bash_history Deletion	Defense Evasion	T1070.003	High
/etc/shadow Access Attempt	Credential Access	T1003.008	Critical
User / Host / Network Discovery Commands	Discovery	T1033 / T1016 / T1082	Medium
SSH Login to Another Host	Lateral Movement	T1021.004	High
Sensitive Files Staged to /tmp	Collection	T1074.001	High
Suspicious Repeated DNS / Beaconsing via dig	Command & Control	T1071.004	High
Archive Sensitive Files via tar / zip	Exfiltration	T1560.001	Critical
Mass File Rename / Encrypt Simulation	Impact	T1486	Critical