

Pola

Pak Dengklek menyiapkan 4 jenis pola deret matematika yang berbeda di papan tulis. Pak Dengklek akan memberikan sebuah kode jenis deret T dan sebuah bilangan bulat N .

Tugasmu adalah menghitung hasil penjumlahan deret tersebut dengan cepat (tanpa menggunakan perulangan):

- Jika $T = 1$ (Deret Ganjil): Hitung $1 + 3 + 5 + \dots$ sebanyak N suku.
- Jika $T = 2$ (Deret Genap): Hitung $2 + 4 + 6 + \dots$ sebanyak N suku.
- Jika $T = 3$ (Deret Kuadrat): Hitung $1^2 + 2^2 + 3^2 + \dots + N^2$.
- Jika $T = 4$ (Deret Kubik): Hitung $1^3 + 2^3 + 3^3 + \dots + N^3$.

Jika nilai T yang dimasukkan di luar batas 1 sampai 4, tampilkan pesan error.

Format Input

Satu baris berisi dua buah bilangan bulat T dan N yang dipisahkan spasi ($1 \leq T \leq 10$, $1 \leq N \leq 10.000$).

Format Output

Satu baris berisi hasil penjumlahan deret dalam bentuk bilangan bulat. Jika T tidak valid (kurang dari 1 atau lebih dari 4), cetak "MODE TIDAK VALID".

Contoh Input 1:

1 5

Contoh Output 1:

25

(Penjelasan: $1 + 3 + 5 + 7 + 9 = 25$)

Contoh Input 2:

3 4

Contoh Output 2:

30

(Penjelasan: $1^2 + 2^2 + 3^2 + 4^2 = 1 + 4 + 9 + 16 = 30$)

Contoh Input 3:

5 10

Contoh Output 3:

MODE TIDAK VALID

Pola (EN)

Pak Dengklek sets up 4 different types of mathematical sequence patterns on the whiteboard. Pak Dengklek will provide a sequence type code T and an integer N.

Your task is to calculate the sum of the sequence quickly (without using loops):

- **If T = 1 (Odd Numbers):** Calculate $1 + 3 + 5 + \dots$ for N terms.
- **If T = 2 (Even Numbers):** Calculate $2 + 4 + 6 + \dots$ for N terms.
- **If T = 3 (Square Numbers):** Calculate $1^2 + 2^2 + 3^2 + \dots + N^2$.
- **If T = 4 (Cubic Numbers):** Calculate $1^3 + 2^3 + 3^3 + \dots + N^3$.

If the value T is outside the range of 1 to 4, display an error message.

Input Format

A single line containing two integers T and N separated by a space ($1 \leq T \leq 10$, $1 \leq N \leq 10.000$).

Output Format

A single line containing the sum of the sequence as an integer. If T is invalid (less than 1 or greater than 4), print "MODE TIDAK VALID".

Sample Input 1:

1 5

Sample Output 1:

25

(Explanation: $1 + 3 + 5 + 7 + 9 = 25$)

Sample Input 2:

3 4

Sample Output 2:

30

(Explanation: $1^2 + 2^2 + 3^2 + 4^2 = 1 + 4 + 9 + 16 = 30$)

Sample Input 3:

5 10

Sample Output 3:

MODE TIDAK VALID