8 Neighbors

Oleh: **Mitra Partogi**

Time Limit	1 s
Memory Limit	256 MB

Diberikan N, M, sebuah array dua dimensi A berukuran $N \times M$ yang hanya berisi karakter 'x' atau '.', serta X dan Y yang menyatakan posisi sebuah sel di A (X adalah nomor baris dan Y adalah nomor kolom). Tentukan apakah semua tetangga sel tersebut berisi karakter 'x'. Tetangga adalah setiap sel yang berbagi sisi atau sudut dengan sel tersebut dan masih berada di dalam array.

Batasan

$2 \leq N, M \leq 100$. Setiap baris array berisi tepat M karakter, masing-masing '.' atau 'x'.
$1 \leq X \leq N$ dan $1 \leq Y \leq M$.

Format Masukan

Baris pertama berisi N dan M. N baris berikutnya masing-masing berisi M karakter.
Baris terakhir berisi X dan Y.

Format Keluaran

Cetak "yes" jika semua tetangga sel yang diberikan adalah 'x'. Jika tidak, cetak "no".

Contoh Masukan #1

```
3 3
xxx
x.x
xxx
2 2
```

Contoh Keluaran #1

```
yes
```

Contoh Masukan #2

```
3 3
xxx
xxx
```

```
xx.
2 2
```

Contoh Keluaran #2

```
no
```

Contoh Masukan #3

```
3 3
xxx
xxx
xx.
3 3
```

Contoh Keluaran #3

```
yes
```

8 Neighbors

Author: **Mitra Partogi**

Time Limit	1 s
Memory Limit	256 MB

Given N and M, a two-dimensional array A of size N x M containing only 'x' or '.', and X and Y denoting a cell position in A (X is the row number and Y is the column number). Determine whether all neighbors of the given cell are 'x'. A neighbor is any cell that shares an edge or a corner with the given cell and remains inside the array.

Constraints

$2 \leq N, M \leq 100$. Every array row contains exactly M characters, each of which is '.' or 'x'. $1 \leq X \leq N$ and $1 \leq Y \leq M$.

Input Format

The first line contains N and M. Each of the next N lines contains M characters. The last line contains X and Y.

Output Format

Print "yes" if all neighbors of the given cell are 'x'; otherwise, print "no".

Sample Input #1

```
3 3
xxx
x.x
xxx
2 2
```

Sample Output #1

```
yes
```

Sample Input #2

```
3 3
xxx
xxx
xx.
2 2
```

Sample Output #2

```
no
```

Sample Output #3

```
3 3
xxx
xxx
xx.
3 3
```

Sample Output #3

```
yes
```