Ancaman Nidathum

Author: salsa_hanaa

INDONESIAN VERSION

Batas Waktu	Batas Memori
1.0 Detik	256 MB



Manajer Riyan memiliki 26 jenis proyek kerja yang masing-masing ditandai dengan satu huruf kapital (A–Z). Nidathum, selaku atasannya, memberikan aturan ketat: jika Manajer Riyan sudah mulai mengerjakan suatu proyek, ia harus menyelesaikannya secara berurutan sampai tuntas tanpa diselingi proyek lain. Setelah pindah ke proyek lain, Manajer Riyan tidak boleh kembali lagi ke proyek yang pernah ia kerjakan sebelumnya.

Manajer Riyan hanya bisa mengerjakan satu proyek dalam sehari. Setiap hari, ia mencatat huruf proyek yang sedang ia kerjakan. Nidathum ingin memeriksa catatan harian tersebut: jika Manajer Riyan terdistraksi dan melanggar aturan, Nidathum akan memberikan SKORS. Sebaliknya, jika Manajer Riyan fokus dan mematuhi aturan, pekerjaannya dinyatakan AMAN.

Sebagai contoh, jika urutan proyek yang dikerjakan adalah "DDBBCCCBBEZ", Nidathum melihat bahwa pada hari ke-3 Manajer Riyan mulai mengerjakan proyek 'B', lalu pada hari ke-5 ia terdistraksi dan pindah ke proyek 'C', namun pada hari ke-8 ia kembali lagi mengerjakan proyek 'B'. Ini melanggar aturan. Jika urutan proyek yang dikerjakan adalah "FFGZZZY", Manajer Riyan tidak melanggar aturan.

Format Masukan:
Baris pertama berisi sebuah bilangan bulat t ($1 \leq t \leq 1000$) untuk banyaknya kasus uji.
Untuk setiap kasus uji:
Baris pertama berisi satu bilangan bulat n ($1 \leq n \leq 50$) untuk jumlah hari Manajer Riyan bekerja.
Baris kedua berisi sebuah string dengan panjang n yang terdiri dari huruf kapital (A–Z), melambangkan urutan proyek yang dikerjakan Manajer Riyan setiap harinya.

Format Keluaran:
Untuk setiap kasus uji, cetak "AMAN" jika Manajer Riyan bekerja secara fokus dan tidak melanggar aturan, atau "SKORS" jika Manajer Riyan terdistraksi dan melanggar aturan.

Contoh Masukan 1

```
5
3
ABA
11
DDBBCCCBBEZ
7
FFGZZZY
1
Z
2
AB
```

Contoh Keluaran 1

```
SKORS
SKORS
AMAN
AMAN
AMAN
```

Nidathum's Threat

Author: salsa_hanaa

ENGLISH VERSION

Time Limit	Memory Limit
1.0 Second	256 MB



Manager Riyan has 26 types of work projects, each labeled with a single uppercase letter (A–Z). Nidathum, his supervisor, gives him a strict rule: once Manager Riyan starts working on a project, he must keep working on it continuously until it is finished, without switching to any other project in between. After moving on to another project, Manager Riyan is not allowed to return to any project he has worked on before.

Manager Riyan can only work on one project per day. Every day, he writes down the letter of the project he worked on. Nidathum wants to check this daily log: if Manager Riyan got distracted and broke the rule, Nidathum will give him a SKORS (suspension). Otherwise, if Manager Riyan stayed focused and followed the rule, his work is declared AMAN (safe).

For example, if the order of projects is "DDBBCCCBBEZ", Nidathum sees that on day 3 Manager Riyan started working on project 'B', then on day 5 he got distracted and switched to project 'C', but on day 8 he went back to project 'B'. This breaks the rule. If the order of projects is "FFGZZZY", Manager Riyan does not break the rule.

Input Format:
The first line contains an integer t ($1 \leq t \leq 1000$) for the number of test cases.
For each test case:
The first line contains one integer n ($1 \leq n \leq 50$) for the number of days Manager Riyan worked.
The second line contains a string of length n consisting of uppercase letters (A–Z), representing the order of projects Manager Riyan worked on each day.

Output Format:
For each test case, print "AMAN" if Manager Riyan stayed focused and did not break the rule, or "SKORS" if Manager Riyan got distracted and broke the rule.

Sample Input 1

```
5
3
ABA
11
DDBBCCCBBEZ
7
FFGZZZY
1
Z
2
AB
```

Sample Output 1

```
SKORS
SKORS
AMAN
AMAN
AMAN
```