SWTES1301-T876 (1.0) - [TG-3][FilipStanev][Registration] Negative Full Name with 3 characters

Details

Key	SWTES1301-T876
Name	[TG-3][FilipStanev][Registration] Negative Full Name with 3 characters
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/09/2022 21:58:40 by Filip Stanev Updated on 02/13/2022 22:44:00 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized
2	**Step**

	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter incorrect Full Name
	Test Data
	Fil
	Expected Result
	The Name is not accepted by the field.Error message shows up

SWTES1301-T877 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail with 41 characters

Details

Key	SWTES1301-T877
Name	[TG-3][FilipStanev][Registration] Negative E-mail with 41 characters
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/09/2022 22:03:10 by Filip Stanev Updated on 02/13/2022 22:44:00 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Enter correct Full Name
	Test Data
	Filip Stanev
	Expected Result
	The Name is accepted by the field

5	**Step**
	Enter correct Username
	Test Data
	Stanev

|		
	Expected Result	
	Username is accepted by the field	
6	**Step**	
	Enter incorrect Email	
	Test Data	
	uuser1user123456user12345623456@gmail.com	
	Expected Result	
	E-mail is not accepted by the field. Field should show error message.	

SWTES1301-T879 (1.0) - [TG-3][FilipStanev][Registration] Negative Full Name with 41 characters

Details

Key	SWTES1301-T879
Name	[TG-3][FilipStanev][Registration] Negative Full Name with 41 characters
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/09/2022 22:03:10 by Filip Stanev Updated on 02/13/2022 22:44:00 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

| 4	**Step**
	Enter incorrect Full Name and click on side next to the field
	Test Data
	Filip StanevFilip StaFilip StanevFilip Sta
	Expected Result
	The Name is not accepted by the field.
	Error message should shows up in red under the field.

SWTES1301-T881 (1.0) - [TG-3][FilipStanev][Registration] Negative Password with 21 characters

Details

Key	SWTES1301-T881
Name	[TG-3][FilipStanev][Registration] Negative Password with 21 characters
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/09/2022 22:03:10 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
	⊞ Reading list
	Login Signup
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Filiip
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter correct Username
	Test Data
	Stanev

	Expected Result Username is accepted by the field	
6	**Step** Enter correct Email	
	Test Data user123456@gmail.com	
	Expected Result E-mail is accepted by the field	
7	**Step** Enter incorrect Password	
	Test Data 123456789012345678901	
	Expected Result Password is not accepted by the field and its masked Error message shows up.	

Password

```
••••••••••••••••••••                          ⊙
```

A password between 5 to 20 characters
Password is too long (Maximum 20 characters needed.)

SWTES1301-T882 (1.0) - [TG-3][FilipStanev][Registration] Negative Password with 5 characters

Details

Key	SWTES1301-T882
Name	[TG-3][FilipStanev][Registration] Negative Password with 5 characters
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/09/2022 22:03:10 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
	Reading list
	Login Signup
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Filiip
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter correct Username
	Test Data
	Stanev

|	**Expected Result**
	Username is accepted by the field
6	**Step**
	Enter correct Email
	Test Data
	user123456@gmail.com
	Expected Result
	E-mail is accepted by the field
7	**Step**
	Enter correct Password
	Test Data
	12345
	Expected Result
	Password is not accepted by the field and its masked Error message shows up Password ••••• ⊘ A password between 5 to 20 characters Password is too short (Minimum 5 characters needed.)

SWTES1301-T883 (1.0) - [TG-3][FilipStanev][Registration] Negative Username with 16 characters

Details

Key	SWTES1301-T883
Name	[TG-3][FilipStanev][Registration] Negative Username with 16 characters
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/09/2022 22:03:10 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Filiip
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter incorrect Username
	Test Data
	StanevvStanevvii

Expected Result

Username is not accepted by the field
Error message shows up

Username

StanevvStanevvii   ⊘

A unique username
Username is too long (Maximum 15 characters needed.)

SWTES1301-T884 (1.0) - [TG-3][FilipStanev][Registration] Negative Username with 2 characters

Details

Key	SWTES1301-T884
Name	[TG-3][FilipStanev][Registration] Negative Username with 2 characters
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/09/2022 22:03:10 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Filiip
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter incorrect Username
	Test Data
	St

Expected Result

Username is not accepted by the field

Error message shows up

Password

`••`   ⊘

A password between 5 to 20 characters

Password is too short (Minimum 5 characters needed.)

SWTES1301-T890 (1.0) - [TG-3][FilipStanev][Registration] Negative with existing E-mail

Details

Key	SWTES1301-T890
Name	[TG-3][FilipStanev][Registration] Negative with existing E-mail
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/09/2022 22:20:12 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Enter Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field

5	**Step**
	Enter Username
	Test Data
	tg3admin

|	
	Expected Result Username is accepted by the field
6	**Step** Enter Email
	Test Data tg3admin@test.org
	Expected Result E-mail is not accepted by the field Error message shows up This Email is already registered Email tg3admin@test.org ⊘ Your email This Email is already registered

SWTES1301-T891 (1.0) - [TG-3][FilipStanev][Registration] Negative with existing Username

Details

Key	SWTES1301-T891
Name	[TG-3][FilipStanev][Registration] Negative with existing Username
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/09/2022 22:20:12 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Enter Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field

5	**Step**
	Enter Username
	Test Data
	tg3admin

Expected Result

Username is not accepted by the field

Error message shows up "This user is already taken"

Username

| tg3admin | ⊘ |

A unique username

This username is already taken

SWTES1301-T897 (1.0) - [TG-3][FilipStanev][Registration] Negative Testing email field format only with numbers

Details

Key	SWTES1301-T897
Name	[TG-3][FilipStanev][Registration] Negative Testing email field format only with numbers
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/09/2022 22:36:58 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Enter Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field

5	**Step**
	Enter Username
	Test Data
	tg3admin

|	
	Expected Result Username is accepted by the field
6	**Step** Enter Email
	Test Data 1111@2222.2222
	Expected Result E-mail is not accepted by the field Error message shows up This Email is not valid Email 1111@2222.2222 ⓘ Your email Email not valid

SWTES1301-T900 (1.0) - [TG-3][FilipStanev][Registration] Negative field Password empty

Details

Key	SWTES1301-T900
Name	[TG-3][FilipStanev][Registration] Negative field Password empty
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/09/2022 22:44:56 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Enter correct Full Name
	Test Data
	Filiip
	Expected Result
	The Name is accepted by the field

5	**Step**
	Enter correct Username
	Test Data
	Stanev

|		
	Expected Result Username is accepted by the field	
6	**Step** Enter correct Email	
	Test Data user123456@gmail.com	
	Expected Result E-mail is accepted by the field	
7	**Step** Leave the Password field empty	
	Test Data	
	Expected Result Field is empty	
8	**Step** Click on register button	
	Test Data	
	Expected Result User is not logged in.User stays on registration form	

SWTES1301-T1001 (1.0) - [TG-3][FilipStanev][Registration] Negative field Username empty

Details

Key	SWTES1301-T1001
Name	[TG-3][FilipStanev][Registration] Negative field Username empty
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/11/2022 18:26:25 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Filiip
	Expected Result
	The Name is accepted by the field
5	**Step**
	Leave the field Username empty
	Test Data
	Expected Result

	The field is empty
6	**Step** Enter correct Email
	Test Data user123456@gmail.com
	Expected Result Email is accepted by the field
7	**Step** Enter a correct password
	Test Data 123456
	Expected Result The password is accepted by the field
8	**Step** Click on registration button
	Test Data
	Expected Result User is not registered User stays on registration form.

SWTES1301-T1002 (1.0) - [TG-3][FilipStanev][Registration] Negative field e-mail empty

Details

Key	SWTES1301-T1002
Name	[TG-3][FilipStanev][Registration] Negative field e-mail empty
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/11/2022 18:31:28 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Filiip
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter correct Username
	Test Data
	Stanev

	Expected Result
	Username is accepted by the field
6	**Step**
	Leave the field Email empty
	Test Data
	Expected Result
	The field is empty
7	**Step**
	Enter a correct password
	Test Data
	123456
	Expected Result
	Password is accepted by the field.
8	**Step**
	Click on the registration button
	Test Data
	Expected Result
	User is not registerd. User stays on the same page (registration form)

SWTES1301-T1003 (1.0) - [TG-3][FilipStanev][Registration] Negative by pressing only registration button

Details

Key	SWTES1301-T1003
Name	[TG-3][FilipStanev][Registration] Negative by pressing only registration button
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/11/2022 18:57:39 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

Reading list

Login   Signup

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Leave all mandatory fields empty
	Test Data
	Expected Result
	The fields are empty

5	**Step**
	Click on register button
	Test Data
	Expected Result
	User is not logged in.User stays on registration form

SWTES1301-T1004 (1.0) - [TG-3][FilipStanev][Registration] Negative Duplicate Username

Details

Key	SWTES1301-T1004
Name	[TG-3][FilipStanev][Registration] Negative Duplicate Username
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/11/2022 19:01:19 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

| 4	**Step**
	Enter existing Username
	Test Data
	tg3admin
	Expected Result
	By pressing the e-mail field, user should receive a message "This username is already taken " and field shall be highlighted in red.

SWTES1301-T1005 (1.0) - [TG-3][FilipStanev][Registration] Negative Duplicate E-mail

Details

Key	SWTES1301-T1005
Name	[TG-3][FilipStanev][Registration] Negative Duplicate E-mail
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/11/2022 19:07:00 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter existing e-mail
	Test Data
	tg3admin@test.org
	Expected Result
	By pressing the password field, user should receive a message "This email is already taken " and field shall be highlighted in red.

SWTES1301-T1006 (1.0) - [TG-3][FilipStanev][Registration] Negative field Full Name acceptance

Details

Key	SWTES1301-T1006
Name	[TG-3][FilipStanev][Registration] Negative field Full Name acceptance
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/11/2022 19:15:12 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Click on a Full Name field and leave it empty
	Test Data
	Expected Result
	The field is empty

| 5 | **Step** |
	Click on side next to the field
	Test Data
	Expected Result
	the fields shall be highlighted in red and require a Full Name

Full Name

Your full name

Full Name is required!

SWTES1301-T1007 (1.0) - [TG-3][FilipStanev][Registration] Negative field Username acceptance

Details

Key	SWTES1301-T1007
Name	[TG-3][FilipStanev][Registration] Negative field Username acceptance
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/11/2022 19:19:07 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Click on a Username field and leave it empty
	Test Data
	Expected Result
	The field is empty

| 5 | **Step** |
	Click on side, next to the field
	Test Data
	Expected Result
	The fields shall be highlighted in red and require a Username

Username

A unique username

Username is required!

SWTES1301-T1008 (1.0) - [TG-3][FilipStanev][Registration] Negative field Email acceptance

Details

Key	SWTES1301-T1008
Name	[TG-3][FilipStanev][Registration] Negative field Email acceptance
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/11/2022 19:22:08 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Click on a Email field and leave it empty
	Test Data
	Expected Result
	The field is empty
5	**Step**
	Click on side, next to the field
	Test Data
	Expected Result
	The fields shall be highlighted in red and require a Email

Email

Your email

Email may not be empty

SWTES1301-T1009 (1.0) - [TG-3][FilipStanev][Registration] Negative field Password acceptance

Details

Key	SWTES1301-T1009
Name	[TG-3][FilipStanev][Registration] Negative field Password acceptance
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/11/2022 19:28:14 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Click on a Password field and leave it empty
	Test Data
	Expected Result
	The field is empty
5	**Step**
	Click on side, next to the field
	Test Data
	Expected Result
	The fields shall be highlighted in red and require a Password

Password

A password between 5 to 20 characters

Please input your Password!

SWTES1301-T1011 (1.0) - [TG-3][FilipStanev][Login] Negative password field case sensitive to capital letters

Details

Key	SWTES1301-T1011
Name	[TG-3][FilipStanev][Login] Negative password field case sensitive to capital letters
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/11/2022 19:42:34 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Test Test
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter incorrect password with capital letter
	Test Data

|	
	Correct password - filips Incorrect password - Filips
	Expected Result The pass
6	**Step** Click on Login button
	Test Data
	Expected Result User is not logged in. Error message shows up. User is redirected to login page

SWTES1301-T1013 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail without "@" and "."

Details

Key	SWTES1301-T1013
Name	[TG-3][FilipStanev][Registration] Negative E-mail without "@" and "."
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 15:41:58 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field

5	**Step**
	Enter correct Username
	Test Data
	Stanev

	Expected Result	
	Username is accepted by the field	
6	**Step**	
	Enter incorrect Email and click on side next to the field	
	Test Data	
	plainaddress	
	Expected Result	
	The email is not accepted. The field highlighted in red.	

Email

| plainaddress	⊙

Your email
Email not valid

SWTES1301-T1014 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail with special symbols and ".com" in the end

Details

Key	SWTES1301-T1014
Name	[TG-3][FilipStanev][Registration] Negative E-mail with special symbols and ".com" in the end
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 15:54:35 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field

5	**Step**
	Enter correct Username
	Test Data
	Stanev

	Expected Result
	Username is accepted by the field
6	**Step**
	Enter incorrect Email and click on side next to the field
	Test Data
	#@%^%#$@#$@#.com
	Expected Result
	The email is not accepted.
	The field highlighted in red.

Email

#@%^%#$@#$@#.com   ⊘

Your email
Email not valid

SWTES1301-T1015 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail without string before "@"

Details

Key	SWTES1301-T1015
Name	[TG-3][FilipStanev][Registration] Negative E-mail without string before "@"
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 15:57:16 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field

5	**Step**
	Enter correct Username
	Test Data
	Stanev

	Expected Result	
	Username is accepted by the field	
6	**Step**	
	Enter incorrect Email and click on side next to the field	
	Test Data	
	@example.com	
	Expected Result	
	The email is not accepted.	
	The field highlighted in red.	

Email

@example.com	⊙

Your email
Email not valid

SWTES1301-T1016 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail with empty space

Details

Key	SWTES1301-T1016
Name	[TG-3][FilipStanev][Registration] Negative E-mail with empty space
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 16:00:39 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter correct Username
	Test Data
	Stanev

	Expected Result	
	Username is accepted by the field	
6	**Step**	
	Enter incorrect Email and click on side next to the field	
	Test Data	
	Filip Stanev <email@example.com>	
	Expected Result	
	The email is not accepted. The field highlighted in red.	

Email

| Filip Stanev <email@example.com> | ⊘ |

Your email

Email not valid

SWTES1301-T1017 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail without "@" only with "."

Details

Key	SWTES1301-T1017
Name	[TG-3][FilipStanev][Registration] Negative E-mail without "@" only with "."
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 16:03:16 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter correct Username
	Test Data
	Stanev

		Expected Result
		Username is accepted by the field
6		**Step**
		Enter incorrect Email and click on side next to the field
		Test Data
		email.example.com
		Expected Result
		The email is not accepted.
		The field highlighted in red.

Email

email.example.com   ⊘

Your email
Email not valid

SWTES1301-T1018 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail with two "@"

Details

Key	SWTES1301-T1018
Name	[TG-3][FilipStanev][Registration] Negative E-mail with two "@"
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 16:09:00 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
	▤ Reading list
	Login Signup
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter correct Username
	Test Data
	Stanev

	Expected Result	
	Username is accepted by the field	
6	**Step**	
	Enter incorrect Email and click on side next to the field	
	Test Data	
	email@example@example.com	
	Expected Result	
	The email is not accepted.	
	The field highlighted in red.	

Email

email@example@example.com   ⊘

Your email

Email not valid

SWTES1301-T1019 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail with "(Filip)" after ".com"

Details

Key	SWTES1301-T1019
Name	[TG-3][FilipStanev][Registration] Negative E-mail with "(Filip)" after ".com"
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 16:10:22 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
	Reading list
	Login Signup
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter correct Username
	Test Data
	Stanev

	Expected Result
	Username is accepted by the field
6	**Step**
	Enter incorrect Email and click on side next to the field
	Test Data
	email@example.com (Filip)
	Expected Result
	The email is not accepted.
	The field highlighted in red.

SWTES1301-T1020 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail without ".com"

Details

Key	SWTES1301-T1020
Name	[TG-3][FilipStanev][Registration] Negative E-mail without ".com"
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 17:17:15 by Filip Stanev Updated on 02/13/2022 22:44:01 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
	Reading list
	Login Signup
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter correct Username
	Test Data
	Stanev

	Expected Result	
	Username is accepted by the field	
6	**Step**	
	Enter incorrect Email and click on side next to the field	
	Test Data	
	email@example	
	Expected Result	
	The email is not accepted.	
	The field highlighted in red.	

Email

email@example.com (Filip)   ⊘

Your email
Email not valid

SWTES1301-T1021 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail with "-" after "@"

Details

Key	SWTES1301-T1021
Name	[TG-3][FilipStanev][Registration] Negative E-mail with "-" after "@"
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 17:19:34 by Filip Stanev Updated on 02/13/2022 22:44:02 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
	☰ Reading list
	Login Signup
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter correct Username
	Test Data
	Stanev

	Expected Result
	Username is accepted by the field
6	**Step**
	Enter incorrect Email and click on side next to the field
	Test Data
	email@-example.com
	Expected Result
	The email is not accepted.
	The field highlighted in red.

Email

| email@example.com (Filip)	⊘

Your email
Email not valid

SWTES1301-T1022 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail with ".web" in the end

Details

Key	SWTES1301-T1022
Name	[TG-3][FilipStanev][Registration] Negative E-mail with ".web" in the end
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 17:21:19 by Filip Stanev Updated on 02/13/2022 22:44:02 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

Reading list

Login   Signup

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field

5	**Step**
	Enter correct Username
	Test Data
	Stanev

|		
	Expected Result	
	Username is accepted by the field	
6	**Step**	
	Enter incorrect Email and click on side next to the field	
	Test Data	
	email@example.web	
	Expected Result	
	The email is not accepted. The field highlighted in red. Email email@example.com (Filip) ⊘ Your email Email not valid	

SWTES1301-T1023 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail with Digits after the "@"

Details

Key	SWTES1301-T1023
Name	[TG-3][FilipStanev][Registration] Negative E-mail with Digits after the "@"
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 17:22:21 by Filip Stanev Updated on 02/13/2022 22:44:02 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field

5	**Step**
	Enter correct Username
	Test Data
	Stanev

|	
	Expected Result Username is accepted by the field
6	**Step** Enter incorrect Email and click on side next to the field
	Test Data email@111.222.333.44444
	Expected Result The email is not accepted. The field highlighted in red. Email email@111.222.333.44444 ⊘ Your email Email not valid

SWTES1301-T1024 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail with "Abc..123" before "@"

Details

Key	SWTES1301-T1024
Name	[TG-3][FilipStanev][Registration] Negative E-mail with "Abc..123" before "@"
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 17:23:52 by Filip Stanev Updated on 02/13/2022 22:44:02 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter correct Username
	Test Data
	Stanev

	Expected Result
	Username is accepted by the field
6	**Step**
	Enter incorrect Email and click on side next to the field
	Test Data
	Abc..123@example.com
	Expected Result
	The email is not accepted.
	The field highlighted in red.

Email

Abc..123@example.com ⊘

Your email
Email not valid

SWTES1301-T1025 (1.0) - [TG-3][FilipStanev][Registration] Negative E-mail with "this\ is"really"not\allowed" before "@"

Details

Key	SWTES1301-T1025
Name	[TG-3][FilipStanev][Registration] Negative E-mail with "this\ is"really"not\allowed" before "@"
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 17:27:21 by Filip Stanev Updated on 02/13/2022 22:44:02 by Filip Stanev

Test Script

1	**Step**
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable
3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user
4	**Step**
	Enter correct Full Name
	Test Data
	Test Group 3
	Expected Result
	The Name is accepted by the field
5	**Step**
	Enter correct Username
	Test Data
	Stanev

|	
	Expected Result Username is accepted by the field
6	**Step** Enter incorrect Email and click on side next to the field
	Test Data this\ is"really"not\allowed@example.com
	Expected Result The email is not accepted. The field highlighted in red. Email this\ is"really"not\allowed@example.com ⊘ Your email Email not valid

SWTES1301-T1026 (1.0) - [TG-3][FilipStanev][Registration] Negative Full Name with 41 characters error

Details

Key	SWTES1301-T1026
Name	[TG-3][FilipStanev][Registration] Negative Full Name with 41 characters error
Objective	The object of this test case is that the user shall be able to create registration
Precondition	1. The application is started 2. The user is not logged in the application 3. The user has no registration in the application
Folder	TestGroup3/Filip/v1.0.3/Registration/Negative
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/12/2022 17:31:22 by Filip Stanev Updated on 02/13/2022 22:44:02 by Filip Stanev

Test Script

1	Step
	Navigate to URL http://poll-app5-20220113.softacad.bg/polls
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The app is loaded and visualized

2	**Step**
	Click on the Signup button on a top right corner
	Test Data
	Expected Result
	the button is clickable

Reading list

Login   Signup

3	**Step**
	User is redirected to registration form
	Test Data
	Expected Result
	The form is loaded and all the fields are available to user

4	**Step**
	Enter Full Name
	Test Data
	FilipFilipFilipFilipFilipFilipFilipFilipr
	Expected Result
	The full name is accepted by the field

5	**Step**
	Enter Username
	Test Data
	Fils

	Expected Result
	Username is accepted by the field
6	**Step**
	Enter email
	Test Data
	fils@abv.bg
	Expected Result
	Email is accepted by the field
7	**Step**
	Enter password
	Test Data
	123456
	Expected Result
	Password is accepted by the field
8	**Step**
	Click on the register button
	Test Data
	Expected Result
	The field full name fields shall be highlighted in red.