SWTES1301-T405 (1.0) - [TG-3][FilipStanev] Negative Login with wrong e-mail and correct password as User

Details

Key	SWTES1301-T405
Name	[TG-3][FilipStanev] Negative Login with wrong e-mail and correct password as User
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided e-mail and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 13:16:42 by Filip Stanev Updated on 02/05/2022 14:50:31 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data http://poll-app5-20220113.softacad.bg/polls

	Expected Result The App is Loaded 
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter incorrect e-mail
	Test Data Wrong e-mail testt@test.org
	Expected Result User shall be able to input e-mail in the filed.
4	**Step** Enter Password
	Test Data 123456
	Expected Result User shall be able to input password and it is masked 

5	**Step** Click on the Login button 
	Test Data
	Expected Result User is NOT Logged in. Error message shows on the screen for a short period. 
6	**Step** User redirected back to login page
	Test Data
	Expected Result 

SWTES1301-T408 (1.0) - [TG-3][FilipStanev] Negative Login with correct e-mail and wrong password as User

Details

Key	SWTES1301-T408
Name	[TG-3][FilipStanev] Negative Login with correct e-mail and wrong password as User
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided e-mail and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 13:34:44 by Filip Stanev Updated on 02/05/2022 13:40:39 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data http://poll-app5-20220113.softacad.bg/polls

	Expected Result The App is Loaded 
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter correct Username
	Test Data test@test.org
	Expected Result User shall be able to input username in the filed.
4	**Step** Enter Password
	Test Data Wrong password 1123456
	Expected Result User shall be able to input password and it is masked 

5	**Step** Click on the Login button 
	Test Data
	Expected Result User is NOT Logged in. Error message shows on the screen for a short period. 
6	**Step** User redirected back to login page
	Test Data
	Expected Result 

SWTES1301-T411 (1.0) - [TG-3][FilipStanev] Negative Login with e-mail and NO password as User

Details

Key	SWTES1301-T411
Name	[TG-3][FilipStanev] Negative Login with e-mail and NO password as User
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided e-mail and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 13:54:07 by Filip Stanev Updated on 02/05/2022 14:08:42 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data http://poll-app5-20220113.softacad.bg/polls

	Expected Result The App is Loaded 
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter a correct e-mail
	Test Data test@test.org
	Expected Result The email is accepted by the field
4	**Step** Leave the field Password empty
	Test Data
	Expected Result
5	**Step** Click on the Login button



Test Data

Expected Result

User is NOT Logged in. User stays on a login page.

SWTES1301-T412 (1.0) - [TG-3][FilipStanev] Negative Login with wrong Username and correct password as User

Details

Key	SWTES1301-T412
Name	[TG-3][FilipStanev] Negative Login with wrong Username and correct password as User
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided Username and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 14:19:33 by Filip Stanev Updated on 02/05/2022 14:29:16 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data

	http://poll-app5-20220113.softacad.bg/polls
	Expected Result The App is Loaded
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter the Username
	Test Data Wrong Username noormalUser1
	Expected Result User shall be able to input Username in the filed.
4	**Step** Enter Password
	Test Data 123456
	Expected Result User shall be able to input password and it is masked



5

Step

Click on the Login button



Test Data

Expected Result

User is NOT Logged in.

Error message shows on the screen for a short period.



6

Step

User redirected back to login page

Test Data

Expected Result



SWTES1301-T414 (1.0) - [TG-3][FilipStanev] Negative Login with correct Username and wrong password as User

Details

Key	SWTES1301-T414
Name	[TG-3][FilipStanev] Negative Login with correct Username and wrong password as User
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided Username and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 14:29:50 by Filip Stanev Updated on 02/05/2022 14:34:37 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data

	http://poll-app5-20220113.softacad.bg/polls
	Expected Result The App is Loaded
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter Username
	Test Data normalUser1
	Expected Result User shall be able to input Username in the filed.
4	**Step** Enter Password
	Test Data Wrong Password 1233456
	Expected Result User shall be able to input password in the field and it is masked



5	**Step** Click on the Login button 
	Test Data
	Expected Result User is NOT Logged in. Error message shows on the screen for a short period. 
6	**Step** User redirected back to login page
	Test Data
	Expected Result 

SWTES1301-T415 (1.0) - [TG-3][FilipStanev] Negative Login with Username and NO password as User

Details

Key	SWTES1301-T415
Name	[TG-3][FilipStanev] Negative Login with Username and NO password as User
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided Username and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 14:35:15 by Filip Stanev Updated on 02/05/2022 18:35:38 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data http://poll-app5-20220113.softacad.bg/polls

	Expected Result The App is Loaded 
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter Username
	Test Data normalUser1
	Expected Result User shall be able to input Username in the filed.
4	**Step** Leave this field empty
	Test Data
	Expected Result
5	**Step** Click on the Login button



	Test Data
	Expected Result User is NOT Logged in. Error message shows on the screen for a short period.
6	**Step** User redirected back to login page
	Test Data
	Expected Result User is NOT Logged in. User stays on a login page. 

SWTES1301-T416 (1.0) - [TG-3][FilipStanev] Negative Login with correct e-mail and wrong password as Admin

Details

Key	SWTES1301-T416
Name	[TG-3][FilipStanev] Negative Login with correct e-mail and wrong password as Admin
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided e-mail and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 14:43:09 by Filip Stanev Updated on 02/05/2022 14:46:27 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data

	http://poll-app5-20220113.softacad.bg/polls
	Expected Result The App is Loaded
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter correct E-mail
	Test Data tg3admin@test.org
	Expected Result User shall be able to input E-mail in the filed.
4	**Step** Enter Password
	Test Data Wrong password 1123456
	Expected Result User shall be able to input password and it is masked



5

Step

Click on the Login button



Test Data

Expected Result

User is NOT Logged in.
Error message shows on the screen for a short period.



6

Step

User redirected back to login page

Test Data

Expected Result



SWTES1301-T417 (1.0) - [TG-3][FilipStanev] Negative Login with wrong e-mail and correct password as Admin

Details

Key	SWTES1301-T417
Name	[TG-3][FilipStanev] Negative Login with wrong e-mail and correct password as Admin
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided e-mail and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 14:46:59 by Filip Stanev Updated on 02/05/2022 14:50:01 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data

	http://poll-app5-20220113.softacad.bg/polls
	Expected Result The App is Loaded
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter incorrect e-mail
	Test Data Wrong e-mail tg3adminn@test.org
	Expected Result User shall be able to input e-mail in the filed.
4	**Step** Enter Password
	Test Data 123456
	Expected Result User shall be able to input password and it is masked 



5

Step

Click on the Login button



Test Data

Expected Result

User is NOT Logged in.

Error message shows on the screen for a short period.



6

Step

User redirected back to login page

Test Data

Expected Result



SWTES1301-T418 (1.0) - [TG-3][FilipStanev] Negative Login with wrong Username and correct password as Admin

Details

Key	SWTES1301-T418
Name	[TG-3][FilipStanev] Negative Login with wrong Username and correct password as Admin
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided username and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 14:51:02 by Filip Stanev Updated on 02/05/2022 14:58:44 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data

	http://poll-app5-20220113.softacad.bg/polls
	Expected Result The App is Loaded
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter incorrect username 
	Test Data tg3adminn
	Expected Result User shall be able to input e-mail in the filed.
4	**Step** Enter Password
	Test Data 123456

	Expected Result User shall be able to input password and it is masked 
5	**Step** Click on the Login button 
	Test Data
	Expected Result User is NOT Logged in. Error message shows on the screen for a short period. 
6	**Step** User redirected back to login page
	Test Data
	Expected Result


Polling App v1.0.1
Login
Login
Username or Email
Password
Login

SWTES1301-T419 (1.0) - [TG-3][FilipStanev] Negative Login with correct Username and wrong password as Admin

Details

Key	SWTES1301-T419
Name	[TG-3][FilipStanev] Negative Login with correct Username and wrong password as Admin
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided username and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 14:59:26 by Filip Stanev Updated on 02/05/2022 15:10:42 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data

	http://poll-app5-20220113.softacad.bg/polls
	Expected Result The App is Loaded
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter correct username
	Test Data tg3admin
	Expected Result User shall be able to input username in the filed.
4	**Step** Enter Password
	Test Data Wrong password 1234566
	Expected Result User shall be able to input password and it is masked



5

Step

Click on the Login button



Test Data

Expected Result

User is NOT Logged in.

Error message shows on the screen for a short period.



6

Step

User redirected back to login page

Test Data

Expected Result



SWTES1301-T420 (1.0) - [TG-3][FilipStanev] Negative Login with e-mail and NO password as Admin

Details

Key	SWTES1301-T420
Name	[TG-3][FilipStanev] Negative Login with e-mail and NO password as Admin
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided e-mail and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 15:11:47 by Filip Stanev Updated on 02/05/2022 15:13:58 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data http://poll-app5-20220113.softacad.bg/polls

	Expected Result The App is Loaded 
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter a correct e-mail
	Test Data tg3admin@test.org
	Expected Result The email is accepted by the field
4	**Step** Leave the field Password empty
	Test Data
	Expected Result
5	**Step** Click on the Login button



Test Data

Expected Result

User is NOT Logged in. User stays on a login page.

SWTES1301-T421 (1.0) - [TG-3][FilipStanev] Negative Login with username and NO password as Admin

Details

Key	SWTES1301-T421
Name	[TG-3][FilipStanev] Negative Login with username and NO password as Admin
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided username and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/05/2022 15:14:11 by Filip Stanev Updated on 02/05/2022 15:15:55 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data http://poll-app5-20220113.softacad.bg/polls

	Expected Result The App is Loaded
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Enter a correct username
	Test Data tg3admin
	Expected Result The username is accepted by the field
4	**Step** Leave the field Password empty
	Test Data
	Expected Result
5	**Step** Click on the Login button



Test Data

Expected Result

User is NOT Logged in. User stays on a login page.

SWTES1301-T637 (1.0) - [TG-3][FilipStanev] Negative Login with No e-mail or Username and correct password as Admin

Details

Key	SWTES1301-T637
Name	[TG-3][FilipStanev] Negative Login with No e-mail or Username and correct password as Admin
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided e-mail and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/06/2022 15:24:12 by Filip Stanev Updated on 02/06/2022 15:51:05 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data

	http://poll-app5-20220113.softacad.bg/polls
	Expected Result The App is Loaded
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Leave the field username or password empty 
	Test Data
	Expected Result
4	**Step** Enter a correct Admin password
	Test Data 123456

	Expected Result Password is accepted by the field.
5	**Step** Click on the Login button 
	Test Data
	Expected Result User is NOT Logged in. User stays on a login page.

SWTES1301-T641 (1.0) - [TG-3][FilipStanev] Negative Login with No e-mail or Username and correct password as User

Details

Key	SWTES1301-T641
Name	[TG-3][FilipStanev] Negative Login with No e-mail or Username and correct password as User
Objective	The objective of this test case is to test the negative Login functionality: 1. User is able to input username and password 2. The provided e-mail and/or password are not correct and the user is not able to login to the App
Precondition	1. User is able to load the App 2. user don`t have permission to log in
Folder	TestGroup3/Filip/V1.0.1/Login/Negative Log in
Status	Draft
Priority	High
Component	-
Owner	Filip Stanev
Estimated Time	-
Labels	
Traceability	
Attachments	
Dates	Created on 02/06/2022 15:30:47 by Filip Stanev Updated on 02/06/2022 15:51:05 by Filip Stanev

Test Script

1	**Step** Open the URL of the App
	Test Data

	http://poll-app5-20220113.softacad.bg/polls
	Expected Result The App is Loaded
2	**Step** Click on the Login button in the top right corner 
	Test Data
	Expected Result The button is clickable and redirect the user to Login page 
3	**Step** Leave the field username or e-mail empty 
	Test Data
	Expected Result
4	**Step** Enter a correct User password
	Test Data 123456

	Expected Result Password is accepted by the field.
5	**Step** Click on the Login button 
	Test Data
	Expected Result User is NOT Logged in. User stays on a login page.