


Phishing Link Detector

Hover over a link. Know if it's phishing before you click.

FuadAhamed91 · 15 September 2026 · MIT
github.com/FuadAhamed91/phishing-detector-extension



THE PROBLEM

Link text lies.

Every phishing email depends on one thing: you cannot see where a link goes until you have already clicked it.

1

The words are not the destination.

A link that reads `moviescope.com` can point anywhere at all.

2

Familiar names hide the real domain.

`paypal.com.account-services.net` is not PayPal — the site is `account-services.net`.

3

Mail clients wrap every link.

Gmail and Outlook route links through `google.com/url?q=...`, so even the status bar looks safe.


The extension shows the **real destination**, a **1–100 score** and the **reasons** — on hover, before the click, without sending anything off your machine.

WHAT IT DOES

A verdict card at the cursor.

Rest the cursor on any link for 400 ms and a small card appears beside it: the status and score, the domain the link really leads to, and up to three reasons. Green means the address checks out, amber means take care, red means the address is built the way phishing links are built. Shortened links (`bit.ly`, `t.co`) get a grey card that says the destination is hidden, instead of a guess. The card follows the cursor, stays clear of the screen edges and disappears the moment you move away.


Green means the address checks out.



Looks safe · 100%

A Google search for Al Ain University. The card confirms the link goes to `aau.ac.ae` — HTTPS, a real domain, nothing borrowed from another brand.

The link says moviescope.com. It goes to 10.10.1.13.



Suspicious link · 20%

An "update your account" email. The text says `www.moviescope.com/account-information` — the real target is a raw IP address over plain HTTP. Caught without a click.

WHAT IT CHECKS

Twelve rules, one score.

Brand impersonation

A known brand's name on a domain the brand doesn't own.

`paypal.com.evil.net`
`secure-paypal.com`

Look-alike domains

Typos, digits, letter pairs, even Cyrillic letters that look Latin.

`amaz0n.com` ·
`rnicrosoft.com` ·
`appIe.com`

Redirect unwrapping

Gmail, Outlook Safe Links, Facebook and Proofpoint wrappers are peeled first.

`google.com/url?q=...`

The @ trick

Anything before @ is a username, not the site.

`https://google.com@evil.com`

Raw IP addresses

Real companies use domain names.

`http://10.10.1.13/login`

Abused TLDs

Cheap endings that dominate phishing lists.

`.xyz` `.top` `.tk` `.click`
`.icu`

Suspicious words

Only where the attacker chose them — not in `accounts.google.com`.

`secure-login.com`

URL shorteners

Destination hidden — the card says so instead of guessing.

`bit.ly` · `t.co` ·
`tinyurl.com`

HOW IT WORKS

Hover to verdict in four steps.

01

Hover

The cursor rests on a link for 400 ms. Nothing happens on a quick pass.



02

Unwrap

Known redirectors are peeled away to reach the real destination.



03

Score

The hostname is split into the part someone registered, then twelve rules deduct points from 100.



04

Show

A card at the cursor: verdict, real domain, reasons. Gone the moment you move away.

100% local

No API calls, no accounts, no tracking. Nothing leaves the browser.

0 dependencies

Manifest V3, plain JavaScript ES modules.

72 tests

Run on every push with GitHub Actions.

MIT

Open source — fork it, extend it, ship it.

TRY IT

Two minutes to install.

- 1 Clone or download the repository.
- 2 Open `chrome://extensions` and turn on Developer mode.
- 3 Click **Load unpacked** and pick the folder with `manifest.json`.
- 4 Hover any link. That's it.

github.com/FuadAhamed91/phishing-detector-extension

Feedback, issues and pull requests welcome.