第一次社課：
什麼是資安，能吃嗎

Frank

復旦資研 - 115/09/23


拜託ATM
BATTLE
頂尖大學金頭腦爭霸戰
成功大學
TVBS歡樂台 HD
我們是做好駭客



法規名稱：中華民國刑法 EN

法規類別：行政 ＞ 法務部 ＞ 檢察目

※如已配合行政院組織改造，公告變更管轄或停止辦理業務之法規條文，請詳見沿革

第 359 條	無故取得、刪除或變更他人電腦或其相關設備之電磁紀錄，致生損害於公眾或他人者，處五年以下有期徒刑、拘役或科或併科六十萬元以下罰金。



法規名稱：個人資料保護法 EN

生效狀態：※本法規部分或全部條文尚未生效，最後生效日期：未定 連結舊法規內容

1.一百十二年五月三十一日增訂之第 1-1 條條文，施行日期，由行政院定之。

2.一百十四年十一月十一日修正第 1-1、12、18、21、22～26、41、47～49、52、53、55 條條文；增訂第 1-2、20-1、21-1～21-5、51-1、53-1 條條文及第三章之一章名、第一節節名、第二節節名；刪除第 27 條條文，施行日期，由行政院定之。

法規類別：行政 ＞ 個人資料保護委員會籌備處 ＞ 通用目

※如已配合行政院組織改造，公告變更管轄或停止辦理業務之法規條文，請詳見沿革

第 41 條　意圖為自己或第三人不法之利益或損害他人之利益，而違反第六條第一項、第十五條、第十六條、第十九條、第二十條第一項規定，或依第二十一條限制國際傳輸之命令或處分，足生損害於他人者，處五年以下有期徒刑，得併科新臺幣一百萬元以下罰金。

相關法條

~$ whoami

Frank

THJCC CTF 2026 第三屆臺灣高中職聯合資安競賽 總召集人
SCINT 北臺灣學生資訊社群 行政組兼資安計畫負責人
No Hack No CTF 2024~2026 出題兼網管
HITCON CTF 全國第三
HITCON ExCTF 全國第三
國家高速網路與計算中心 HiPAC 佳作 & NVIDIA 特別獎


個網：https://frk.tw

你覺得什麼是資安?

安裝 Burp Suite


~$ Burp Suite 是什麼?




Burp Project Intruder Repeater View Help
Burp Suite Community Edition v2026.4.3 - Temporary Project
Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover
Intercept HTTP history WebSockets history Match and replace Proxy settings
Intercept on
Forward
Drop
Request to https://frk.tw:44
Time Type Direction Method URL
09:20:38 23 Se... HTTP → Request GET https://frk.tw/

擷取網站封包


Request
Pretty Raw Hex
1 GET / HTTP/2
2 Host: frk.tw
3 Cache-Control: max-age=0
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: zh-TW,zh;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: none
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Accept-Encoding: gzip, deflate, br
16 Priority: u=0, i
Search
0 highlights


1
Send
Cancel
Burp AI
Request
Pretty
Raw
Hex
1 POST / HTTP/2
2 Host: frk.tw
3 Cache-Control: max-age=0
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: zh-TW,zh;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: none
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Accept-Encoding: gzip, deflate, br
16 Priority: u=0, i
17 Content-Length: 8
18 Content-Type: application/x-www-form-urlencoded
19
20 114514
Response
Pretty
Raw
Hex
Render
1 HTTP/2 405 Method Not Allowed
2 Date: Wed, 23 Sep 2026 01:22:19 GMT
3 Content-Length: 0
4 Cf-Ray: a3f5bcd65e36a39d-TPE
5 Cf-Cache-Status: DYNAMIC
6 Access-Control-Allow-Origin: *
7 Server: cloudflare
8 Nel: {"report_to":"cf-nel","success_fraction":0.0,"max_age":604800}
9 Report-To: {"group":"cf-nel","max_age":604800,"endpoints":[{"url":"https://a.nel.cloudflare.com/report/v4?s=EbN1crsPDj2BzipCX4csWRlvE7%2BIb2Lu0vnyjbNg7mkDwN1cpKkZcMQuE9e2NFgbZsGOXWGdLWL3quWpCY8bUtP5Lhv5dWrS9WHHH1c099gTkq602oFKTS4%3D"}]}
10 Expect-Ct: max-age=86400, enforce
11 Referrer-Policy: same-origin
12 X-Content-Type-Options: nosniff
13 X-Frame-Options: SAMEORIGIN
14 X-Xss-Protection: 1; mode=block
15 Server-Timing: cfCacheStatus;desc="DYNAMIC"
16 Server-Timing: cfEdge;dur=48,cfOrigin;dur=0
17 Alt-Svc: h3=":443"; ma=86400
18
19

更改請求內容

Burp Project Intruder Repeater View Help

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover

Intercept HTTP history WebSockets history Match and replace Proxy settings

Intercept on Forward Drop Open browser

先使用 Proxy 攔截封包



Intercept is on

Messages between Burp's browser and your target servers are held here. This enables you to analyze and modify these messages, before you forward them.

Learn more Open browser

Event log All issues

Memory: 160.8MB of 13.86GB Disabled

Burp Project Intruder Repeater View Help

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover

Intercept HTTP history WebSockets history Match and replace Proxy settings

Intercept on Forward Drop

Open browser

點開它內建的瀏覽器



Intercept is on

Messages between Burp's browser and your target servers are held here. This enables you to analyze and modify these messages, before you forward them.

Learn more Open browser

Event log All issues

Memory: 160.8MB of 13.86GB

Disabled

Burp Project Intruder Repeater View Help

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover

Intercept HTTP history WebSockets history Match and replace Proxy settings

Intercept on Forward Drop Open browser

攔截開關



Intercept is on

Messages between Burp's browser and your target servers are held here. This enables you to analyze and modify these messages, before you forward them.


Learn more Open browser

Event log All issues


Memory: 160.8MB of 13.86GB

Disabled


先試試看請求 example.com




~$ 一個網站的架構




~$ 一個網站的架構



~$ DOM




交通部中央氣象署
Central Weather Administration
回首頁 EN 網站導覽 意見箱 常見問答 關於氣象署 小 中 大
警特報 天氣 生活 地震 海象 氣候 資料
颱風消息
天氣 › 鄉鎮預
DOM
鄉鎮預報 - 桃園市蘆竹區
地點切換 桃園市 蘆竹區 快速搜尋 請輸入關鍵字
選擇 09/23(三) 白天 天氣狀況
Elements Network Console Performance Memory Application Security Lighthouse Recorder
<!--[if IE 8]> <html lang="zh-Hant-TW" class="ie8"> <![endif]-->
<!--[if IE 9]> <html lang="zh-Hant-TW" class="ie9"> <![endif]-->
<!--[if !IE]><!-->
<html lang="zh-Hant-TW" class="printSet_v02" style="font-size: 100%;"> view-source scroll
<!--<![endif]-->
<head> </head>
<body class="townBody"> == $0
跳到主要內容區塊
<noscript> </noscript>
<!--=== [START] Header ===-->
<header class="header" id="header"> </header>
<!--=== [END] Header ===-->
<!--=== [START] Breadcrumbs ===-->

<!--=== [END] Breadcrumbs ===-->

<!--/wrapper-->
<!-- Floating Action Button -->

<!-- End Floating Action Button -->
<!-- Modal -->

<!-- End Modal -->
<!-- Modal -->


html.printSet_v02 body.townBody



前端原始碼 (Javascript+HTML) 還沒被瀏覽器處理成 DOM

~$ URL

https://blog.frk.tw/about



協議名稱

常見的有 - http://, ftp://, smtp://

~$ URL


https://blog.frk.tw/about



網域名稱

~$ URL

https://blog.frk.tw/about




路徑

如果是 / 可能會被省略

不顯示


~$ URL

協議名稱



Burp Project Intruder Repeater View Help
Dashboard Target Proxy Intruder Repeater Collaborator Sequencer
1 ×
Send Cancel Burp AI
Request
Pretty Raw Hex
1 POST / HTTP/2
2 Host: frk.tw
3 Cache-Control: max-age=0
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: zh-TW,zh;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: none
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Accept-Encoding: gzip, deflate, br
16 Priority: u=0, i
17 Content-Type: application/x-www-form-urlencoded
18 Content-Length: 7
19
20 114514


~$ URL

路徑



Burp Project Intruder Repeater View Help
Dashboard Target Proxy Intruder Repeater Collaborator Sequencer
1 ×
Send Cancel Burp AI
Request
Pretty Raw Hex
1 POST / HTTP/2
2 Host: frk.tw
3 Cache-Control: max-age=0
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: zh-TW,zh;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: none
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Accept-Encoding: gzip, deflate, br
16 Priority: u=0, i
17 Content-Type: application/x-www-form-urlencoded
18 Content-Length: 7
19
20 114514

~$ Request (請求)


Burp Project Intruder Repeater View Help
Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Dec
1 ×
Send Cancel Burp AI
Request
Pretty Raw Hex
\n
1 GET /?114514= HTTP/2
2 Host: frk.tw
3 Cache-Control: max-age=0
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: zh-TW,zh;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: none
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Accept-Encoding: gzip, deflate, br
16 Priority: u=0, i
17
18




GET Header (路徑後面有問號和字)



按 Change request method 更改請求方式


POST 的封包會帶請求內容

寫法是空一格再寫



~$ 請求方式

GET POST DELETE HEAD



用來獲取前端原始碼

也可以傳送簡單資料

~$ 請求方式


GET POST DELETE HEAD



傳送資料和上傳檔案

~$ 請求方式


GET POST DELETE HEAD



傳送給後端，讓後端刪除資料

~$ 請求方式

GET POST DELETE HEAD



後端和瀏覽器同步用，常用來發送通知

QA

