



Comment	Description	Designator	Footprint	LibRef	Quantity
teensy_3.6		3	teensy_3.6	teensy_3.6	1
SMD		C1, C2, C3	C_SMD_0805_pcb	C_SMD_0805	3
RJ11		J1, J2	RJ11_Connector	RJ11_Connector	2
Header 3	Header, 3-Pin	P1	HDR1X3	Header 3	1
Header 24	Header, 24-Pin	P2, P3	HDR1X24	Header 24	2
JST_SE_5PIN		P4	JST_SE_5PIN	JST_SE_5PIN	1
HazardLights		P5	JST_SE_2PIN	JST_SE_2PIN	1
5V	Header, 3-Pin, Dual row	P6	HDR2X3	Header 3X2	1
1x3_M		P7, P8	PIN_HEADER_M_1x3	PIN_HEADER_M_1x3	2
F.Light		P9	JST_SE_2PIN	JST_SE_2PIN	1
GND	Header, 3-Pin, Dual row	P10	HDR2X3	Header 3X2	1
3V3	Header, 3-Pin, Dual row	P11	HDR2X3	Header 3X2	1
Wiper		P12	JST_SE_2PIN	JST_SE_2PIN	1
Reset		P13	JST_SE_2PIN	JST_SE_2PIN	1
Br. Light		P14	JST_SE_2PIN	JST_SE_2PIN	1
SMD		R1, R2	R_SMD_0805_pcb	R_SMD_0805	2
SWITCH_3WAY_TOGG		S1	SWITCH_ATE	SWITCH_3WAY_TOGG	1
SN65GVD231d		U1	SN65HVD231D_SMD	SN65HVD231D_SMD	1
IL_710- 2E_DIGITAL_ISOLATO R	Digital Isolator 3-5V input/output.	U2, U3	IL_710-2E_DIP8	IL_710- 2E_DIGITAL_ISOLATO R	2